Android Studio Lab Experiment

Aim: Write a program to implement Intent to navigate between multiple activities.

1. activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center"
    android:orientation="vertical"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Home Page"
        android:textSize="17sp" />

    <Button
        android:id="@+id/button"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="View Profile"
        android:layout_marginTop="1dp" />

</LinearLayout>
```

2. MainActivity.java

```
package com.example.navigate;


import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class MainActivity extends AppCompatActivity {

    Button button;
```

```
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        button = findViewById(R.id.button);
        button.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Intent intent = new Intent(getApplicationContext(), Navigate2.class);
                startActivity(intent);
            }
        });
    }
}
```

3. activity_navigate2.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center"
    android:orientation="vertical"
    tools:context=".Navigate2">

    <ImageView
        android:layout_width="match_parent"
        android:layout_height="300dp"
        android:src="@drawable/baseline_person_pin_24" />

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Person Profile"
        android:textColor="@color/black"
        android:textStyle="bold"
        android:textSize="17sp" />

</LinearLayout>
```

4. Navigate2.java

```
package com.example.navigate;
```

```
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;

public class Navigate2 extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_navigate2);
    }
}
```