Identify the list of variable & their datatypes for

→ Bill of an Amazon order
→ Bus ticket
→ Current Bill
→ Gas Bill

1) Current Bill

| Variable | | Data type |
|---|---|---|
| Bill_date | → | Date |
| Bill no | → | Long / String |
| group | → | String |
| Address | → | String |
| Unique sc | → | String / long |
| Service Connection no | → | String |
| Name | → | String |
| Address | → | String |
| Category | → | int |
| Phase | → | int |
| Connection type | → | String |
| Connected load | → | float |
| Contracted load | → | float |
| Meter no | → | String / Long |
| Multiplying factor | → | float |
| energy charge | → | float |
| fixed charge | → | float |
| Customer Charge | → | float |
| ed Charge | → | float |
| surcharges | → | float |
| ed interest | → | float |
| | → | float |

fppca$ charge → float
shortfall → float
te_mp_bb_amt → float
acd surcharge → float
loss gain → float
Bill amount → float
govt subsidy → float
bill subtotal → float
total amount → float
QR code → image

2) Bus ticket

Corporation_name → String
Depot → String
Ticket number → String
issue date → date
issue time → time
Service type → String
Service no → String
route → String
Passengers → int
Fare per ticket → Float
Total ticket price → Float
Govt. subsidy → float
Amount payable → Float
scheme → String
Driver id → String
kms → int
epos no → String
Vehicle no → String
Transferable → boolean

## Gas Bill

Distributor name → String
Distributor Code → String
Oil Compay → String
Bill no / invoice no → String
Bill date → Date
Delivery date → date
delivary time → time
Consumer name → String
Consumer no → String
Address → String
Mobile no → String / long int
ipg id → String
Cylinder type → String
quantity → integer
Delivary man name → String
Seal no → String
price → float
gst amount → float
gst percent → float
delivery charge → float
Subsidy amount → float
total amount → float
payment mode → String

06/7/25

4) Bill of Amazon Order

Order id → String
order date → Date
invoice no → String
invoice date → Date
Seller name → string
Seller address → String
Place of delivery → String
Billing name → String
shipping address → String
item description → String
quantity → int
Unit price → float
discount → float
taxable value → float
total tax → float
Shipping charge → float
Total amount → float
Payment mode → String
Payment id → string