

Automated Performance and Footprint Benchmark Report

- Generated At: 2026-08-19 21:08:48
- Application Package: app.phial.habits
- Target Device: sdk_gphone64_arm64 (Android 16, 1080x2400, Serial: emulator-5554)
- Report Identifier / Tag: emulator

Executive Summary


Metric	Baseline	Peak	Resting	Delta (Post-GC)	Health Status
Total System RAM (PSS)	142.8 MB	144.3 MB	142.1 MB	-0.7 MB	STABLE
Native Heap (Impeller/C++)	21.4 MB	-	20.0 MB	-1.4 MB	OPTIMAL
Dart VM Heap	21.1 MB	-	20.6 MB	-0.4 MB	OPTIMAL

CPU Utilization


- Average Active CPU: 12.6%
- Peak CPU Spike: 20.0%

Frame Rate and Rendering Performance

Rendering Metric	Measurement	Target / Budget	Status
Total Frames Rendered	1,388	-	COMPLETED
Active Motion Render Rate	120.0 FPS	60.0 / 120.0 FPS	OPTIMAL
Frame Smoothness / Fluidity	86.7%	> 95.0%	WARN
Janky Frames (>16.6ms)	185 (13.3%)	< 5.0%	WARN
UI Thread Build Time (Avg)	0.4 ms (95th: 1.1ms)	< 8.0 ms	OPTIMAL
Raster GPU Time (Avg)	4.0 ms (95th: 16.9ms)	< 8.0 ms	OPTIMAL
Total Frame Time (Avg)	7.0 ms (99th: 43.1ms)	< 16.6 ms	OPTIMAL




Performance Timeline



Memory and CPU Timeline

Dart Heap Class Allocations

Class Name	Active Instances	Memory Allocated (KB)
InstructionsSection	1	5116.1 KB
Code	23,122	3612.8 KB
_OneByteString	32,562	2304.5 KB
_List	33,110	2056.9 KB
CodeSourceMap	17,848	2030.8 KB
Function	22,768	1423.0 KB
SemanticsConfiguration	3,762	764.2 KB
_GrowableList	23,381	730.7 KB
Field	10,568	660.5 KB
Class	4,863	531.9 KB
_Map	12,923	403.8 KB
_Mint	24,247	378.9 KB



Top Dart Allocations