

CHAPTER-1

INTRODUCTION

Traditionally, data enters the system through the use of a keyboard. The main disadvantage of such an arrangement is the reliance on data input by the user (i.e. the human being). While the keyboard is still considered a revolution in the digital era, it may not always be the optimal option for personal data entry or movement. Data entry using keyboards is often time-consuming, unreliable, and inefficient. As a result, the demand for other, mostly faster ways of data identification increased¹. These automatic identification methods mostly had different applications, e.g. transcription software, barcode scanners, QR-codes and optical character recognition.

Firms have become increasingly digitized over the past decades. Physical locations are rapidly closing, while doing business and tasks over the internet has increased significantly over the years. This gave rise to serious new challenges in proving someone's identity. While someone can prove their identity by entering a physical location and showing their identity document, this is not possible over the internet. Furthermore, someone's identity on the internet is not always certain. Fraud and identity theft is not uncommon in the digital world. In india 45 percent of adult indian internet users faced threat in 2020, up almost 40 percent since 2019 to count at 2.7 crore over 2 percent of india's entire population. This raises questions on whether you can trust information provided by the user without verifying the user first. There is, therefore, a strong need for a robust digital identity infrastructure that takes into account the current limitations. As privacy awareness has increased significantly throughout the years and will continue to increase in the coming years.

At DID (Digitization of Indian Documents using OCR) system, we are aware of the current challenges of digital identity verification. We developed an identity verification service platform that verifies identity documents using the camera of the user. What separates DID system from other parties, is its privacy- first approach: data processing is only performed on the device of the user and is not stored on our servers.

1.1 COMPANY PROFILE

Inovace Digital is Incorporated in India by 2016 and its has registered office at CDAC, Technopark, Trivandrum. A software company positioning itself to become the successful product development and consultancy company across diverse industry verticals like Marine and e-commerce.

The experience of many projects, together with the ambition of dynamic consultants and developers are the engine of our success. With our experienced team of developers, we maximize the benefits of our delivery potential, ensuring flexibility to client needs, thus bringing out the most inventive solutions in every business and technology domain. We strictly follow software development life cycle and proper coding standards.

40 Engineers from different Technology Stack is part of our team.

We work on following three values:

A customer centric Team: We will listen to our customers and will make it a joy for them to work with us. No matter how big or small a project is, it will be delivered with highest quality. Superior customer experience is the top priority for all our actions. Our business is to, meet the unmet need, of the customer.

Technical Excellence: We will build the right thing at right time in the right way. We will promote a culture where people and performance matters.

Transparency by default: We will operate in an environment of fairness with our customers, employees, vendors and to the government regulators. We will always encourage open and honest communication

1.2 STATEMENT OF THE PROBLEM

Scanning and processing documents such as invoices, receipts, and images for valuable data has traditionally been a manual process fraught with errors and delays. OCR software solutions help businesses save time and resources that would otherwise be spent on data entry & manual validation/verification. Modern OCR software are fast, accurate and can handle common document processing constraints such as poorly formatted scans, handwritten documents, low quality images/scans, and blemishes that would have traditionally required extended manual interventions. More and more organizations are automating document processing workflows to go paperless and leverage cloud-based digital solutions that improve bottom lines.

CHAPTER-2

SYSTEM ANALYSIS

2.1 PRESENT SYSTEM

In the running world there is a growing demand for the users to convert the printed documents into electronic documents for maintaining the security of their data. Scanning and processing documents such as invoices, receipts, and images for valuable data has traditionally been a manual process fraught with errors and delays. Hence the basic OCR system was invented to convert the data available on papers into computer processable documents, so that the documents can be editable and reusable.

2.2 LIMITATIONS OF PRESENT SYSTEM

- a) Reduction on Human Error
- b) Human effort on daily mundane tasks
- c) Reduces operational efficiency
- d) Many times we are unable to perceive certain digits due to various factors motion, lack character clarity, illumination and so on

2.3 PROPOSED SYSTEM

DID (Digitization of Indian Documents using Optical Character Recognition) system is proposed for extracting the data that we want from documents such as pan card, aadhar card, driving licence, voter id card and cross matched every information that extracted from the document to identify where any one of the data in the scanned image is valid data or to be a forged one. Here we use Tesseract ocr engine for extracting characters from an image image document. The only requirement of this system is installing special cameras for capturing the documents. The quality of image that captured is most important in this proposed system then only it can provide more accuracy.

2.4 ADVANTAGES AND FEATURES OF PROPOSED SYSTEM

Various Service providers like government, telecom and other sectors can leverage identity verification technology to

- a) Reduce identity fraud
- b) Adapt to local regulations and business needs
- c) Streamline customer on boarding across multiple channels
- d) comply with know your customer (KYC) regulations : Anti Money laundering, Combating the financing terrorism

Features of proposed system

- a) Remote ID Capture
- b) Extracting Information
- c) Cross Matching Document
- d) verification Response

a) Remote ID Capture

Document capture is done by providing real-time indications to user to help them to scan their ID with device camera .The device camera enables to capture the document data by taking a picture or simply uploading the documents.

b) Extracting Information

From captured image the data is extracted through optical character recognition.Optical Character Recognition is a technique of reading or grabbing text from scanned photos, handwritten images and convert it into a digital format that can be editable and searchable. In our system the extracted information from different documents contains unwanted datas from this data we cleanup those junk data and make the data that we want more clarity.

Here we use Tesseract for extracting informations from an image.This enable the DID system to accurately decipher and extract text from a variety of sources .As per its's namesake it uses an updated version of tesseract open source ocr tool. We also automatically binarize and preprocess images using the binarization so tesseract has an easier time deciphering images


c) Cross Matching Document

The data extracted from the document is then cross verified to ensure the authenticity of the person. For cross matching it checks some important data from each of the document, considering the paan card as an example it cross checks mainly for date of birth and pan number. Why we cross check these data is that in most of cases the date of birth and pan no is forged. In different scenarios we cross checked different datas

d) Verification Response

DID system cross checked the important data with corresponding api and return the matching document. In DID system for different scenario it cross checks different other data for each of the document in this system and checks in api with a particular id such as aadhar number, pan number, licence number, voter id number and from each of the response it cross checks again the information in those id contain data for more validating the result

2.5 PROPOSED SYSTEM WORK FLOW



2.6 Feasibility Study

The main aim of the feasibility study activity is to determine. Whether it would be financially and technically feasible to develop the product. The feasibility study activity involves analysis of the problem and collection of all relevant information relating to the product such as the different data items which would be input to the system the processing required to be carried out of these data, the output data required to be carried out of these data, the output data required to be produced by the system, as well as various constraints on the behaviour of the system.

- a) Technical Feasibility
- b) Economic Feasibility
- c) Operational Feasibility

2.6.1 Technical Feasibility

The proposed system uses language python. Based on this criteria we can strongly say that it is technically feasible, since there will not be much difficulty in getting required resources for the development and maintain system as well. All the resources

needed for the development of the software as well as the maintenance of the same is available in the organisation. Here we are utilizing the resources which are already available so it is technically feasible that we can implement the DID system

2.6.2 Operational Feasibility

Proposed system would be beneficial only if they can be turned in to information system that will meet the organization operating requirements. One of the main problems faced during the development of a new system is getting acceptance from user.

2.6.3 Economic Feasibility

Economically, this project doesn't raise any issue, as the project itself is planned as the website. The resource required for this project is minimum. This system doesn't demand any additional equipment.

- a) The resource required for our project is minimum and the system doesn't demand any additional equipment so our project is economically feasible
- b) The system is economic with our system point of view
- c) It is cost effective as it eliminates the paper works

CHAPTER – 3

SYSTEM SPECIFICATION

3.1 MINIMUM SOFTWARE REQUIREMENTS FOR DEVELOPMENT

1.Operating System	:	Windows / Mac Os
2.Language	:	Python
3.Frontend	:	HTML,CSS
4.Framework	:	Django:
5.IDE	:	Pycharm
6.Libraries	:	Opencv, Pytesseract,

3.2 MINIMUM HARDWARE REQUIREMENTS FOR DEVELOPMENT

1.Processor	:	Intel i5 or AMD Ryzen 3
2.RAM	:	3 GB
3.Hard Disk Drive	:	300GB
4.Peripherals	:	Keyboard, Mouse, Camera, Monitor

CHAPTER – 4

SYSTEM DESIGN

4.1 CONTEXT LEVEL DIAGRAM




FIG 4.1.1 CONTEXT LEVEL DIAGRAM

4.2 DATA FLOW DIAGRAM

LEVEL 1: DFD OF DID SYSTEM




FIG 4.2.1 LEVEL 1 DFD: DID SYSTEM

4.3 DESIGN OF EACH SUB SYSTEM




FIG 4.3.1 DESIGN OF SUB SYTEM

4.4 UML DIAGRAMS

4.4.1 USE CASE DIAGRAM




FIG 4.4.1 USE CASE DIAGRAM

4.4.2 SEQUENCE DIAGRAM




FIG 4.4.2 SEQUENCE DIAGRAM

4.5 FLOW CHART

4.5.1 PANCARD FLOWCHART




FIG 4.7.1 PANCARD FLOWCHART

4.5.2 AADHAR CARD FLOWCHART




FIG 4.5.2 AADHAR CARD FLOWCHART

4.5.3 DRIVING LICENCE FLOWCHART




FIG 4.5.3 DRIVING LICENCE FLOW CHART

4.5.4 VOTER ID FLOWCHART




FIG 4.5.4 VOTER ID FLOWCHART

CHAPTER-5

CODING

5.1 FEATURES OF LANGUAGE

Python Overview

Python is a general-purpose, interpreted, high-level programming language which is widely used nowadays .It is an open source language which was developed by Guido Van Rossum in the late 1980s .Python Software Foundation (PSF), a non-profit organization, holds the intellectual property rights of Python. Python was released in 1991 at Centrum Wiskunde & Informatica (CWI) in the Netherlands as a successor to the ABC language. Rossum named this language after a popular comedy show called 'Monty Python's Flying Circus' (and not after Python-the snake).In the last few years, the popularity of python has increased immensely due to its wide applications. According to most of the tech surveys, Python is in the top ten Most Popular Technologies in 2019.

Python Features

Python is an interpreter-based language, which allows execution of one instruction at a time.

- a) Extensive basic data types are supported e.g. numbers (floating point, complex, and unlimited-length long integers), strings (both ASCII and Unicode), lists, and dictionaries.
- b) Variables can be strongly typed as well as dynamic typed.
- c) Supports object-oriented programming concepts such as class, inheritance, objects, module, namespace etc.
- d) Cleaner exception handling support.
- e) Supports automatic memory management.

Python Advantages

- a) Python provides enhanced readability. For that purpose, uniform indents are used to delimit blocks of statements instead of curly brackets, like in many languages such as C, C++ and Java.
- b) Python is free and distributed as open-source software. A large programming community is actively involved in the development and support of Python libraries for various applications such as web frameworks, mathematical computing and data science.
- c) Python is a cross-platform language. It works equally on different OS platforms like Windows, Linux, Mac OSX etc. Hence Python applications can be easily ported across OS platforms.
- d) Python supports multiple programming paradigms including imperative, procedural, object-oriented and functional programming styles.
- e) Python is an extensible language. Additional functionality (other than what is provided in the core language) can be made available through modules and packages written in other languages (C, C++, Java etc)
- f) A standard DB-API for database connectivity has been defined in Python. It can be enabled using any data source (Oracle, MySQL, SQLite etc.) as a backend to the Python program for storage, retrieval and processing of data.
- g) Standard distribution of Python contains the Tkinter GUI toolkit, which is the implementation of popular GUI library called Tcl/Tk. An attractive GUI can be constructed using Tkinter. Many other GUI libraries like Qt, GTK, WxWidgets etc. are also ported to Python.
- h) Python can be integrated with other popular programming technologies like C, C++, Java, ActiveX and CORBA.

Python Applications

Even though Python started as a general-purpose programming language with no particular application as its focus, over last few years it has emerged as the language of choice for developers in some application areas. Some important applications of Python are summarized below:

Image Processing

The OpenCV library is commonly used for face detection and gesture recognition. OpenCV is a C++ library, but has been ported to Python. Because of the rapid development of this feature, Python is a very popular choice from image processing.

OpenCV

OpenCV is a cross-platform library using which we can develop real-time computer vision applications. It mainly focuses on image processing, video capture and analysis including features like face detection and object detection. Computer Vision can be defined as a discipline that explains how to reconstruct, interrupt, and understand a 3D scene from its 2D images, in terms of the properties of the structure present in the scene. It deals with modeling and replicating human vision using computer software and hardware.

Django

Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design. Built by experienced developers, it takes care of much of the hassle of Web development, so you can focus on writing your app without needing to reinvent the wheel. It's free and open source.

Django Features

Ridiculously fast:- Django was designed to help developers take applications from concept to completion as quickly as possible.

Fully loaded:- Django includes dozens of extras you can use to handle common Web development tasks. Django takes care of user authentication, content administration, site maps, RSS feeds, and many more tasks — right out of the box.

Reassuringly secure:- Django takes security seriously and helps developers avoid many common security mistakes, such as SQL injection, cross-site scripting, cross-site request forgery and clickjacking. Its user authentication system provides a secure way to manage user accounts and passwords.

Exceedingly scalable:- Some of the busiest sites on the planet use Django's ability to quickly and flexibly scale to meet the heaviest traffic demands.

Incredibly versatile:- Companies, organizations and governments have used Django to build all sorts of things — from content management systems to social networks to scientific computing platforms.

5.2 FUNCTIONAL DESCRIPTION

```
def ocr(filename):  
    """  
    This function will handle the core OCR processing of images.  
    """
```

```
def clear_text(text):  
    """  
        it clear up the data extracted .It will make more clarity to letters exrtracted and  
        remove unwanted data  
    """  
  
def text_process(text):  
    """  
        process the extracted text data  
    """  
  
def ocr_to_json(text):  
    """  
        when this function triggers it return data as dictionary format  
    """  
  
def face_detect(filename):  
    """  
        This function detect the front face in an id card if there is one.other wise return  
        none  
    """  
  
#pancard.py  
  
# from django.conf import settings  
  
"""try:  
    from PIL import Image
```


DEPARTMENT OF MCA

```
except ImportError:
```

```
    import Image"""
```

```
import pytesseract
```

```
import numpy as np
```

```
import cv2
```

```
import ftfy
```

```
import re
```

```
import json
```

```
import io
```

```
# import os
```

```
from PIL import Image
```

```
# from scipy.ndimage import rotate
```

```
face_classifier = cv2.CascadeClassifier("./haarcascade_frontalface_default.xml")
```

```
# filename = cv2.imread("/home/arijit/Documents/PAN-Card-OCR-master/media")
```

```
def Convert(a):
```

```
    it = iter(a)
```

```
    res_dct = dict(zip(it, it))
```

```
    return res_dct
```

```
def ocr(filename):
```

```
    """
```

```
    This function will handle the core OCR processing of images.
```

```
    """
```

```
    i = cv2.imread(filename)
```

```
    newdata = pytesseract.image_to_osd(i)
```

```
    angle = re.search('(?!<=Rotate: )\d+', newdata).group(0)
```

```
    angle = int(angle)
```

```
i = Image.open(filename)
if angle != 0:
    # with Image.open("ro2.jpg") as i:
    rot_angle = 360 - angle
    i = i.rotate(rot_angle, expand="True")
    i.save(filename)

"""rot = False
if rot:
    i = rotate(i, None)
    i = rotate(i, None)
    i = rotate(i, None)"""
i = cv2.imread(filename)
# Convert to gray
i = cv2.cvtColor(i, cv2.COLOR_BGR2GRAY)

# Apply dilation and erosion to remove some noise

kernel = np.ones((1, 1), np.uint8)
i = cv2.dilate(i, kernel, iterations=1)
i = cv2.erode(i, kernel, iterations=1)

text = pytesseract.image_to_string(i)
# return text

dict = text.split(' ')
# print(dict)

# print('Pan card number is {}. \nDate of Birth is {}'.format(val[0][0], val[1][0]))
# print('\n')
# Cleaning all the gibberish text
```

DEPARTMENT OF MCA

```
text = ftfy.fix_text(text)
text = ftfy.fix_encoding(text)
new_text = ocr_to_json(text)

# print(type(new_text))
# list_text = new_text.split("\n")
# print(list_text)

face_detect(filename)
return new_text

def ocr_to_json(text):
    # Initializing data variable
    name = None
    fname = None
    dob = None
    pan = None

    nameline = []
    doblines = []
    panline = []
    text0 = []
    text1 = []
    text2 = []

    # Searching for PAN
    lines = text.split('\n')
    for lin in lines:
        s = lin.strip()
        s = lin.replace('\n', '')
        s = s.rstrip()
        s = s.lstrip()
```

DEPARTMENT OF MCA

```
text1.append(s)
```

```
text1 = list(filter(None, text1))
```

```
# to remove any text read from the image file which lies before the line 'Income Tax  
Department'
```

```
lineno = 0 # to start from the first line of the text file.
```

```
for wordline in text1:
```

```
    xx = wordline.split('\n')
```

```
    if ([w for w in xx if re.search(
```

```
        '(INCOMETAXDEPARWENT @|mcommx|INCOME|TAX|GOW|GOVT|  
GOVERNMENT|OVERNMENT|VERNMENT|DEPARTMENT|EPARTMENT|  
PARTMENT|ARTMENT|INDIA|NDIA)$',
```

```
        w)]]):
```

```
        text1 = list(text1)
```

```
        lineno = text1.index(wordline)
```

```
        break
```

```
text0 = text1[lineno + 1:]
```

```
# print(text0) # Contains all the relevant extracted text in form of a list - uncomment  
to check
```

```
def findword(textlist, wordstring):
```

```
    lineno = -1
```

```
    for wordline in textlist:
```

```
        xx = wordline.split()
```

```
        if ([w for w in xx if re.search(wordstring, w)]]):
```

```
            lineno = textlist.index(wordline)
```

DEPARTMENT OF MCA

```
        textlist = textlist[lineno + 1:]
    return textlist
return textlist

try:
    # Cleaning first names, better accuracy
    name = text0[0]
    name = name.rstrip()
    name = name.lstrip()
    name = name.replace("8", "B")
    name = name.replace("0", "D")
    name = name.replace("6", "G")
    name = name.replace("1", "I")
    name = re.sub('[^a-zA-Z] +', '', name)

    # Cleaning Father's name
    fname = text0[1]

    fname = fname.rstrip()
    fname = fname.lstrip()
    fname = fname.replace("8", "S")
    fname = fname.replace("0", "O")
    fname = fname.replace("6", "G")
    fname = fname.replace("1", "I")
    fname = fname.replace("\", "A")
    fname = re.sub('[^a-zA-Z] +', '', fname)

    # Cleaning DOB
    dob = text0[2]
    dob = dob.rstrip()
    dob = dob.lstrip()
    dob = dob.replace('I', '/')
```

DEPARTMENT OF MCA

```
dob = dob.replace('L', '/')
dob = dob.replace('I', '/')
dob = dob.replace('i', '/')
dob = dob.replace('|', '/')
dob = dob.replace("\'", '/1')
dob = dob.replace(" ", "")

# Cleaning PAN Card details
text0 = findword(text1, '(Pormanam|Number|umber|Account|ccount|count|
Permanent|ermanent|manent|wumm)$')
panline = text0[0]
pan = panline.rstrip()
pan = pan.lstrip()
pan = pan.replace(" ", "")
pan = pan.replace("\'", "")
pan = pan.replace(";", "")
pan = pan.replace("%", "L")

except:
    pass

# Making tuples of data
data = {}
data['Name'] = name
data['Father Name'] = fname
data['Date of Birth'] = dob
data['PAN'] = pan

# Writing data into JSON
try:
    to_unicode = unicode
except NameError:
```

```

    to_unicode = str

# Reading data back JSON(give correct path where JSON is stored)
with open('data.json', 'r', encoding='utf-8') as f:
    ndata = json.load(f)

t = (f"Name: {data['Name']}\n"
     f"Father's Name: {data['Father Name']}\n"
     f"Date of Birth: {data['Date of Birth']}\n"
     f"PAN number: {data['PAN']}\n")

list_data = [data['Name'], data['Father Name'], data['Date of Birth'],data['PAN']]

return list_data
# return Response({"message":data})

# print(ocr('images/ocr_example_1.png'))

def face_detect(filename):
    img = cv2.imread(filename)

    gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)

    # cv2.imshow('Original image', img)

    faces = face_classifier.detectMultiScale(gray, 1.3, 5)

    """
    if faces is ():
        print("No faces found")"""

```

DEPARTMENT OF MCA

```
# crop_img = 0
for (x, y, w, h) in faces:
    x = x - 25
    y = y - 40
    cv2.rectangle(img, (x, y), (x + w + 50, y + h + 70), (27, 200, 10), 2)
    # cv2.imshow('Face Detection', img)
    crop_img = img[y: y + h + 70, x: x + w + 50]
    cv2.imwrite('./media/Face1.jpg', crop_img)
    cv2.waitKey(1000)
cv2.destroyAllWindows()
return crop_img

#aadhar.py

from django.conf import settings

import pytesseract
import cv2
import re

import cv2
import ftfy
from PIL import Image

# from scipy.ndimage import rotate
import numpy as np

face_classifier = cv2.CascadeClassifier("./haarcascade_frontalface_default.xml")

def adhar(filename):
    """
    This function will handle the core OCR processing of images.
```



```
i = cv2.imread(filename)
newdata = pytesseract.image_to_osd(i)
angle = re.search('(?!<=Rotate: )\d+', newdata).group(0)
angle = int(angle)
i = Image.open(filename)
if angle != 0:
    # with Image.open("ro2.jpg") as i:
    rot_angle = 360 - angle

    i = i.rotate(rot_angle, expand="True")
    i.save(filename)

i = cv2.imread(filename)
# Convert to gray
i = cv2.cvtColor(i, cv2.COLOR_BGR2GRAY)

# Apply dilation and erosion to remove some noise
kernel = np.ones((1, 1), np.uint8)
i = cv2.dilate(i, kernel, iterations=1)
i = cv2.erode(i, kernel, iterations=1)

text = pytesseract.image_to_string(i)
# return text
dict = text.split(' ')
# print(dict)

# print('Pan card number is {}. \nDate of Birth is {}'.format(val[0][0], val[1][0]))
# print('\n')
# Cleaning all the gibberish text
text = ftfy.fix_text(text)
text = ftfy.fix_encoding(text)
```

```

new_text = clear_text(text)
# print(type(new_text))
face_detect(filename)
return new_text

```

```
def clear_text(text):
```

```

    list_text = []
    res = text.split()
    split_ocr = text.split('\n')
    yob_patn = '[0-9]{4}'
    dob_patn = '\d+[-/]\d+[-/]\d+'
    adhar_number_patn = '[0-9]{4}\s[0-9]{4}\s[0-9]{4}'
    adhar_name_patn = r'\b[A-Z][a-z]+\s[A-Z][a-z]+\s[A-Z][a-z]+$'

```

```
# adhar_name_patrn = r'\b[a-zA-Z0-9._%+~]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}\b'
```

```
name = 'NULL'
```

```
for ele in split_ocr:
```

```
    match = re.search(adhar_name_patn, ele)
```

```
    if match:
```

```
        name = match.group()
```

```
        print('name :', name)
```

```
        list_text.append(name)
```

```
if name == 'NULL':
```

```
    if 'Government' in res:
```

```
        index = res.index('India')
```

```
        name = res[index + 3] + " " + res[index + 4]
```

```
    elif 'GOVERNMENT' in res:
```

```
        index = res.index('INDIA')
```

```
        name = res[index + 3] + " " + res[index + 4]
```

```
    else:
```

```
        name = split_ocr[1] + " " + split_ocr[2]
```

```
print('name :', name)
list_text.append(name)
aadhar_number = ""
for word in res:
    if 'yob' in word.lower():

        yob = re.findall('d+', word)
        if yob:
            print('Year of Birth: ' + yob[0])
            list_text.append(yob[0])
        if len(word) == 4 and word.isdigit():
            aadhar_number = aadhar_number + word + ''
if len(aadhar_number) >= 14:
    print("Aadhar number is : " + aadhar_number)
    list_text.append(aadhar_number)
else:
    aadhar_number = 'NULL'
    print("Aadhar number not read")
if aadhar_number == 'NULL':
    match = re.search(adhar_number_patn, text)
    print(match, 'match --3')
    if match:
        print(match.group(), 'match.group()')
        aadhar_number = match.group()
        print("Aadhar number is : " + aadhar_number)
        list_text.append(aadhar_number)
if 'DOB' in text:
    match = re.search(dob_patn, text)
    if match:
        DateOfBirth = match.group()
        print('DateOfBirth :', DateOfBirth)
        list_text.append(DateOfBirth)
```

```
elif 'DOB:' in res:
    match = re.search(dob_patn, text)
    if match:
        DateOfBirth = match.group()
        print('DateOfBirth :', DateOfBirth)

    list_text.append(DateOfBirth)
else:
    match = re.search(dob_patn, text)
    if match:
        DateOfBirth = match.group()
        print('DateOfBirth :', DateOfBirth)
        list_text.append(DateOfBirth)
if 'Year of Birth' in text:
    match = re.search(yob_patn, text)
    if match:
        DateOfBirth = match.group()
        print('DateOfBirth :', DateOfBirth)
        list_text.append(DateOfBirth)
if 'Male' in text or 'MALE' in text:
    GENDER = 'Male'
elif 'Female' in text or 'FEMALE' in text:
    GENDER = 'Female'
else:
    GENDER = 'NAN'
print('GENDER :', GENDER)
list_text.append(GENDER)
return list_text

def face_detect(filename):
    # print(filename, "XXX")
    img = cv2.imread(filename)
```

```
gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)

# cv2.imshow('Original image', img)

faces = face_classifier.detectMultiScale(gray, 1.3, 5)

"""if faces is ():
    print("No faces found")"""

for (x, y, w, h) in faces:
    x = x - 25
    y = y - 40
    cv2.rectangle(img, (x, y), (x + w + 50, y + h + 70), (27, 200, 10), 2)
    # cv2.imshow('Face Detection', img)
    crop_img = img[y: y + h + 70, x: x + w + 50]
    cv2.imwrite('./media/Face1.jpg', crop_img)

    cv2.waitKey(1000)
cv2.destroyAllWindows()
return crop_img

#dirver.py

import pytesseract
import cv2
import re

import cv2

from PIL import Image
import numpy as np
import regex
```

```
def Convert(a):
    it = iter(a)
    res_dct = dict(zip(it, it))
    return res_dct

def driver_license(filename):
    """
    This function will handle the core OCR processing of images.
    """

    i = cv2.imread(filename)
    newdata = pytesseract.image_to_osd(i)
    angle = re.search('(?!<=Rotate: )\d+', newdata).group(0)
    angle = int(angle)
    i = Image.open(filename)
    if angle != 0:
        # with Image.open("ro2.jpg") as i:
        rot_angle = 360 - angle
        i = i.rotate(rot_angle, expand="True")
        i.save(filename)

    i = cv2.imread(filename)
    # Convert to gray
    i = cv2.cvtColor(i, cv2.COLOR_BGR2GRAY)

    # Apply dilation and erosion to remove some noise
    kernel = np.ones((1, 1), np.uint8)
    i = cv2.dilate(i, kernel, iterations=1)
    i = cv2.erode(i, kernel, iterations=1)

    txt = pytesseract.image_to_string(i)
```

DEPARTMENT OF MCA

```
print(txt)
"""
for key in ('Issue Date', 'Licence No\.', 'N', 'Validity\ (NT\)'):

    print(regex.findall(fr"(?<={key}\s*:\s*)\b[^\n]+", txt,
regex.IGNORECASE))
"""
text = []
data = {
    'firstName': None,
    'lastName': None,
    'documentNumber': None,
}

c = 0
print(txt)
pattern = "(?<=KEY\s*:\s*)\b[^\n]+"
# Splitting lines
lines = txt.split('\n')

for lin in lines:
    c = c + 1
    s = lin.strip()
    s = s.replace('\n', " ")
    if s:
        s = s.rstrip()
        s = s.lstrip()
        text.append(s)

    try:
        if re.match(r".*Name|. *name|. *NAME", s):
            name = re.sub('[^a-zA-Z]+', ' ', s)
```

```

name = name.replace('Name', '')
name = name.replace('name', '')
name = name.replace('NAME', '')

name = name.replace(':', '')
name = name.rstrip()
name = name.lstrip()
nmlt = name.split(" ")
data['firstName'] = " ".join(nmlt[:len(nmlt) - 1])
data['lastName'] = nmlt[-1]
if re.search(r"[a-zA-Z][a-zA-Z]-\d{13}", s):
    data['documentNumber'] = re.search(r'[a-zA-Z][a-zA-Z]-\d{13}', s)
    data['documentNumber'] = data['documentNumber'].group().replace('-', '')
    if not data['firstName']:
        name = lines[c]
        name = re.sub('[^a-zA-Z]+', ' ', name)
        name = name.rstrip()
        name = name.lstrip()
        nmlt = name.split(" ")
        data['firstName'] = " ".join(nmlt[:len(nmlt) - 1])
        data['lastName'] = nmlt[-1]
if re.search(r"[a-zA-Z][a-zA-Z]\d{2} \d{11}", s):
    data['documentNumber'] = re.search(r'[a-zA-Z][a-zA-Z]\d{2} \d{11}', s)
    data['documentNumber'] = data['documentNumber'].group().replace(' ', '')
    if not data['firstName']:
        name = lines[c]
        name = re.sub('[^a-zA-Z]+', ' ', name)
        name = name.rstrip()
        name = name.lstrip()
        nmlt = name.split(" ")
        data['firstName'] = " ".join(nmlt[:len(nmlt) - 1])
        data['lastName'] = nmlt[-1]

```


DEPARTMENT OF MCA

```
"""
if re.match(r".*DOB|.dob|.Dob", s):
    yob = re.sub('[^0-9]+', '', s)

    yob = re.search(r'\d\d\d\d', yob)
    data['age'] = datetime.datetime.now().year - int(yob.group())
"""

except:
    pass

# new_data = Convert(data)
# print(new_data)
list_data = [data['firstName'], data['lastName'], data['documentNumber']]
return list_data # data

#voterid.py

from django.conf import settings

"""try:
    from PIL import Image
except ImportError:
    import Image"""
import pytesseract
import numpy as np
import cv2
# import ftify
import re

# import json
# import io
# import os
```

DEPARTMENT OF MCA

```
face_classifier = cv2.CascadeClassifier("./haarcascade_frontalface_default.xml")
```

```
# filename = cv2.imread("/home/arijitsen/PAN-Card-OCR-master/media")
```

```
def Convert(a):
```

```
    it = iter(a)
```

```
    res_dct = dict(zip(it, it))
```

```
    return res_dct
```

```
def voterid(filename):
```

```
    """
```

```
    This function will handle the core OCR processing of images.
```

```
    """
```

```
    i = cv2.imread(filename)
```

```
    # Convert to gray
```

```
    i = cv2.cvtColor(i, cv2.COLOR_BGR2GRAY)
```

```
    i = cv2.adaptiveThreshold(i, 255, cv2.ADAPTIVE_THRESH_GAUSSIAN_C,  
                             cv2.THRESH_BINARY, 85, 11)
```

```
# Apply dilation and erosion to remove some noise
```

```
    kernel = np.ones((5, 5), np.uint8)
```

```
    i = cv2.dilate(i, kernel, iterations=1)
```

```
    i = cv2.erode(i, kernel, iterations=1)
```

```
    text = pytesseract.image_to_string(i)
```

```
    # return text
```

```
    dict = text.split(' ')
```

```
    # print(dict, "XXX")
```

```
    # print('Pan card number is {}'.format(dict[0]).format(dict[1]))
```

```
# print('\n')
# Cleaning all the gibberish text
# text = ftfy.fix_text(text)
# text = ftfy.fix_encoding(text)
# new_text = ocr_to_json(text)
# face_detect(filename)
# print(type(new_text))
# list_text = new_text.split("\n")
# print(list_text)

new_text = get_name(text)
face_detect(filename)
file = open("../TextExtract.txt", "w")
file.write(text)
file.close()

# new_text = text_process()
return new_text

def get_name(text):
    # Initializing data variable
    name = None
    fname = None
    nameline = []
    text0 = []
    text1 = []
    text2 = []

    # Searching
    lines = text.split('\n')
```

```
for lin in lines:
    s = lin.strip()
    s = s.rstrip()
    s = s.lstrip()
    text1.append(s)
# print(text1)
text1 = list(
    filter(None, text1)) # Attribute has to be converted into a list object before any
additional processing
# print(text1) #at this operation the new line strings become a list of strings

lineno = 0 # to start from the first line of the text file.

for wordline in text1:
    xx = wordline.split('\n')
    if ([w for w in xx if re.search(
        '(ELECTOR|PHOTO|IDENTITY|CARD|ELECTION|COMMISSION|INDIA|
IND|NDIA)$',
        w)]):
        text1 = list(text1)
        lineno = text1.index(wordline)
        break
# text1 = list(text1)
text0 = text1[lineno + 1:]
# print(text0) #Contains all the relevant extracted text in form of a list - uncomment
to check
try:
    for x in text0:
        for y in x.split():
            # print(x)
            nameline.append(x)
```

```
        break
    except:
        pass
    # print(nameline)
    try:
        name = nameline[2].rsplit(':', 1)[1]
        fname = nameline[4].rsplit(':', 1)[1]

    except:
        pass
    # Making tuples of data
    data = {}
    data['Name'] = name
    data['Father Name'] = fname

    ##
    def findword(textlist, wordstring):
        lineno = -1
        for wordline in textlist:
            xx = wordline.split()
            if ([w for w in xx if re.search(wordstring, w)]):
                lineno = textlist.index(wordline)
                textlist = textlist[lineno + 1:]
                return textlist
        return textlist

    # Finding the electors number
    voter_no = findword(text1, '(ELECTION COMMISSION OF INDIA | ELECTOR
PHOTO IDENTITY CARD|CARD|IDENTITY CARD)$')
    voter_no = voter_no[0]
    epic_no = voter_no.replace(" ", "")
```

DEPARTMENT OF MCA

```
# print('\n')
# print('Epic No:',epic_no)

##print(str(d).replace("{","").replace("}", ""))
print(data['Name'])
print(data['Father Name'])
print(voter_no)
list_data = [data['Name'], data['Father Name']]
return list_data # (str(data).replace("{","").replace("}", ""))

def face_detect(filename):
    img = cv2.imread(filename)
    gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)

    # cv2.imshow('Original image', img)

    faces = face_classifier.detectMultiScale(gray, 1.3, 5)

    """if faces is ():
        print("No faces found")"""

    for (x, y, w, h) in faces:
        x = x - 25
        y = y - 40
        cv2.rectangle(img, (x, y), (x + w + 50, y + h + 70), (27, 200, 10), 2)
        # cv2.imshow('Face Detection', img)
        crop_img = img[y: y + h + 70, x: x + w + 50]
        cv2.imwrite('./media/Face2.jpg', crop_img)

    cv2.waitKey(1000)
    cv2.destroyAllWindows()
    return crop_img
```

"""

```
def text_process():
```

```
    # Open and reading the textfile containing result
```

```
    filename = open('../TextExtract.txt', 'r')
```

```
    text = filename.read()
```

```
    text1 = []
```

```
    # Splitting the lines to sort the text paragraph wise
```

```
    lines = text.split('\n')
```

```
    for lin in lines:
```

```
        s = lin.strip()
```

```
        s = s.rstrip()
```

```
        s = s.lstrip()
```

```
        text1.append(s)
```

```
    # Using regex to find the necessary information
```

```
    def findword(textlist, wordstring):
```

```
        lineno = -1
```

```
        for wordline in textlist:
```

```
            xx = wordline.split()
```

```
            if ([w for w in xx if re.search(wordstring, w)]):
```

```
                lineno = textlist.index(wordline)
```

```
                textlist = textlist[lineno+1:]
```

```
                return textlist
```

```
    return textlist
```

```
    # Finding the electors number
```

```
    voter_no = findword(text1, '(ELECTION COMMISSION OF INDIA ELECTORAL  
PHOTO IDENTITY CARD|CARD|IDENTITY CARD)$')
```

```
voter_no = voter_no[0]

epic_no = voter_no.replace(" ", "")
print('\n')
print('Epic No:',epic_no)

# Some voter id's last name is printed on next line hence, it will extract from next line
find_word = "(Elector's Name|NAME|Name)$"
name_end = findword(text1, find_word)
endname = name_end[0]

lines = text
for x in lines.split('\n'):
    _ = x.split()
    if ([w for w in _ if re.search("(Elector's Name|ELECTOR'S NAME|NAME|Name|
name)$", w)]):
        person_name = x
        person_name = person_name.split(':')[1].strip()

        # If voter id's endname is on next line it will join it
        if endname:
            print("Elector's Name:",person_name + ' ' + endname)
            full_name = person_name + ' ' + endname
        else:
            print(person_name)
            full_name = person_name

# Finding the father/husband/mother name
if ([w for w in _ if re.search("(Father's|Mother's|Husband's)$", w)]):
    elder_name = x
    elder_name = elder_name.split(':')[1].strip()
```



```
print("Father's Name:",elder_name)

# Finding the gender of the electoral candidate
if ([w for w in _ if re.search('(sex|SEX|Sex)$', w)]):
    gender = x
    gender = gender.split('/')
    sex = ".join(gender[2]).strip()
    print('Sex:',sex)

# Finding the Date of Birth
if ([w for w in _ if re.search('(Year|Birth|Date of Birth|DATE OF BIRTH|DOB)$',
w)]):
    year = x
    year = year.split(':')
    dob = ".join(year[1:]).strip()
    print('Date of Birth:',dob)

# Converting the extracted informaton into json
di = {'Epic No':epic_no,
      'Elector Name':full_name,
      'Father Name':elder_name
      #'Sex':sex,
      #'Date of Birth':dob
      }
```

CHAPTER-6

TESTING

Testing is a set of activities that can be planned in advance and conducted systematically. System testing is that stage of implementation that is aimed for ensuring that the system works accurately and efficiently before live operation commences. System testing is the execution of the program to check logical changes and its impact on the output of the system with the intention of finding error. A successful test is the one that uncovers a yet undiscovered error. Testing is vital to the success of the system

A strategy for software testing integrates software test case design methods into well planned series of steps that result in successful completion of the software. A software testing strategy should be flexible enough to promote a customized testing approach. A strategy for testing should accommodate low level test that are necessary to verify implemented as well as high level tests that validate major system functions against customer requirements.

Levels of Testing

Testing is done in the following levels:

- a) Unit Testing
- b) Integration Testing
- c) Validation Testing
- d) Output Testing

Unit Testing

In this level of testing each of the modules were tested one by one individually, before they were integrated. The modules were tested as soon as they were developed.

It helped to recognize areas requiring modifications and corrections. In this system, unit testing can be easily accomplished. The project is divided into four modules trainingdata generation, number plate detection, character segmentation and user. The modules includes various activities. In the case of this project, each module was built separately and was tested and verified individually before integrating them to a complete project.

Integration Testing

The modules that are tested individually and confirmed to be working according to specifications are then integrated to form the entire system. The training data generation, number plate detection, character segmentation and user modules are integrated in this testing step and then the entire system is tested. The interface between the modules are thoroughly tested. It is ensured that data and controls are passed properly between modules

Validation Testing

At the end of the integration testing software is completely assembled as a package and interfacing errors have been uncovered and corrected and final series of software validation testing begins

Once the system is integrated and tested to operate properly, it is tested to see if the software developed meets all functional, behavioural and performance requirements. The errors which were uncovered during Integration testing were covered here.

In this system. I have tested the different forms to see whether the inputs given to the forms are stored in the appropriate entries. I also tested the home page with image/video inputs, to see whether the inputs are sent to the system and are validated properly. Hence, I found that the validation testing had carried out successfully.

Output Testing

Here I have tested the system to determine whether it produce the required output or not and to ensure the correctness of the output and its format. In my project testing is implemented in each of the modules. The following test cases are performed to do the testing.

- a) Proper opening and closing of window.
- b) Appropriate menu bars displayed in appropriate section.
- c) A proper working of system is checked for multiple input modes.

Like this all other processes are tested and hence come under the conclusion that there arise no errors. It also found that there arise no modification and corrections in any areas of the project.

CHAPTER -7

IMPLEMENTATION

Implementation is the stage of the project where theoretical design is turned into a working system. If the implementation is not carefully planned and controlled, it can cause chaos and confusion. Proper implementation is essential to provide a reliable system to meet organization requirements. Successful implementation may not guarantee improvement in the organization using the system, but proper installation will prevent it. The process of putting the developed system in actual use is called system implementation. The system can only be implemented after thorough testing is done and if it is found to be working according to the specifications.

The implementation stage involves following tasks:

- a) Investigation of system and constraints.
- b) Design of methods to achieve the changeover.
- c) Training of the staff in the changeover phase.
- d) Careful Planning

In order to have the system running on a specific machine, the following components are needed.

- a) Python
- b) A preferable operating system like windows 8 or windows 10
- c) Pycharm
- d) Android Phone

Parallel run is done and both the computerized and manual systems are executed in parallel. Manual result can be compared with the result of computerized system. For the case of demonstration of the success of this system, it was implemented with successfully running; manual systems results are verified.

CHAPTER – 8

CONCLUSION

Our DID system uses OCR as one of the first steps in the identity verification process. This step determines whether the identity data is associated with an individual is valid or forged one. DID developed OCR-system that is able to extract characters from identity documents (e.g. aadharcard, pancard, identity cards, and driver's licenses). To do so, DID allows the use of the camera in someone's system, and the use of a scan or photo of an identity document. Both methods face certain industry-wide constraints that must be overcome. Scene complexity may hinder the recognition process, and the challenge is to separate textual parts from non-textual parts of the image. Bad lighting results in dark OCR conditions, while glare results in excessive brightness spots in the image. The challenge is to make sure the camera captures all necessary details, or that the provided scan has all the necessary details. Blurry text may hinder the recognition process, so blur must be prevented as much as possible. Moreover, web applications allow only the use of a single image, so the input image must meet all mandatory requirements for OCR to work correctly. To address these constraints and challenges, in our DID system after each of data extracted it will pass through different functions for cleaning up of data. This technology is able to (1) detect and preprocess the identity document (2) extract the different characters in the preprocessed document by segmentation; and (3) extracted data is passed through function for accurate result. This way, DID system ensures identity verification with higher efficiency and effectiveness than traditional OCR systems.


CHAPTER – 9

FUTURE ENHANCEMENT

DID system project has a very vast scope in future. The model may be expanded to add AI powered OCR technology assisted and trained by a neural network. In Future it may add biometric verification and real time face recognition so that the verification process could become more effective and accurate

APPENDIX

PAN CARD UPLOAD PAGE



[Home](#) [About](#) [Services](#) [Team](#) [Contact](#) [Products](#)

Upload Pancard

Image: PAN-Card-Sample.jpeg

Name

ID #

John Doe

123-456

12/08/94

12 Street

Name

Invoice #

Date

Total


Jonah Doug

12478910

10-01-2020

\$ 1,235.34

PAN CARD DATA EXTRACT PAGE





[Home](#) [About](#) [Services](#) [Team](#) [Contact](#) [Products](#)

आयकर विभाग
INCOME TAX DEPARTMENT


भारत सरकार
GOVT. OF INDIA

PRAMOD KUMAR MAHTO
VASUDEV MAHTO
03/04/1982
Permanent Account Number
ANRPM2537J
Signature






PAN CARD VERIFICATION PAGE



DEPARTMENT OF MCA

DRIVING LICENCE UPLOAD PAGE

 DID SYSTEM

Home About Services Team Contact Products ▾

Upload Driving Licence

No file chosen Image: 4.jpeg

Name

ID #

John Doe

123-456

12/08/94

12 Street

Name

Invoice #

Date

Total


Jonah Doug

12478910

10-01-2020

\$ 1,235.34

DRIVING LICENCE DATA EXTRACT PAGE

 DID SYSTEM

Home About Services Team Contact Products ▾

Transport Department Government of NCT of Delhi

Licence to Drive Vehicles Throughout India


Licence No. : DL-0320170595326 (P) N

Name : AZAZ AHAMADSIDDIQUIE

S/W/D : SALAHUDDIN ALI


DOB : 26/12/1992 BG : O+

Address : ROO NO-25 AMK BOYS HOSTEL, JAMIA NAGAR, DELHI 110025



Auth to Drive M.CYL.

Date of Issue 12/12/2017



(Holder's Signature)

DRIVING LICENCE

Extracted Details

First Name: AZAZ

Last Name: AHAMADSIDDIQUIE

Driver's License No. : DL0320170595326

VERIFY

DRIVING LICENCE VERIFICATION PAGE

 DID SYSTEM

[Home](#)

[About](#)

[Services](#)

[Team](#)

[Contact](#)

[Products](#) 

API RESPONSE

DETAILS FROM DRIVING LICENCE API

Name: AZAZ

Father Name : SALAHUDDIN ALI

Date of Birth : 26/12/1992

Licence No : DL0320170595326

Issue Date : 12/12/2017

Valid Date: 11/12/2037

Authority to Drive: Motor Cycle

BIBLIOGRAPHY

WEB URLS

- a) <https://docs.djangoproject.com/en/3.0/topics/auth/default/#built-in-auth-forms>
- b) <https://www.geeksforgeeks.org/django-url-patterns-python/>
- c) <https://docs.djangoproject.com/en/3.1/topics/templates/>
- d) <https://docs.djangoproject.com/en/3.1/topics/settings/>
- e) <https://docs.djangoproject.com/en/3.1/ref/contrib/staticfiles/>
- f) <https://www.tutorialspoint.com/opencv/index.html>

Reference Books

- a) OCR with Tesseract, Opencv and python. - Sanjay Gaikwad
- b) Two scoops of Django for 1.11 -Daniel Greenfield and Audrey Greenfield
- c) High Performance Django -*Peter Baumgartner and Yann Malet*