Web Development ABL

Bakery and Cake Shop Website:

```
<!DOCTYPE html>
<html>
<head>
<title>Sweet Treats Bakery</title>
<style>
body {
 font-family: Arial;
 margin: 0;
 background: #fff5f0;
 text-align: center;
}
header {
 background: #8b3a3a;
 color: white;
 padding: 20px;
}
nav {
 background: #f3c6a5;
 padding: 12px;
}
nav a {
 margin: 15px;
 color: #5b2929;
 text-decoration: none;
}
h2 { color: #8b3a3a; }
.products {
 display: flex;
 justify-content: center;
 flex-wrap: wrap;
 gap: 20px;
 padding: 20px;
}
.card {
 background: white;
 padding: 15px;
 border-radius: 12px;
 width: 200px;
 box-shadow: 0 2px 8px #ccc;
}
.card img {
 width: 100%;
 height: 140px;
 border-radius: 10px;
 object-fit: cover;
}
button {
 background: #8b3a3a;
 color: white;
 border: none;
 padding: 10px;
 border-radius: 5px;
}
footer {
 background: #8b3a3a;
 color: white;
 padding: 15px;
}
</style>
</head>
<body>
```

Web Development ABL

```
<header>
 <h1>🍰 Sweet Treats Bakery</h1>
 <p>Freshly Baked with Love!</p>
</header>

<nav>
 <a href="#home">Home</a>
 <a href="#cakes">Products</a>
 <a href="#offers">Offers</a>
 <a href="#contact">Contact</a>
</nav>

<section id="home">
 <h2>Welcome to Our Bakery!</h2>
 <p>Delicious cakes, pastries and cookies for every occasion.</p>
</section>

<h2 id="cakes">Our Special Products</h2>
<div class="products">

 <div class="card">
  <img src="https://images.unsplash.com/photo-1578985545062-69928b1d9587?w=400" alt="Chocolate cake">
  <h3>Chocolate Cake</h3>
  <p>₹450</p>
  <button>Order Now</button>
 </div>

 <div class="card">
  <img src="https://images.unsplash.com/photo-1488477181946-6428a0291777?w=400" alt="Pastry">
  <h3>Sweet Pastry</h3>
  <p>₹80</p>
  <button>Order Now</button>
 </div>

 <div class="card">
  <img src="https://images.unsplash.com/photo-1499636136210-6f4ee915583e?w=400" alt="Cookies">
  <h3>Cookies</h3>
  <p>₹120</p>
  <button>Order Now</button>
 </div>


</div>

<section id="offers">
 <h2>🎉 Special Offer</h2>
 <p>Get 10% OFF on your first cake order!</p>
 <p>Custom cakes available for birthdays and parties.</p>
</section>

<footer id="contact">
 <h2>Contact Us</h2>
 <p>📍 Vijayawada, Andhra Pradesh</p>
 <p>📞 98765 43210</p>
 <p>✉️ sweettreats@example.com</p>
 <p>© 2026 Sweet Treats Bakery</p>
</footer>

</body>
</html>
```

Web Development ABL



Web Development ABL

Real Estate Property Listing Website:

```
<!DOCTYPE html>
<html>
<head>
<title>Dream Homes</title>

<style>
body {
 font-family: Arial;
 margin: 0;
 background: #f2f5f7;
 text-align: center;
}

header {
 background: #234e70;
 color: white;
 padding: 20px;
}

nav {
 background: #16324f;
 padding: 12px;
}

nav a {
 color: white;
 margin: 15px;
 text-decoration: none;
}

.search {
 padding: 20px;
}

input, select {
 padding: 10px;
 margin: 5px;
}

.properties {
 display: flex;
 justify-content: center;
 flex-wrap: wrap;
 gap: 20px;
 padding: 20px;
}

.card {
 background: white;
 width: 260px;
 padding: 15px;
 border-radius: 10px;
 box-shadow: 0 2px 8px #ccc;
}

.card img {
 width: 100%;
 height: 160px;
 object-fit: cover;
 border-radius: 8px;
}
```

Web Development ABL

```
.price {
 color: #16834a;
 font-weight: bold;
}

button {
 background: #234e70;
 color: white;
 border: none;
 padding: 10px;
 cursor: pointer;
 border-radius: 5px;
}

table {
 margin: 20px auto;
 width: 90%;
 background: white;
 border-collapse: collapse;
}

th, td {
 border: 1px solid #ccc;
 padding: 10px;
}

th {
 background: #234e70;
 color: white;
}

footer {
 background: #16324f;
 color: white;
 padding: 15px;
}
</style>
</head>

<body>

<header>
 <h1>🏠 Dream Homes</h1>
 <p>Find Your Perfect Property</p>
</header>

<nav>
 <a href="#home">Home</a>
 <a href="#properties">Properties</a>
 <a href="#compare">Compare</a>
 <a href="#contact">Contact</a>
</nav>

<section id="home">
 <h2>Search Your Dream Property</h2>

 <div class="search">
  <input type="text" id="location"
   placeholder="Enter location">

  <select id="type">
   <option value="all">All Properties</option>
```

```
    <option value="House">House</option>
    <option value="Apartment">Apartment</option>
    <option value="Rental">Rental</option>
   </select>

   <button onclick="searchProperties()">Search</button>
  </div>
</section>

<h2 id="properties">Available Properties</h2>

<div class="properties" id="propertyList">

  <div class="card" data-type="House"
     data-location="Vijayawada">
   <img src="https://images.unsplash.com/photo-1564013799919-ab600027ffc6?w=500"
      alt="Beautiful house">
   <h3>Beautiful House</h3>
   <p> 📍 Vijayawada</p>
   <p class="price">₹75,00,000</p>
   <p>🛏 3 Bedrooms | 🚿 2 Bathrooms</p>
   <p>Garden, Parking</p>
   <button onclick="alert('Contact us for property details!')">
    View Details
   </button>
  </div>

  <div class="card" data-type="Apartment"
     data-location="Hyderabad">
   <img src="https://images.unsplash.com/photo-1545324418-cc1a3fa10c00?w=500"
      alt="Modern apartment">
   <h3>Modern Apartment</h3>
   <p> 📍 Hyderabad</p>
   <p class="price">₹55,00,000</p>
   <p>🛏 2 Bedrooms | 🚿 2 Bathrooms</p>
   <p>Lift, Gym, Security</p>
   <button onclick="alert('Contact us for property details!')">
    View Details
   </button>
  </div>

  <div class="card" data-type="Rental"
     data-location="Guntur">
   <img src="https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?w=500"
      alt="Rental property">
   <h3>Family Rental Home</h3>
   <p> 📍 Guntur</p>
   <p class="price">₹15,000/month</p>
   <p>🛏 2 Bedrooms | 🚿 1 Bathroom</p>
   <p>Parking, Water Supply</p>
   <button onclick="alert('Contact us for property details!')">
    View Details
   </button>
  </div>

</div>

<h2 id="compare">Property Comparison</h2>

<table>
  <tr>
   <th>Property</th>
```

```
   <th>Location</th>
   <th>Price</th>
   <th>Bedrooms</th>
  </tr>
  <tr>
   <td>Beautiful House</td>
   <td>Vijayawada</td>
   <td>₹75 Lakhs</td>
   <td>3</td>
  </tr>
  <tr>
   <td>Modern Apartment</td>
   <td>Hyderabad</td>
   <td>₹55 Lakhs</td>
   <td>2</td>
  </tr>
  <tr>
   <td>Family Rental Home</td>
   <td>Guntur</td>
   <td>₹15,000/month</td>
   <td>2</td>
  </tr>
</table>

<footer id="contact">
  <h2>Contact Us</h2>
  <p> 98765 43210</p>
  <p> dreamhomes@example.com</p>
  <p>© 2026 Dream Homes</p>
</footer>

<script>
function searchProperties() {
  let location = document.getElementById("location")
    .value.toLowerCase();

  let type = document.getElementById("type").value;

  let cards = document.querySelectorAll(".card");


  cards.forEach(function(card) {
    let propertyLocation =
      card.dataset.location.toLowerCase();

    let propertyType = card.dataset.type;

    if (
      propertyLocation.includes(location) &&
      (type === "all" || propertyType === type)
    ) {
      card.style.display = "block";
    } else {
      card.style.display = "none";
    }
  });
}
</script>

</body>
</html>
```

Web Development ABL



Web Development ABL

Bus and Train Ticket Booking Interface:

```
<!DOCTYPE html>
<html>
<head>
<title>Travel Booking</title>

<style>
body {
 font-family: Arial;
 margin: 0;
 background: #f0f5fa;
 text-align: center;
}

header {
 background: #145374;
 color: white;
 padding: 20px;
}

nav {
 background: #00334e;
 padding: 12px;
}

nav a {
 color: white;
 margin: 15px;
 text-decoration: none;
}

form, .card {
 background: white;
 margin: 20px auto;
 padding: 20px;
 border-radius: 10px;
 max-width: 500px;
 box-shadow: 0 2px 8px #ccc;
}

input, select {
 padding: 10px;
 margin: 8px;
 width: 80%;
 box-sizing: border-box;
}

button {
 background: #145374;
 color: white;
 padding: 10px 18px;
 border: none;
 border-radius: 5px;
 cursor: pointer;
}

.card {
 max-width: 400px;
}

.price {
 color: green;
```

```
 font-weight: bold;
}

.seats {
 display: flex;
 justify-content: center;
 flex-wrap: wrap;
 gap: 10px;
 margin: 15px;
}

.seats button {
 background: #ddd;
 color: black;
 width: 45px;
}

.seats button.selected {
 background: #219653;
 color: white;
}

table {
 margin: 20px auto;
 width: 90%;
 background: white;
 border-collapse: collapse;
}

th, td {
 padding: 10px;
 border: 1px solid #ccc;
}

th {
 background: #145374;
 color: white;
}

footer {
 background: #00334e;
 color: white;
 padding: 15px;
}

@media (max-width: 600px) {
 nav a {
  display: inline-block;
  margin: 7px;
 }

 table {
  font-size: 12px;
 }
}
</style>
</head>

<body>

<header>
 <h1>🚌 Travel Easy 🚆 </h1>
 <p>Book Your Journey with Ease</p>
```

```
</header>

<nav>
 <a href="#booking">Book Tickets</a>
 <a href="#services">Services</a>
 <a href="#seats">Select Seats</a>
</nav>

<h2 id="booking">Search Your Journey</h2>

<form onsubmit="searchTravel(event)">
 <input type="text" id="source"
  placeholder="From (e.g. Vijayawada)" required>

 <input type="text" id="destination"
  placeholder="To (e.g. Hyderabad)" required>

 <label>Travel Date</label><br>
 <input type="date" id="date" required>

 <input type="number" id="passengers"
  placeholder="Number of Passengers"
  min="1" max="6" value="1" required>

 <select id="travelType">
  <option value="All">Bus and Train</option>
  <option value="Bus">Bus</option>
  <option value="Train">Train</option>
 </select>

 <button type="submit">Search Services</button>
</form>

<h2 id="route"></h2>

<h2 id="services">Available Services</h2>

<div class="card" data-type="Bus">
 <h3>🚌 Express Bus</h3>
 <p>Departure: 8:00 AM</p>
 <p>Arrival: 1:00 PM</p>
 <p class="price">₹500 per passenger</p>
 <button onclick="chooseService('Bus', 500)">
  Select Bus
 </button>
</div>

<div class="card" data-type="Train">
 <h3>🚆 Express Train</h3>
 <p>Departure: 9:00 AM</p>
 <p>Arrival: 2:00 PM</p>
 <p class="price">₹350 per passenger</p>
 <button onclick="chooseService('Train', 350)">
  Select Train
 </button>
</div>

<h2 id="seats">Choose Your Seats</h2>
<p>Click the seats you want to select.</p>

<div class="seats">
 <button onclick="selectSeat(this)">A1</button>
 <button onclick="selectSeat(this)">A2</button>
```

```
 <button onclick="selectSeat(this)">A3</button>
 <button onclick="selectSeat(this)">A4</button>
 <button onclick="selectSeat(this)">B1</button>
 <button onclick="selectSeat(this)">B2</button>
 <button onclick="selectSeat(this)">B3</button>
 <button onclick="selectSeat(this)">B4</button>
</div>

<p>Selected Seats: <span id="selected">None</span></p>

<h2>Booking Summary</h2>

<table>
 <tr>
  <th>Service</th>
  <th>Passengers</th>
  <th>Total Fare</th>
 </tr>
 <tr>
  <td id="serviceName">Not selected</td>
  <td id="passengerCount">1</td>
  <td id="totalFare">₹0</td>
 </tr>
</table>

<button onclick="bookTicket()">Book Ticket</button>

<footer>
 <p>Contact: travel@example.com</p>
 <p>© 2026 Travel Easy</p>
</footer>

<script>
let fare = 0;
let service = "";
let selectedSeats = [];

function searchTravel(event) {
 event.preventDefault();

 let from = document.getElementById("source").value;
 let to = document.getElementById("destination").value;
 let type = document.getElementById("travelType").value;
 let date = document.getElementById("date").value;

 if (from.toLowerCase() === to.toLowerCase()) {
  alert("Source and destination must be different.");
  return;
 }

 document.getElementById("route").innerText =
  from + " → " + to + " | " + date;

 document.querySelectorAll(".card").forEach(function(card) {
  card.style.display =
   type === "All" || card.dataset.type === type
    ? "block" : "none";
 });
}

function chooseService(name, price) {
 service = name;
 fare = price;
```

```
 updateSummary();
 alert(name + " selected!");
}

function selectSeat(button) {
 let seat = button.innerText;

 if (selectedSeats.includes(seat)) {
  selectedSeats = selectedSeats.filter(s => s !== seat);
  button.classList.remove("selected");
 } else {
  let max = Number(document.getElementById("passengers").value);

  if (selectedSeats.length >= max) {
   alert("Select seats according to passenger count.");
   return;
  }

  selectedSeats.push(seat);
  button.classList.add("selected");
 }

 document.getElementById("selected").innerText =
  selectedSeats.join(", ") || "None";
}

function updateSummary() {
 let count = Number(document.getElementById("passengers").value);

 document.getElementById("serviceName").innerText =
  service || "Not selected";

 document.getElementById("passengerCount").innerText = count;

 document.getElementById("totalFare").innerText =
  "₹" + (fare * count);
}

document.getElementById("passengers").addEventListener(
 "change", function() {
  selectedSeats = [];
  document.querySelectorAll(".seats button").forEach(function(btn) {
   btn.classList.remove("selected");
  });
  document.getElementById("selected").innerText = "None";
  updateSummary();
 }
);

function bookTicket() {
 if (!service) {
  alert("Please select a bus or train first.");
  return;
 }

 let count = Number(document.getElementById("passengers").value);

 if (selectedSeats.length !== count) {
  alert("Please select a seat for each passenger.");
  return;
 }

 alert("Demo booking successful! Total Fare: ₹" + fare * count);
```

```
}
</script>

</body>
</html>
```

