Developer Code Standards — CSS3 (Extended)

This document contains extended CSS3 standards with examples. Each page shows a rule, a violating snippet (■), and a compliant snippet (■). Focus: maintainability, performance, accessibility, responsiveness, and naming conventions (BEM).

CSS Rule 1 / 120

Guideline for CSS rule 1: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Using inline styles in HTML */
<div style="color:red">Error</div>
```

■ Compliant snippet

```
/* ■ Compliant: Use classes and external stylesheet */
/* HTML: <div class="error">Error</div> */
.error { color: red; }
```

CSS Rule 2 / 120

Guideline for CSS rule 2: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Overly specific selectors */
body div.container ul li a.link { color: blue; }
```

■ Compliant snippet

```
/* ■ Compliant: Use class-based selectors (BEM) */
.container__link { color: blue; }
```

CSS Rule 3 / 120

Guideline for CSS rule 3: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Using !important to override styles */
.title { color: red !important; }
```

■ Compliant snippet

```
/* ■ Compliant: Increase specificity or refactor */
.page-header .title { color: red; }
```

CSS Rule 4 / 120

Guideline for CSS rule 4: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Fixed pixel layout not responsive */
.sidebar { width: 300px; float: left; }
```

■ Compliant snippet

```
/* ■ Compliant: Responsive using flexbox or grid */
.layout { display: flex; gap: 1rem; }
.sidebar { flex: 0 0 300px; }
```

CSS Rule 5 / 120

Guideline for CSS rule 5: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: No focus styles for keyboard users */
a { color: blue; }
```

■ Compliant snippet

```
/* ■ Compliant: Add visible focus styles */
a:focus { outline: 3px solid Highlight; outline-offset: 2px; }
```

CSS Rule 6 / 120

Guideline for CSS rule 6: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Repeating large blocks of styles (no DRY) */
.btn { padding: 10px; background: blue; color: white; }
.btn-primary { padding: 10px; background: blue; color: white; }
```

■ Compliant snippet

```
/* ■ Compliant: Reuse base class and modifiers (BEM) */
.btn { padding: 10px; background: blue; color: white; }
.btn--primary { composes: btn; background: darkblue; }
```

CSS Rule 7 / 120

Guideline for CSS rule 7: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Using long hex colors inconsistently */
.a { color: #ffffff; } .b { color: #FFF; }
```

■ Compliant snippet

```
/* ■ Compliant: Use consistent color tokens/variables */
:root { --color-white: #ffffff; }
.a { color: var(--color-white); }
```

CSS Rule 8 / 120

Guideline for CSS rule 8: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Large monolithic stylesheet with no modularization */
/* everything in one file */
```

■ Compliant snippet

```
/* ■ Compliant: Modularize CSS (component-based files) */
/* components/button.css, layout/grid.css, utilities/spacing.css */
```

CSS Rule 9 / 120

Guideline for CSS rule 9: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: Using floats for layout */
.col { float: left; width: 50%; }
```

■ Compliant snippet

```
/* ■ Compliant: Use CSS Grid or Flexbox */
.grid { display: grid; grid-template-columns: 1fr 1fr; gap: 1rem; }
```

CSS Rule 10 / 120

Guideline for CSS rule 10: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation: No media queries for responsive text */
h1 { font-size: 48px; }
```

■ Compliant snippet

```
/* ■ Compliant: Use responsive sizing and clamp() */
h1 { font-size: clamp(1.5rem, 2.5vw, 3rem); }
```

CSS Rule 11 / 120

Guideline for CSS rule 11: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 11: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 11: better pattern */
.component { /* good */ }
```

CSS Rule 12 / 120

Guideline for CSS rule 12: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 12: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 12: better pattern */
.component { /* good */ }
```

CSS Rule 13 / 120

Guideline for CSS rule 13: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 13: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 13: better pattern */
.component { /* good */ }
```

CSS Rule 14 / 120

Guideline for CSS rule 14: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 14: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 14: better pattern */
.component { /* good */ }
```

CSS Rule 15 / 120

Guideline for CSS rule 15: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 15: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 15: better pattern */
.component { /* good */ }
```

CSS Rule 16 / 120

Guideline for CSS rule 16: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 16: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 16: better pattern */
.component { /* good */ }
```

CSS Rule 17 / 120

Guideline for CSS rule 17: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 17: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 17: better pattern */
.component { /* good */ }
```

CSS Rule 18 / 120

Guideline for CSS rule 18: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 18: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 18: better pattern */
.component { /* good */ }
```

CSS Rule 19 / 120

Guideline for CSS rule 19: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 19: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 19: better pattern */
.component { /* good */ }
```

CSS Rule 20 / 120

Guideline for CSS rule 20: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 20: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 20: better pattern */
.component { /* good */ }
```

CSS Rule 21 / 120

Guideline for CSS rule 21: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 21: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 21: better pattern */
.component { /* good */ }
```

CSS Rule 22 / 120

Guideline for CSS rule 22: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 22: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 22: better pattern */
.component { /* good */ }
```

CSS Rule 23 / 120

Guideline for CSS rule 23: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 23: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 23: better pattern */
.component { /* good */ }
```

CSS Rule 24 / 120

Guideline for CSS rule 24: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 24: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 24: better pattern */
.component { /* good */ }
```

CSS Rule 25 / 120

Guideline for CSS rule 25: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 25: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 25: better pattern */
.component { /* good */ }
```

CSS Rule 26 / 120

Guideline for CSS rule 26: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 26: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 26: better pattern */
.component { /* good */ }
```

CSS Rule 27 / 120

Guideline for CSS rule 27: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 27: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 27: better pattern */
.component { /* good */ }
```

CSS Rule 28 / 120

Guideline for CSS rule 28: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 28: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 28: better pattern */
.component { /* good */ }
```

CSS Rule 29 / 120

Guideline for CSS rule 29: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 29: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 29: better pattern */
.component { /* good */ }
```

CSS Rule 30 / 120

Guideline for CSS rule 30: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 30: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 30: better pattern */
.component { /* good */ }
```

CSS Rule 31 / 120

Guideline for CSS rule 31: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 31: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 31: better pattern */
.component { /* good */ }
```

CSS Rule 32 / 120

Guideline for CSS rule 32: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 32: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 32: better pattern */
.component { /* good */ }
```

CSS Rule 33 / 120

Guideline for CSS rule 33: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 33: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 33: better pattern */
.component { /* good */ }
```

CSS Rule 34 / 120

Guideline for CSS rule 34: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 34: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 34: better pattern */
.component { /* good */ }
```

CSS Rule 35 / 120

Guideline for CSS rule 35: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 35: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 35: better pattern */
.component { /* good */ }
```

CSS Rule 36 / 120

Guideline for CSS rule 36: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 36: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 36: better pattern */
.component { /* good */ }
```

CSS Rule 37 / 120

Guideline for CSS rule 37: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 37: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 37: better pattern */
.component { /* good */ }
```

CSS Rule 38 / 120

Guideline for CSS rule 38: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 38: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 38: better pattern */
.component { /* good */ }
```

CSS Rule 39 / 120

Guideline for CSS rule 39: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 39: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 39: better pattern */
.component { /* good */ }
```

CSS Rule 40 / 120

Guideline for CSS rule 40: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 40: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 40: better pattern */
.component { /* good */ }
```

CSS Rule 41 / 120

Guideline for CSS rule 41: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 41: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 41: better pattern */
.component { /* good */ }
```

CSS Rule 42 / 120

Guideline for CSS rule 42: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 42: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 42: better pattern */
.component { /* good */ }
```

CSS Rule 43 / 120

Guideline for CSS rule 43: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 43: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 43: better pattern */
.component { /* good */ }
```

CSS Rule 44 / 120

Guideline for CSS rule 44: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 44: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 44: better pattern */
.component { /* good */ }
```

CSS Rule 45 / 120

Guideline for CSS rule 45: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 45: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 45: better pattern */
.component { /* good */ }
```

CSS Rule 46 / 120

Guideline for CSS rule 46: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 46: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 46: better pattern */
.component { /* good */ }
```

CSS Rule 47 / 120

Guideline for CSS rule 47: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 47: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 47: better pattern */
.component { /* good */ }
```

CSS Rule 48 / 120

Guideline for CSS rule 48: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 48: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 48: better pattern */
.component { /* good */ }
```

CSS Rule 49 / 120

Guideline for CSS rule 49: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 49: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 49: better pattern */
.component { /* good */ }
```

CSS Rule 50 / 120

Guideline for CSS rule 50: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 50: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 50: better pattern */
.component { /* good */ }
```

CSS Rule 51 / 120

Guideline for CSS rule 51: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 51: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 51: better pattern */
.component { /* good */ }
```

CSS Rule 52 / 120

Guideline for CSS rule 52: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 52: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 52: better pattern */
.component { /* good */ }
```

CSS Rule 53 / 120

Guideline for CSS rule 53: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 53: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 53: better pattern */
.component { /* good */ }
```

CSS Rule 54 / 120

Guideline for CSS rule 54: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 54: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 54: better pattern */
.component { /* good */ }
```

CSS Rule 55 / 120

Guideline for CSS rule 55: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 55: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 55: better pattern */
.component { /* good */ }
```

CSS Rule 56 / 120

Guideline for CSS rule 56: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 56: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 56: better pattern */
.component { /* good */ }
```

CSS Rule 57 / 120

Guideline for CSS rule 57: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 57: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 57: better pattern */
.component { /* good */ }
```

CSS Rule 58 / 120

Guideline for CSS rule 58: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 58: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 58: better pattern */
.component { /* good */ }
```

CSS Rule 59 / 120

Guideline for CSS rule 59: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 59: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 59: better pattern */
.component { /* good */ }
```

CSS Rule 60 / 120

Guideline for CSS rule 60: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 60: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 60: better pattern */
.component { /* good */ }
```

CSS Rule 61 / 120

Guideline for CSS rule 61: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 61: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 61: better pattern */
.component { /* good */ }
```

CSS Rule 62 / 120

Guideline for CSS rule 62: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 62: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 62: better pattern */
.component { /* good */ }
```

CSS Rule 63 / 120

Guideline for CSS rule 63: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 63: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 63: better pattern */
.component { /* good */ }
```

CSS Rule 64 / 120

Guideline for CSS rule 64: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 64: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 64: better pattern */
.component { /* good */ }
```

CSS Rule 65 / 120

Guideline for CSS rule 65: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 65: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 65: better pattern */
.component { /* good */ }
```

CSS Rule 66 / 120

Guideline for CSS rule 66: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 66: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 66: better pattern */
.component { /* good */ }
```

CSS Rule 67 / 120

Guideline for CSS rule 67: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 67: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 67: better pattern */
.component { /* good */ }
```

CSS Rule 68 / 120

Guideline for CSS rule 68: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 68: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 68: better pattern */
.component { /* good */ }
```

CSS Rule 69 / 120

Guideline for CSS rule 69: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 69: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 69: better pattern */
.component { /* good */ }
```

CSS Rule 70 / 120

Guideline for CSS rule 70: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 70: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 70: better pattern */
.component { /* good */ }
```

CSS Rule 71 / 120

Guideline for CSS rule 71: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 71: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 71: better pattern */
.component { /* good */ }
```

CSS Rule 72 / 120

Guideline for CSS rule 72: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 72: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 72: better pattern */
.component { /* good */ }
```

CSS Rule 73 / 120

Guideline for CSS rule 73: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 73: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 73: better pattern */
.component { /* good */ }
```

CSS Rule 74 / 120

Guideline for CSS rule 74: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 74: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 74: better pattern */
.component { /* good */ }
```

CSS Rule 75 / 120

Guideline for CSS rule 75: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 75: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 75: better pattern */
.component { /* good */ }
```

CSS Rule 76 / 120

Guideline for CSS rule 76: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 76: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 76: better pattern */
.component { /* good */ }
```

CSS Rule 77 / 120

Guideline for CSS rule 77: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 77: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 77: better pattern */
.component { /* good */ }
```

CSS Rule 78 / 120

Guideline for CSS rule 78: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 78: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 78: better pattern */
.component { /* good */ }
```

CSS Rule 79 / 120

Guideline for CSS rule 79: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 79: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 79: better pattern */
.component { /* good */ }
```

CSS Rule 80 / 120

Guideline for CSS rule 80: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 80: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 80: better pattern */
.component { /* good */ }
```

CSS Rule 81 / 120

Guideline for CSS rule 81: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 81: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 81: better pattern */
.component { /* good */ }
```

CSS Rule 82 / 120

Guideline for CSS rule 82: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 82: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 82: better pattern */
.component { /* good */ }
```

CSS Rule 83 / 120

Guideline for CSS rule 83: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 83: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 83: better pattern */
.component { /* good */ }
```

CSS Rule 84 / 120

Guideline for CSS rule 84: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 84: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 84: better pattern */
.component { /* good */ }
```

CSS Rule 85 / 120

Guideline for CSS rule 85: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 85: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 85: better pattern */
.component { /* good */ }
```

CSS Rule 86 / 120

Guideline for CSS rule 86: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 86: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 86: better pattern */
.component { /* good */ }
```

CSS Rule 87 / 120

Guideline for CSS rule 87: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 87: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 87: better pattern */
.component { /* good */ }
```

CSS Rule 88 / 120

Guideline for CSS rule 88: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 88: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 88: better pattern */
.component { /* good */ }
```

CSS Rule 89 / 120

Guideline for CSS rule 89: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 89: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 89: better pattern */
.component { /* good */ }
```

CSS Rule 90 / 120

Guideline for CSS rule 90: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 90: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 90: better pattern */
.component { /* good */ }
```

CSS Rule 91 / 120

Guideline for CSS rule 91: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 91: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 91: better pattern */
.component { /* good */ }
```

CSS Rule 92 / 120

Guideline for CSS rule 92: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 92: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 92: better pattern */
.component { /* good */ }
```

CSS Rule 93 / 120

Guideline for CSS rule 93: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 93: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 93: better pattern */
.component { /* good */ }
```

CSS Rule 94 / 120

Guideline for CSS rule 94: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 94: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 94: better pattern */
.component { /* good */ }
```

CSS Rule 95 / 120

Guideline for CSS rule 95: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 95: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 95: better pattern */
.component { /* good */ }
```

CSS Rule 96 / 120

Guideline for CSS rule 96: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 96: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 96: better pattern */
.component { /* good */ }
```

CSS Rule 97 / 120

Guideline for CSS rule 97: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 97: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 97: better pattern */
.component { /* good */ }
```

CSS Rule 98 / 120

Guideline for CSS rule 98: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 98: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 98: better pattern */
.component { /* good */ }
```

CSS Rule 99 / 120

Guideline for CSS rule 99: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 99: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 99: better pattern */
.component { /* good */ }
```

CSS Rule 100 / 120

Guideline for CSS rule 100: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```css
/* ■ Violation example CSS 100: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```css
/* ■ Compliant example CSS 100: better pattern */
.component { /* good */ }
```

CSS Rule 101 / 120

Guideline for CSS rule 101: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 101: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 101: better pattern */
.component { /* good */ }
```

CSS Rule 102 / 120

Guideline for CSS rule 102: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 102: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 102: better pattern */
.component { /* good */ }
```

CSS Rule 103 / 120

Guideline for CSS rule 103: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 103: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 103: better pattern */
.component { /* good */ }
```

CSS Rule 104 / 120

Guideline for CSS rule 104: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 104: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 104: better pattern */
.component { /* good */ }
```

CSS Rule 105 / 120

Guideline for CSS rule 105: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 105: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 105: better pattern */
.component { /* good */ }
```

CSS Rule 106 / 120

Guideline for CSS rule 106: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 106: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 106: better pattern */
.component { /* good */ }
```

CSS Rule 107 / 120

Guideline for CSS rule 107: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 107: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 107: better pattern */
.component { /* good */ }
```

CSS Rule 108 / 120

Guideline for CSS rule 108: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 108: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 108: better pattern */
.component { /* good */ }
```

CSS Rule 109 / 120

Guideline for CSS rule 109: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 109: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 109: better pattern */
.component { /* good */ }
```

CSS Rule 110 / 120

Guideline for CSS rule 110: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 110: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 110: better pattern */
.component { /* good */ }
```

CSS Rule 111 / 120

Guideline for CSS rule 111: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 111: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 111: better pattern */
.component { /* good */ }
```

CSS Rule 112 / 120

Guideline for CSS rule 112: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 112: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 112: better pattern */
.component { /* good */ }
```

CSS Rule 113 / 120

Guideline for CSS rule 113: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 113: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 113: better pattern */
.component { /* good */ }
```

CSS Rule 114 / 120

Guideline for CSS rule 114: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 114: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 114: better pattern */
.component { /* good */ }
```

CSS Rule 115 / 120

Guideline for CSS rule 115: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 115: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 115: better pattern */
.component { /* good */ }
```

CSS Rule 116 / 120

Guideline for CSS rule 116: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 116: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 116: better pattern */
.component { /* good */ }
```

CSS Rule 117 / 120

Guideline for CSS rule 117: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 117: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 117: better pattern */
.component { /* good */ }
```

CSS Rule 118 / 120

Guideline for CSS rule 118: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 118: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 118: better pattern */
.component { /* good */ }
```

CSS Rule 119 / 120

Guideline for CSS rule 119: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 119: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 119: better pattern */
.component { /* good */ }
```

CSS Rule 120 / 120

Guideline for CSS rule 120: maintainable, responsive, accessible, performant styling.

■ Violation snippet

```
/* ■ Violation example CSS 120: anti-pattern */
.selector { /* bad */ }
```

■ Compliant snippet

```
/* ■ Compliant example CSS 120: better pattern */
.component { /* good */ }
```