

Agrumi-Gel s.r.l.	COMUNICAZIONE INTERNA	M 01.03
-------------------	------------------------------	---------

Data 13/06/2023

Ricetta n.181 - Richiesta di produz. 185

Emesso da: Laboratorio

OGGETTO: Trasmissione ordine di produzione

LOTTO DA PRODURRE	SLNB 14/23 PF	Contratto N° 96
CLIENTE	VITERNA AGROTEAM	
PRODOTTO:	SLNB - Succo di Limone Biologico NFC	
KG.	10000	CAMPIONE N°
TIPO IMBALLO	Secchielli - 20	TARA
TIPO SACCHI		MISURA
TIPO PALLET	EPAL 3	MISURA
REGETTA	X	VELOFILM
N.ETICHETTE OGNI IMBALLO		TIPO PASTORIZZAZIONE

Note:

RIMANENZA	Lavaggio	
KG.	0	SLNB 14/23 PF LAV
TIPO IMBALLO		TARA
ETICHETTE		
RIMANENZA	Rimanenza - Prodotto finito da rilavorare	
KG.	1100	SLNB 14/23 PF RIM
TIPO IMBALLO	Fusto tronco conico - 200	TARA
ETICHETTE		

Documenti Allegati:

MODULO RILEVAMENTO COSTI E DATI DI PRODUZIONE
 MODULO RILEVAMENTO COSTI E DATI DI PRODUZIONE + FORMULAZIONE
 CHECK-LIST/CONTROLLO DI PRODUZIONE E CONFEZIONAMENTO
 CONSEGNA ETICHETTE E SIGILLI
 MODULO RILEVAZIONE TEMPERATURE PASTORIZZAZIONE

M 09.12 01
 M 09.12 03
 D 10.05 A
 D 10.06
 M 09.10

Destinatari:

Addetto Reparto Prodotti Finiti M01.03
 Addetto Triturazione M09.12 02
 Addetto Movimentazione Cella M09.12 01

5	30/09/2021	Nuovo Amministratore	Loredana De Francesco	Rizzo Salvatore
Rev.	Data	Motivo della revisione	Emesso da	Approvato da

I moduli allegati dovranno essere compilati in ogni loro parte. Ad avvenuta esecuzione dell'attività lavorativa e consegnati firmati al sig. **Settinieri David**, il quale avrà cura di consegnarlo al sig. **La Malfa Lorenzo**, il quale provvederà a scaricare dal magazzino i prodotti dei quali lui è responsabile e consegnare gli interi documenti all'ufficio accettazione

Agrumi-Gel s.r.l.										MODULO RILEVAMENTO COSTI E DATI DI PRODUZIONE										M 09.12 03	
PRODOTTO: Succo di Limone Biologico NFC										CLIENTE: VITERNA AGROTEAM										DATA PRODUZIONE 13/06/2023	
KG. 10000										CAMPIONE N. LOTTO SLNB 14/23 PF										TINI UTILIZZATI 1	
LOTTO PRODOTTO										Q.TA' PREVISTA		Q.TA' EFFETTIVA		TINO 1		TINO 2		TINO 3		TINO 4	
N° FUSTI		TARA		TOT.		N° FUSTI		TARA		TOT.		PREVENTIVO		EFFETTIVO		PREVENTIVO		EFFETTIVO			
SLNB Linea				9300						9300		9300,00		9300,00							
SLNB-E 2/23				700						700		700,00		700,00							
TOTALE				10000						10000		10000,00		10000,00							
N°				CONFEZIONATI COME PF				RIMANENZA CONFEZIONATA IN N°				LAVAGGIO IN N°				FUSTI					
ISTRUZIONI PER IL CONFEZIONAMENTO																					
TIPO IMBALLO				DA		KG. NETTI CADAUNO		CON N°		SACCHI		LOTTO		IMBALLO		TIPO					
LOTTO IMBALLO																					
APPORRE N°		ETICHETTE PER OGNI				SISTEMARE IL CARICO SU N°				SIGILLI		PALLET				MISURA					
REGETTA		VELOFILM																			
NOTE																					

PARTE DA COMPILARE A CURA DELL' ADDETTO PRODOTTI FINITI

1. PREPARAZIONE BLENDING		OPERATORE 1:		OPERATORE 2:		DATA		DALLE ORE:		ALLE ORE:		CCP 4 PH BLENDING:	
PULIZIA FILTRO INIZIALE SI NO	FIRMA OPERATORE	PRESENZA COPRI ESTRANEI NEL FILTRO SI NO		FIRMA OPERATORE		TIPLO FILTRO:		FORATA:		mm		*IN CASO DI FILTRAZIONE CON FILTRO MILLIPORE ALLEGARE SCONTRINO INTEGRITY TEST	
PULIZIA FILTRO FINALE SI NO	FIRMA OPERATORE	In caso di presenza di corpi estranei nel filtro postfiltrazione far pervenire il copro estranei a LAB per identificazione				PRESSIONE D'ESERCIZIO INIZIALE		PRESSIONE D'ESERCIZIO FINALE					
CCP 2 INTEGRITA' FILTRO INIZIALE SI NO	DATA	ORA	FIRMA OPERATORE	FIRMA RESPONSABILE									
CCP 2 INTEGRITA' FILTRO FINALE SI NO	DATA	ORA	FIRMA OPERATORE	DATA, ORA E FIRMA AVVENUTO CONTROLLO									
18	09/11/2022	Revisionato Modulo										ELSA LIGA	Rizzo Salvatore
Rev.	Data	Motivo della Revisione										Emesso da	Approvato da

La soda è stoccata in un silos posto all'interno del reparto di trasformazione. La soluzione è al max del 2%. La sua titolazione viene effettuata in laboratorio. Il ciclo di sanificazione è così composto:

- Acqua a pressione per 15 minuti;
- Acqua e soda a temperatura di 50 °C per 15 minuti;
- Sanificante soluzione 1% max per il Divosan C e 0,1% per il Divosan forte per 15 minuti (anche la titolazione del sanificante viene effettuata in laboratorio).

Ogni fase è intervallata da un lavaggio di 5 minuti con acqua potabile.

FASE DI AVANGGIO - SANIFICAZIONE E STERILIZZAZIONE IMPIANTO

DATA PROD.	TIPO PRODOTTO	Ora inizio lavaggio con H ₂ O	Ora fine lavaggio con H ₂ O	Ora inizio lavaggio con soda	Ora fine lavaggio con soda	Ora inizio sanif.	Ora fine sanif.	Ora inizio steril.	Ora fine steril.	Temp. Display
9/6/07								2.10	9.10	

FASE DI PASTORIZZAZIONE

[illegible]

REGISTRAZIONE
AVVENUTO
CONTROLLO

DATA

ORA

ETRMA

App. 1

FIRMA RESPONSABILE

DATA	12/6/93	FIRMA OPERATORE
------	---------	-----------------

DATA 1.7... / ... / ... / ...

1900


CITIZENS NON CONFORMITA' CLIENTE

MOTIVO DELLA REVISIONE

RIZZO SALVATORE

APPROVATO DA

Valori di misurazione / Trend
 Nome dispositivo: REG-PST-TUB (REG-PST-TUB) (Serial Number M6042D04484), REG-PST-TUB (REG-PST-TUB) (Serial Number M6042D04484), REG-PST-TUB (REG-PST-TUB) (Serial Number M6042D04484)
 Periodo di tempo: 13/06/2023 9.30.00 a 13/06/2023 12.30.00



REG-PST-TUB (REG-PST-TUB):
 TEMP.PAST-T1T [°C]
 REG-PST-TUB (REG-PST-TUB):
 TEMP.USCITA-T3T [°C]
 REG-PST-TUB (REG-PST-TUB):
 TEMP.PAST-T1T [°C]
 REG-PST-TUB (REG-PST-TUB):
 TEMP.USCITA-T3T [°C]



REDA S.p.A.

Via Piave, 9 • 36033 Isola Vicentina (VI) • ITALIA

Tel. +39 0444 977222 • Fax +39 0444 977227

E-mail: reda@redaspa.com • www.redaspa.com

Posta certificata: reda@pec.confindustria.vicenza.it

Capitale Sociale € 2.000.000,00 i.v.

C.F. e P. IVA IT 01583660244

Reg. Imprese VI 01583660244

R.E.A. VI 171438



Certificato
n. 1709 0214

Tavola di corrispondenza

Noi REDA S.p.A.
Via Piave, 9
36033 Isola Vicentina (VI)

dichiariamo che:

le soste relative all'impianto "Pastorizzatore Tubolare 7.000 l/h succhi di agrumi" con numero di serie 3075/06 sono:

- **SOSTA A:** Lunga 4,10 mt. Con tubazioni aventi Ø interno 67mm., il volume totale è pari a **14,5 litri**.
Il volume calcolato è $(7000 \text{ l/h} / 3600 \text{ sec}) * 6 \text{ sec.} = \textbf{11,66 litri}$
- **SOSTA B:** Lunga 4,06 mt. Con tubazioni aventi Ø interno 67mm., il volume totale è pari a **14,3 litri**.
Il volume calcolato è $(7000 \text{ l/h} / 3600 \text{ sec}) * 6 \text{ sec.} = \textbf{11,66 litri}$

1. Sosta A = 6 secondi.
2. Sosta A+B = 12 secondi.

Le lunghezze delle soste sono state misurate realmente sull'impianto.

LUOGO E DATA:	RAPPRESENTANTE LEGALE:
<u>Isola Vicentina, 17/02/2015</u>	<u>Rag. Frigo Giorgio</u>

FDA Recommended Pasteurization Time/Temperatures

For apple juice at pH values of 4.0 or less, FDA recommends the following thermal processes to achieve a 5-log reduction for oocysts of *Cryptosporidium parvum*. Because this parasite is believed to be more heat resistant than *E. coli* O157:H7, these parameters will also control bacterial pathogens.

160 degrees F for at least 6 seconds
 165 degrees F for at least 2.8 seconds,
 170 degrees F for at least 1.3 seconds,
 175 degrees F for at least 0.6 seconds, or
 180 degrees F for at least 0.3 seconds

71.7 degrees C (161 degrees F) for 15 seconds (milk pasteurization) is also considered adequate.

Remember to set your Operational Limit higher to assure you meet your Critical Limit!

The complete section on validation of pasteurization treatments for juice is excerpted below from the Juice Hazards Guide

5.2 Validated Pasteurization Treatments for Juice

At this time there are some published studies on pasteurization processes for controlling pathogens in juice that we can comment on to assist you in developing your HACCP plan.

Study #1 Summary: A study done by the NFPA (7) has resulted in a recommended general thermal process of 3 seconds at 71.1 degrees C (160 degrees F), for achieving a 5-log reduction for *E. coli* O157:H7, *Salmonella*, and *Listeria monocytogenes* in fruit juices. The efficacy of this process was measured using single strength apple, orange, and white grape juices adjusted to a pH of 3.9. The authors noted that a pH in the range of 3.6 to 4.0 has been reported as a non-significant variable in the heat resistance of *E. coli* O157:H7. The authors also noted that the heat resistance of these vegetative bacterial pathogens might be considerably greater at pH values of 4.0 and higher. This process assumes that the pathogens will have increased thermal resistance due to their being acid-adapted.

Study #2 Summary: A study done at the University of Wisconsin (8) has shown that treatments of 68.1 degrees C (155 degrees F) for 14 seconds (recommended treatment conditions in Wisconsin) and 71.1 degrees C (160 degrees F) for 6 seconds (recommended treatment conditions in New York) are capable of achieving a 5-log reduction of acid adapted *E. coli* O157:H7 in apple cider (pH values of 3.3 and 4.1). The Wisconsin study also confirmed the adequacy of the treatment conditions of the NFPA study (71.1 degrees C (160 degrees F) for 3 seconds) for achieving a 5-log reduction for *E. coli* O157:H7 in apple cider.

FDA Comments/Recommendations: We believe that the process recommended in the NFPA study is adequate to ensure a 5-log reduction of the three stated vegetative bacterial pathogens, (*E. coli* O157:H7, *Salmonella* and *Listeria monocytogenes*) at juice pH values comparable to those in the study. However, other validation studies may be needed for juices that have pH values greater than 4.0. We also believe that either of the processes evaluated in the University of Wisconsin study is adequate to ensure a 5-log reduction of the three stated bacterial pathogens, (*E. coli* O157:H7, *Salmonella*, and *Listeria monocytogenes*) (at juice pH values comparable to those in the study) if any of these pathogens are the pertinent microorganism in your juice.

Neither of these two studies evaluated thermal processes for achieving a 5-log reduction for oocysts of the protozoan parasite *Cryptosporidium parvum* that has been a cause of illness outbreaks associated with the consumption of apple juice. In fact, the thermal destruction of *Cryptosporidium parvum* oocysts has not been as widely studied in the published literature as it has for the vegetative bacterial pathogens; however, the available scientific literature suggests that *Cryptosporidium parvum* (9) oocysts may be more resistant to thermal processing than the three vegetative bacterial pathogens. Therefore, we recommend that you consider *Cryptosporidium parvum* to be the pertinent microorganism when you are establishing a HACCP plan for apple juice.

For apple juice at pH values of 4.0 or less, we are recommending the following thermal processes to achieve a 5-log reduction for oocysts of *Cryptosporidium parvum* (in addition to the three aforementioned vegetative bacterial pathogens) based upon a conservative evaluation of the available scientific data;

160 degrees F for 6 seconds (recommended treatment conditions in New York),
165 degrees F for 2.8 seconds,
170 degrees F for 1.3 seconds,
175 degrees F for 0.6 seconds, or
180 degrees F for 0.3 seconds

Also, while it appears that *Cryptosporidium parvum* may be more resistant to thermal processing than the vegetative bacterial pathogens noted, in view of the limited data on the thermal destruction of *Cryptosporidium parvum*, processors may designate both *E. coli* O157:H7 and *Cryptosporidium parvum* as the pertinent microorganism in their HACCP plans for apple juice, and use one of the recommended thermal processes given above for the a 5-log reduction of *Cryptosporidium parvum* oocysts, until more definitive data become available on the relative resistance to thermal processing of these two pathogens.

We also believe that the process that is typically carried out for milk pasteurization, 71.7 degrees C (161 degrees F) for 15 seconds, is adequate to achieve a 5-log reduction of oocysts of *Cryptosporidium parvum* and the aforementioned three vegetative bacterial pathogens when this process is used for apple juice (at juice pH values of 4.0 or less).