

Freshdesk + Freshservice Hackathon Cookbook

A link-first guide to **public APIs** and **connection paths** for Freshdesk and Freshservice.

Collected **18 Sep 2026** from official Freshworks docs. There is **no GraphQL API**; the live product APIs are REST v2.

How to use this cookbook

Pick one track. Most weekend teams only need one.

If you want to...	Use	Start here
Script tickets/assets from Python/Node	REST v2 + API key	<i>Product REST APIs</i>
Let Cursor/Claude act on a demo tenant	Product MCP	<i>Product MCP</i>
Build a sidebar / ticket widget inside the product	FDK Marketplace app + Data/Events/Interface APIs	<i>Marketplace apps</i>
Automatically update tickets when something happens	Workflow Automator / Automation rules	<i>Create a workflow</i>
React to ticket create/update without polling	Serverless onTicket* or automation webhooks	<i>Create a workflow</i>
List an integration on the store	Freshworks app or External app	<i>Submit apps</i>
Scaffold/publish the app from Cursor	Agent Skills + Developer MCP	<i>Developer MCP</i>

1. Connection layers

Layer	What it is	Best for
1. REST APIs	Direct HTTPS to the tenant	Scripts, backends, n8n/Zapier, custom UIs
2. Product MCP	Official hosted MCP on the tenant	Cursor / Claude / Copilot talking to tickets, KB, assets
3. Marketplace apps + SDK APIs	Apps that run <i>inside</i> Freshdesk/Freshservice	Sidebars, serverless event apps, listed integrations
4. Developer MCP + Agent Skills	Build/publish those apps from an IDE	Shipping a Marketplace/custom app during the hackathon

2. Product REST APIs

Freshdesk

What	Link
API v2 (current)	https://developers.freshdesk.com/api/
Same v2 docs (alt host)	https://developer.freshdesk.com/api/
Developer hub	https://developers.freshdesk.com/
API v1 (legacy)	Linked from the v2 page as “v1.0 APIs”
Code samples (Java, Node, PHP, Python, Ruby, C#)	https://github.com/freshdesk/fresh-samples

What	Link
Generated SDK reference	https://developers.freshworks.com/freshdesk-sdk/docs/ConversationsApi.html

Base URL: https://{domain}.freshdesk.com/api/v2/{resource}

Auth: HTTP Basic — API key as username, dummy password (X). CORS is supported.

Shell

```
curl -u YOUR_API_KEY:X \  
  -H "Content-Type: application/json" \  
  https://YOUR_DOMAIN.freshdesk.com/api/v2/tickets
```

v2 resource map (API Index plus later sections on the same page):

- Tickets, conversations, outbound messages, watchers, merge/forward, bulk update, archive, ticket user access
- Ticket fields, sections, ticket forms / form fields
- Contacts, contact fields, companies, company fields, agents, skills, roles, groups · Custom objects (schemas + records)
- Discussions (categories, forums, topics, comments)
- Solutions (categories, folders, articles)
- CSAT (new + legacy surveys / satisfaction ratings)
- Time entries, canned responses, products, business hours
- Email mailboxes, email settings, BCC, email configs
- Field service (service tasks/groups, field technicians)
- Threads / thread messages
- Omnichannel activities
- Automations, scenario automations, SLA policies
- Account, helpdesk settings, jobs

Freshservice

What	Link
API v2 (current)	https://api.freshservice.com/v2/
Same v2 (root)	https://api.freshservice.com/

API v1 (legacy)	https://api.freshservice.com/v1/
Rate limits	https://support.freshservice.com/support/solutions/articles/50000000293-what-is-the-rate-limit-for-apis-across-all-plans
Check remaining quota	https://support.freshservice.com/support/solutions/articles/50000000308-how-can-i-check-the-available-api-limit

Base URL: `https://{domain}.freshservice.com/api/v2/{resource}`

Auth: API key (Basic) or **OAuth 2.0**. Each endpoint lists a scope such as `freshservice.tickets.create`.

Docs cover **Freshservice**, **Freshservice for Business Teams**, and **Freshservice for MSPs** (module/endpoint differences are called out on the same v2 page).

Shell

```
curl -u YOUR_API_KEY:X \
  -H "Content-Type: application/json" \
  https://YOUR_DOMAIN.freshservice.com/api/v2/tickets
```

v2 resource map:

- Tickets, service requests, conversations, time entries, tasks, CSAT, approvals, child tickets
- Problems, changes, releases, CABs, major-incident promote/demote
- Workspaces / clients (MSP)
- Requesters/contacts, agents, roles, groups, requester groups
- Locations, products, vendors, departments, business hours
 - Assets + Freshservice ITAM assets, asset types, software, contracts, purchase orders
- Projects / project tasks (classic + NewGen)
- Solutions (categories, folders, articles)
- Service catalog
- Announcements, employee onboarding/offboarding, journeys
- On-call management

- Custom objects
- Alerts, SLA policies, canned responses, audit logs, attachments, collaborate ·
- Status page, delegation
- CMDB-style ITAM: physical subtypes, devices, resources, resource relationships, cloud infrastructure, lifecycle events
- Post-incident reports

3. MCP (two different servers)

These are not the same thing. Product MCP talks to a live helpdesk/ITSM tenant. Developer MCP talks to the Freshworks Developer Portal.

3.1 Product MCP — talk to a live account

Tenant-scoped servers. They wrap public REST APIs. They do **not** grant extra permissions beyond the user's role.

Freshdesk MCP

Generally available since **10 Sep 2026**.

Doc Link

Setup + tools

<https://support.freshdesk.com/support/solutions/articles/50000012670-model-connections> [ntext-protocol-mcp-integration-in-freshdesk-eap](#)

FAQ <https://support.freshdesk.com/support/solutions/articles/50000014407-mcp-integration-frequently-asked-questions-faq>

- **URL:** https://{domain}.freshdesk.com/mcp (custom domains are **not** supported) ·
- Auth:** API key only
- **Enable / copy URL:** Admin → Apps & Integrations → MCP
- **Clients documented:** Claude Code, Claude Desktop, Cursor, Copilot Studio, VS Code
- **Plans:** Growth / Pro / Enterprise (per-minute rate + monthly action caps)
- **Tools:** tickets, conversations, contacts, agents, groups, companies, solution categories/folders/articles

Cursor config:

JSON

```
{
  "mcpServers": {
    "freshdesk": {
      "type": "http",
      "url": "https://YOUR_DOMAIN.freshdesk.com/mcp",
      "headers": {
        "Authorization": "YOUR_API_KEY"
      }
    }
  }
}
```

Freshservice MCP

Doc Link

Setup + tools [-context-protocol-mcp-integration-in-freshservice](https://support.freshservice.com/support/solutions/articles/50000012678-model-integration-frequently-asked-questions-faqs)
<https://support.freshservice.com/support/solutions/articles/50000012678-model-integration-frequently-asked-questions-faqs>

FAQ <https://support.freshservice.com/support/solutions/articles/50000014409-mcp-integration-frequently-asked-questions-faqs>

Security <https://support.freshservice.com/support/solutions/articles/50000014410-freshworks-mcp-security>

- **URL:** https://{domain}.freshservice.com/mcp
- **Auth:** OAuth 2.0 + Dynamic Client Registration (recommended), or API key
- **Native connectors:** Claude, Gemini, ChatGPT
- **Also documented:** Claude Code, Claude Desktop, Cursor, Copilot Studio, VS Code
- **Enable:** Admin → MCP → MCP Details
- **Tools:** tickets, assets, agents/requesters, onboarding/offboarding, service catalog, solutions, workspaces, locations, vendors, departments, custom objects, groups,

products, asset types

Cursor config (OAuth preferred; API key fallback shown):

JSON

```
{
  "mcpServers": {
    "freshservice": {
      "type": "http",
      "url": "https://YOUR_DOMAIN.freshservice.com/mcp",
      "headers": {
        "Authorization": "YOUR_API_KEY"
      }
    }
  }
}
```

MCP tools cheat sheet

Freshdesk

Resource Tools

Tickets createTicket, fetchTicket, fetchTickets, fetchSearchTickets, updateTicket,
createTicketBulkUpdate, fetchTicketConversations

Conversations replyTicket, createTicketNote, updateConversation

Contacts createContact, fetchContact, fetchContacts, fetchContactAutocomplete Agents
fetchAgent, fetchAgents, createAgent, updateAgent Groups createGroup, fetchGroup,
fetchGroups, updateGroup

Companies createCompany, fetchCompany, fetchCompanyAutocomplete,
fetchSearchCompanies, updateCompany

Solutions category / folder / article fetch + create (articles also update)

Freshservice

Resource Tools

Tickets fetchTickets, fetchTicket, createTicket, updateTicket, createTicketNote, fetchTicketFormFields, fetchTicketFilter

Assets fetchAssets, fetchAsset, createAsset, updateAsset Users

fetchAgents, fetchAgent, fetchRequesters, fetchRequester On/offboarding

fetch/create onboarding + offboarding requests and forms Service catalog

search, fetch items, placeRequestServiceCatalogItem

Solutions categories, folders, articles (including search)

Org data workspaces, locations, vendors, departments, groups, products, custom objects, asset types

3.2 Developer MCP — build/publish apps

This is **not** the product. It talks to the Freshworks Developer Portal.

Doc Link

Developer MCP [entic-dev-tools/mcp-server/](https://developers.freshworks.com/docs/agentic-dev-tools/mcp-server/)

<https://developers.freshworks.com/docs/agentic-dev-tools/mcp-server/>

Configure it <https://developers.freshworks.com/docs/agentic-dev-tools/get-started/configure-mcp-server/>

Agent skills <https://developers.freshworks.com/docs/agentic-dev-tools/skills/>

Install toolkit <https://developers.freshworks.com/docs/agentic-dev-tools/tutorials/foundations/agentic-dev-tools/install/>

Environment setup [entic-dev-tools/get-started/set-up-environment/](https://developers.freshworks.com/docs/agentic-dev-tools/get-started/set-up-environment/)

<https://developers.freshworks.com/docs/agentic-dev-tools/get-started/set-up-environment/>

- **URL:** https://mcp.freshworks.dev/mcp
- **Auth:** Developer Portal API key (Bearer)
- **Rate limit:** 60 requests/minute
- **Tools:** list_custom_apps, list_app_versions, create_app_upload_url, submit_custom_app, add_app_version, get_app_status

JSON

```
{  
  "mcpServers": {
```

```

"fw-dev-mcp": {
  "url": "https://mcp.freshworks.dev/mcp",
  "headers": {
    "Authorization": "Bearer YOUR_DEVELOPER_API_KEY"
  }
}
}
}
}

```

Install Agent Skills:

```

Shell
npx @freshworks/fw-dev-tools install

```

4. Marketplace apps Integration (run inside the product)

Stores

Store Link

Freshdesk apps <https://www.freshworks.com/apps/freshdesk/>

All Freshworks apps (filter
Freshservice / Omni / MSP /
Business Teams)

App types

<https://www.freshworks.com/apps/>

1. **Freshworks app** — built with FDK, reviewed, listed publicly
2. **Custom app** — FDK, private to one org, no marketplace review
3. **External app** — your SaaS listed with an install URL (Zapier-style)

Developer platform

Doc Link

Platform home [orks.com/](https://developers.freshworks.com/)

[https://developers.freshw](https://developers.freshworks.com/)

Docs home <https://developers.freshworks.com/docs/>

Intro tutorial <https://developers.freshworks.com/tutorials/codelabs/introduction/index.html>

FDK / CLI [https://developers.freshworks.com/docs/getting-started/freshdesk/freshworks cli-setup/](https://developers.freshworks.com/docs/getting-started/freshdesk/freshworks-cli-setup/)

App development process [https://developers.freshworks.com/docs/app-sdk/v3.0/task/app-development-p rocess/](https://developers.freshworks.com/docs/app-sdk/v3.0/task/app-development-process/)

Modules map [https://developers.freshworks.com/docs/app-sdk/v3.0/product/global-app-conc epts/modules/](https://developers.freshworks.com/docs/app-sdk/v3.0/product/global-app-concepts/modules/)

Freshdesk support_ticket [https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/introducti on/](https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/introduction/)

Freshservice service_ticket

FDK install: Shell [https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/introducti on/](https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/introduction/)

```
npm install https://cdn.freshdev.io/fdk/latest.tgz -g
```

```
fdk version # expect 9.0.0 or later
```

Scaffold:

Shell

```
fdk create --products freshdesk --template your_first_app
```

or

```
fdk create --products freshservice --template your_first_app
```

Modules you can target

Product Modules

Freshdesk / Freshdesk Omni
support_email, support_ticket,

support_portal, support_agent,
support_contact, support_company

Freshservice service_ticket, service_asset, service_change, service_user,
service_device, service_physicalasset, service_resource

Freshservice MSP / Business
Teams service_ticket, service_user
only

Submit an app Doc Link

https://developers.freshworks.com/docs/app-sdk/v3.0/service_resource/app-submission-process/freshworks-apps/

Submit
Freshworks apps

<https://developers.freshworks.com/docs/app-sdk/v3.0/common/app-submission-process/external-apps/>

Submit
External apps

<https://developers.freshworks.com/docs/guides/submission-guidelines/pre-submission/>

Pre-submission checklist

5. Marketplace / App development: SDK APIs

These are **in-app APIs** the FDK exposes while an app is running. They are not the product REST APIs.

SDK API What it does Doc

**Data
method**

Events method

client.data.get(...) — ticket,
user, host, etc.

UI events

(client.events.on)

<https://developers.freshworks.com/docs/guides/submission-guidelines/pre-submission/>

om/docs/app-sdk/v3.0/service_change/front-end-apps/data-method/	CORS guide	0/common/advanced-interfaces/request-method/
https://developers.freshworks.com/docs/app-sdk/v3.0/product/front-end-apps/event-s-method/	Notifications, hide fields, dialogs	https://developers.freshworks.com/docs/app-sdk/v3.0/caller_agent/advanced-interfaces/request-method/oauth/
Interface methods	Secure proxied HTTP (no leaked API keys)	https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/advanced-interfaces/request-method/oauth-access-freshworks-resources/
Request method	App talks to Slack/Jira/etc.	
OAuth (3rd party)	App talks to Freshservice/Freshdesk via OAuth	
OAuth (Freshworks resources)	onTicketCreate / onTicketUpdate / onTicketDelete	https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/serverless-apps/product-events/onTicket/
Serverless product events	How to call APIs from an app Same module docs under “Interface methods”	https://developers.freshworks.com/docs/guides/solve-cors-errors/how-to-make-api-with-request-method/
Request method	https://developers.freshworks.com/docs/app-sdk/v3.0/	

Data storage, SMI, and scheduled events are covered from the module intro pages above.

6. Workflows for automated updates

Use these when a ticket is created or changed and you want Freshdesk/Freshservice to **update fields, assign agents, send mail, or call your API** — no Marketplace app required.

Product What to build Admin path	Hourly Triggers)
Freshservice Workflow Automator (drag-and-drop Event → Condition → Action)	Admin → Automation & Productivity → Workflow Automator
Freshdesk Automation rules (Ticket Creation / Ticket Updates /	Admin → Workflows → Automation Rules

Freshdesk Omni

Same automation model,
different menu
Admin Settings →

Configuration and Workflows
→ Ticket
Automations

6.1 Freshservice — create a workflow

Official how-to:

<https://support.freshservice.com/support/solutions/articles/232139-how-to-work-with-workflow-automator>

1. Go to **Admin** → **Automation & Productivity** → **Workflow Automator**.
2. Click **Create** → **Workflow**.
3. Enter a title and description.
4. Pick the **module** (Ticket, Problem, Change, Asset, ...).
5. Pick **Event Based Workflow** (fires on create/update) or **Scheduled Workflow** (hourly/daily/weekly).
6. In the Event pane, choose when it runs — e.g. **Ticket is** → **Raised** or **Status is changed**. Click **Done**.
7. Drag a **Condition** node (example: Category is Hardware). Click **Done**.
8. Drag an **Action** node (example: Assign to group, Set priority, Set status, Send email, Trigger webhook). Click **Done**.
9. Click **Activate** (progress is auto-saved as a draft until then).

Hackathon example — auto-route and update a ticket

- Event: Ticket is → Raised
- Condition: Category is Hardware
- Action: Assign to group → Hardware Team

More scenarios (multi-team routing, multi-stage approval):

<https://support.freshservice.com/support/solutions/articles/50000011807-workflow-automation-scenarios>

Scheduled workflows:

<https://support.freshservice.com/support/solutions/articles/50000004790-create-scheduled-workflows>

Problems module:

<https://support.freshservice.com/support/solutions/articles/50000000200-create-automation-workflows-in-the-problems-module>

Nodes that matter for API-style updates

Node Use it when Doc

Action → Trigger
Webhook

[hooks-with-the-workflow-automator](#)

Web
Request

You need the HTTP response
(then branch on status / body) <https://support.freshservice.com/support/solutions/articles/50000003705-web-request-node>

JSON
Parser

Fire-and-forget POST/PUT to
your backend or to
Freshservice itself

Parse a Web Request /
orchestration response and
use fields later <https://support.freshservice.com/support/solutions/articles/50000003708-json-parser-node-ng-web>

Reader Look up a custom-object /
standard-object record and
route

from it
<https://support.freshservice.com/support/solutions/articles/50000004020-reader-node>

Webhook notes: ~1000 calls/hour; retries up to 4 times if the callback is not 2xx/3xx. For GET/PUT against Freshservice REST, use Basic Auth with the API key as username and x as password.

Debug: **Admin** → **Workflow Automator** → **Execution Logs**.

6.2 Freshdesk — create an automation rule

Official overview:

<https://support.freshdesk.com/support/solutions/articles/207276-overview-of-automation-rules>

Ticket-update rules:

<https://support.freshdesk.com/support/solutions/articles/99047-automation-rules-that-run-on-ticket-updates>

1. Go to **Admin** → **Workflows** → **Automation Rules** (Omni: **Admin Settings** → **Configuration and Workflows** → **Ticket Automations**).
2. Open the tab that matches the job:
 - **Ticket Creation** — run once when a ticket is created
 - **Ticket Updates** — run when an event happens on an existing ticket (best for automated updates)
 - **Hourly Triggers** — scan tickets every hour (time-based close / remind)
3. Click **New rule** (or **Templates** for a guided use case).
4. Name the rule.
5. For Ticket Updates, set:
 - **When an action performed by:** Agent / Requester / Agent or Requester / System
 - **Involves any of these events:** status/priority/group changed, reply sent, note added, ticket updated, ...
6. Add **On tickets with these properties** conditions (status, tags, company, subject, ...). Match ANY or ALL.
7. Under **Perform these actions**, add one or more: Set as (priority/status/custom field), Assign to agent/group, Add note, Add tag, Send email, Update custom objects, **Trigger webhook**.
8. Click **Preview and Save**, review the summary, then **Save and enable**.

Hackathon example — auto-update on ticket change

- Tab: Ticket Updates
- When performed by: Agent
- Event: Status is changed from Any to Resolved
- Action: Add tag hackathon-resolved **and/or** Trigger webhook to your app

on reopen-after-reply: <https://www.youtube.com/watch?v=EFo0ZShRRqU>

Rule order matters. Ticket Creation can run first-match or all-matching; Ticket Updates runs **all matching rules top to bottom**. Use **Reorder** if two rules fight.

6.3 Push an update to your hackathon backend (or back into the API)

Use this when the workflow should **notify your service** or **PATCH the ticket via REST**. Freshdesk

1. In the rule's Actions, choose **Trigger Webhook** (fire-and-forget) or **Trigger API** (use

- the response in later actions / JS).
2. Method: POST or PUT. URL can include placeholders such as `https://YOUR_DOMAIN.freshdesk.com/api/v2/tickets/{{ticket.id}}`.
 3. Enable **Requires authentication**, paste the agent API key.
 4. Encoding: JSON. **Advanced** body, for example:

JSON

```
{  
  "priority": 1,  
  "status": 3,  
  "tags": [ "hackathon-auto-updated" ]  
}
```

Docs:

<https://support.freshdesk.com/support/solutions/articles/132589-using-webhooks-in-automation-rules>

Examples:

<https://support.freshdesk.com/support/solutions/articles/50000009511-automation-examples-using-webhooks>

Freshservice

1. After Event + Condition, add **Trigger Webhook** (no response needed) or a **Web Request** node (need status/body).
2. URL: `https://YOUR_DOMAIN.freshservice.com/api/v2/tickets/{{ticket.id_numeric}}` for an in-place update.
3. Auth: Basic — API key / x.
4. Optionally add **JSON Parser** and a later **Action** that sets fields from the response.

Docs:

<https://support.freshservice.com/support/solutions/articles/157143-using-webhooks-with-the-workflow-automator>

6.4 REST OAuth (when you call APIs yourself)

- **Freshservice:** first-class OAuth 2.0 on REST. Scopes are listed per endpoint on <https://api.freshservice.com/v2/>
- **Marketplace OAuth for Freshservice resources:**

https://developers.freshworks.com/docs/app-sdk/v3.0/service_resource/oauth-implementation-in-apps/

- **Freshdesk REST:** primarily **API key / Basic**. OAuth shows up in Marketplace apps that call Freshworks or third-party APIs.

7. Videos and walkthroughs

Freshworks does **not** publish a dedicated “call REST with Postman” video. The official videos cover **Marketplace/FDK apps**, **Freddy Copilot**, and **MCP**. Pair those with the interactive tutorials below for actual public-API calls.

Watch first (official videos)

Topic What you'll see Link

First Freshdesk app (FDK)

[h ?v=C1Pq3pfuKmE](https://www.youtube.com/watch?v=C1Pq3pfuKmE)

Freshdesk app
playlist

Full Freshworks
app-development tutorial
series

https://www.youtube.com/playlist?list=PLFC_n8izfaLpNYiLT6_V5HYh70dS0_S_1

First app with AI (25 min)
Create an in-product app that
talks to Freshdesk

Freddy Copilot: zero to a
Freshdesk sidebar app
[https://developers.freshworks.c](https://developers.freshworks.com/learning-resources/)
<https://www.youtube.com/watch?v=...>

Freddy Copilot generating app code
https://youtu.be/MdF_5-DTjXo

Conversation to code

Use-case to code Freddy Copilot from idea to app https://youtu.be/A-wG_acmoCc
Move an older app forward
<https://youtu.be/fCjdLPdzEnw>

AI-assisted app migration

Code refinement Copilot cleanup / refine actions <https://youtu.be/ugW0GQwi49s>
Freshservice Meets MCP Official webinar: connect Claude / Gemini / Copilot

Studio, auth, tickets, assets, catalog <https://www.freshworks.com/freshservice/webinars/premium-support/meet-mcp/>

Freshdesk <https://www.youtube.com/watch?v=EFo0ZShRRgU>
reopen-on-reply
Short automation-rule video

- Freddy Copilot channel: <https://www.youtube.com/@FreddyAICopilotforDevelopers/videos>
- Freshworks channel: <https://www.youtube.com/@FreshworksInc/videos>
- Freshservice channel: <https://www.youtube.com/channel/UCRwtI2VKkVdh-i2cuOKrchg>
- Past developer session recordings: <https://developers.freshworks.com/events/>

Follow along (interactive — these actually hit the public APIs)

Tutorial Why it matters Link

Find your Freshdesk API key <https://support.freshworks.com/support/solutions/articles/215517-how-to-find-your-api-key>

Find your Freshservice API key <https://support.freshservice.com/support/solutions/articles/50000000306-where-do-i-find-my-api-key>
First step before any REST call <https://support.freshdesk.com/su>

Say Hello — Freshdesk <https://developers.freshworks.com/freshdesk/tutorials/codelabs/say-hello-freshdesk/>
Create a ticket via <https://developers.freshworks.com/freshdesk/tutorials/codelabs/say-hello-freshdesk/>

Say Hello — Freshservice <https://developers.freshworks.com/freshservice/tutorials/codelabs/say-hello-freshservice/>

Build your first Freshworks app <https://developers.freshworks.com/tutorials/codelabs/say-hello-freshservice/>
Same pattern for Freshservice <https://developers.freshworks.com/tutorials/codelabs/say-hello-freshservice/>
App setup + external events <https://developers.freshworks.com/tutorials/codelabs/app-setup-and-external-events-freshdesk/>

Request API + API key params <https://developers.freshworks.com/tutorials/codelabs/freshdesk-basics/>

Introduction to the platform <https://developers.freshworks.com/freshdesk-basics/>
FDK, Data / Events / Interface / Request APIs

<https://developers.freshworks.com/tutorials/codelabs/introduction/index.html>

5-minute REST check (no video needed)

After copying the API key from Profile Settings:

Shell

Freshdesk

```
curl -u YOUR_API_KEY:X \
  -H "Content-Type: application/json" \
  https://YOUR_DOMAIN.freshdesk.com/api/v2/tickets
```

Freshservice

```
curl -u YOUR_API_KEY:X \
  -H "Content-Type: application/json" \
  https://YOUR_DOMAIN.freshservice.com/api/v2/tickets
```

In Postman: Authorization → Basic Auth → Username = API key, Password = X.

8. Weekend track recommendations

1. **Fastest demo:** Product MCP in Cursor against a trial tenant.
2. **Most “product-y” demo:** FDK app on ticket_sidebar that calls REST via request templates.
3. **Automated updates, no code:** Freshservice Workflow Automator or Freshdesk Ticket Updates rule (set field / assign / webhook).
4. **Most flexible backend:** REST v2 + Workflow Automator / Freshdesk Trigger API webhooks.

Official source index (bookmark this)

Sources last checked **18 Sep 2026**. Re-open the official pages before a live demo — plan limits and MCP GA status can change.

Product APIs

- <https://developers.freshdesk.com/api/>
- <https://developers.freshdesk.com/>
- <https://api.freshservice.com/v2/>
- <https://api.freshservice.com/v1/>
- <https://github.com/freshdesk/fresh-samples>

Product MCP

- <https://support.freshdesk.com/support/solutions/articles/50000012670-model-context-protocol-mcp-integration-in-freshdesk-eap->
- <https://support.freshdesk.com/support/solutions/articles/50000014407-mcp-integration-frequently-asked-questions-faq->
- <https://support.freshservice.com/support/solutions/articles/50000012678-model-context-protocol-mcp-integration-in-freshservice>
- <https://support.freshservice.com/support/solutions/articles/50000014409-mcp-integration-frequently-asked-questions-faqs->
- <https://support.freshservice.com/support/solutions/articles/50000014410-freshworks-mcp-security>

Developer platform + Marketplace

- <https://developers.freshworks.com/>
- <https://developers.freshworks.com/docs/>
- <https://developers.freshworks.com/docs/app-sdk/v3.0/product/global-app-concepts/modules/>
- https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/introduction/

https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/introduction/ ·

<https://www.freshworks.com/apps/freshdesk/>

· <https://www.freshworks.com/apps/>

Developer MCP + Agent Skills

· <https://developers.freshworks.com/docs/agent-dev-tools/mcp-server/> ·

<https://developers.freshworks.com/skills/>

· <https://developers.freshworks.com/docs/tutorials/foundations/agent-dev-tools/install/>

Workflows and automations

· <https://support.freshservice.com/support/solutions/articles/232139-how-to-work-with-workflow-automator>

· <https://support.freshservice.com/support/solutions/articles/157143-using-webhooks-with-the-workflow-automator>

· <https://support.freshservice.com/support/solutions/articles/50000003705-web-requests-node>

· <https://support.freshdesk.com/support/solutions/articles/207276-overview-of-automation-rules>

· <https://support.freshdesk.com/support/solutions/articles/99047-automation-rules-that-run-on-ticket-updates>

· <https://support.freshdesk.com/support/solutions/articles/132589-using-webhooks-in-automation-rules>

Videos and walkthroughs

· <https://www.youtube.com/watch?v=C1Pq3pfuKmE>

· https://www.youtube.com/playlist?list=PLFC_n8izfaLpNYiLT6_V5HYh70dS0_S_1 ·

<https://www.youtube.com/watch?v=EFo0ZShRRqU>

· <https://www.youtube.com/@FreddyAICopilotforDevelopers/videos>

· <https://www.freshworks.com/freshservice/webinars/premium-support/meet-mcp/> ·

<https://developers.freshworks.com/learning-resources/>

· <https://developers.freshworks.com/events/>

· <https://developers.freshworks.com/tutorials/codelabs/say-hello-freshdesk/> ·
<https://developers.freshworks.com/tutorials/codelabs/say-hello-freshservice/>