In [ ]:
```
from google.colab import userdata

token = userdata.get('GH_TOKEN')
usuario = "Nancy523"
repo = "TT2"
repo_owner = "HarielPS"  # El dueño del repo original

!git clone https://{token}@github.com/{repo_owner}/{repo}.git
%cd {repo}
```

```
Cloning into 'TT2'...
remote: Enumerating objects: 110, done.
remote: Counting objects: 100% (110/110), done.
remote: Compressing objects: 100% (83/83), done.
remote: Total 110 (delta 29), reused 100 (delta 22), pack-reused 0 (from 0)
Receiving objects: 100% (110/110), 2.48 MiB | 23.96 MiB/s, done.
Resolving deltas: 100% (29/29), done.
/content/TT2
```

In [ ]:
```
!git config --global user.name "Nancy523"
!git config --global user.email "aguilarnancy529@gmail.com "
```

In [ ]:
```
!git branch        # locales
!git branch -r     # remotas
```

```
* main
  origin/Fase1_v2
  origin/Fase_1
  origin/HEAD -> origin/main
  origin/main
```

In [ ]:
```
!git status
```

```
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

In [ ]:
```
rama = "Fase1_v2"  # Cambia esto por el nombre de tu rama

!git fetch origin
!git checkout {rama}

# Verifica en qué rama estás
!git branch
```

```
Branch 'Fase1_v2' set up to track remote branch 'Fase1_v2' from 'origin'.
Switched to a new branch 'Fase1_v2'
* Fase1_v2
  main
```

In [ ]:
```
# Intenta empujar los cambios a la rama remota
!git push -u origin Fase_1_Nancy
```

```
error: src refspec Fase_1_Nancy does not match any
error: failed to push some refs to 'https://github.com/HarielPS/TT2'
```

In [ ]:
```
# Lista los archivos en el directorio actual (que debería ser TT2)
!ls
```

```
configs  data  notebooks  notes  outputs  README.md  requirements.txt  src
```

In [ ]:
```
# También puedes listar el contenido de subdirectorios, por ejemplo:
!ls notebooks/
```

```
01_setup_experiments.ipynb     05_full_cv_experiments_time.pdf
01_setup_experiments.pdf       06_nuevo.ipynb
02_run_small_batch.ipynb       06_nuevo.pdf
02_run_small_batch.pdf         06_refinamiento_prompt_muestra_20.pdf
03_run_medium_batch.ipynb      07_exploracion_hiperparametros.ipynb
03_run_medium_batch.pdf        07_exploracion_hiperparametros.pdf
04_analyze_medium_batch.ipynb  08_exploracion_profunda.ipynb
04_analyze_medium_batch.pdf    08_exploracion_profunda.pdf
05_full_cv_experiments.ipynb   outputs
```

In [ ]:
```
!git add .
!git commit -m "Prueba-Conexion-Collab"
```

```
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

In [ ]:
```
!dir
```

```
configs  data  notebooks  notes  outputs  README.md  requirements.txt  src
```

In [ ]:
```
!git checkout -b Fase1_v2 origin/Fase1_v2
```

```
Branch 'Fase1_v2' set up to track remote branch 'Fase1_v2' from 'origin'.
Switched to a new branch 'Fase1_v2'
```

In [ ]:
```
!git switch -c Fase1_
```

```
fatal: A branch named 'Fase1_v2' already exists.
```

In [ ]:
```
from pathlib import Path
import sys
from datetime import datetime

# PROJECT_ROOT debería apuntar a la raíz del repositorio, que es el directorio actual después de %cd TT2/
PROJECT_ROOT = Path.cwd().resolve()
if str(PROJECT_ROOT) not in sys.path:
    sys.path.append(str(PROJECT_ROOT))

DATA_DIR = PROJECT_ROOT / "data"
OUTPUT_DIR = PROJECT_ROOT / "outputs" / "ruleset_comparison"

OUTPUT_DIR.mkdir(parents=True, exist_ok=True)

RUN_TS = datetime.now().strftime("%Y%m%d_%H%M%S")
EXPERIMENT_ID = f"exp_ruleset_comparison_{RUN_TS}"

print("PROJECT_ROOT:", PROJECT_ROOT)
print("DATA_DIR:", DATA_DIR)
print("OUTPUT_DIR:", OUTPUT_DIR)
print("EXPERIMENT_ID:", EXPERIMENT_ID)
```

```
PROJECT_ROOT: /content/TT2
DATA_DIR: /content/TT2/data
OUTPUT_DIR: /content/TT2/outputs/ruleset_comparison
EXPERIMENT_ID: exp_ruleset_comparison_20260326_034918
```

In [ ]:
```
import json
import pandas as pd

from configs.models import MODELS
from configs.rules import RULESETS
from src.experiment.runner import ExperimentRunner
from src.evaluation.metrics import evaluate_dataframe, summarize_metrics
```

In [ ]:
```
SAMPLE_PATH = DATA_DIR / "Muestra_csv.csv"

df_sample = pd.read_csv(SAMPLE_PATH)

print("Shape:", df_sample.shape)
print("Columnas:", list(df_sample.columns))
display(df_sample.head(3))
```

```
Shape: (20, 17)
Columnas: ['id', 'idFinal', 'grupo', 'motivo', 'Segmento', 'Propuesta', 'idcod', 'atr0', 'atr1', 'atr2', 'atr3', 'atr4',
'atr5', 'atr6', 'atr7', 'atr8', 'lex']
```

	id	idFinal	grupo	motivo	Segmento	Propuesta	idcod	atr0	atr1	atr2	atr3	atr4	atr5	atr6	atr7	a
0	2088	1872_LibroBAC.pdf	A_cortos	Muy corto, sustitución léxica clara.	La comunidad humana más antigua ha sido denomi...	La comunidad humana más antigua se llamó tribu.	Vivian	10	1	4	5.0	NaN	NaN	NaN	NaN	N
1	2976	881_LibroNEFE_Sincopyright.pdf	A_cortos	Corto con dinero/cantidad.	Prueba a poner en un sobre o frasco $1 por día...	Pon en un sobre un dólar diario más las moneda...	Vivian	14	5	1	6.0	NaN	NaN	NaN	NaN	N
2	3430	2692_LibroUide_Sincopyright.pdf	A_cortos	Frase conceptual simple de negocios.	Uno de los problemas más importantes en los ne...	Asignar precios a los productos es un problema...	Vivian	5	6	19	1.0	NaN	NaN	NaN	NaN	N

In [ ]:
```
META_COLS = ["idFinal", "grupo", "motivo", "lex"]

required_cols = ["id", "Segmento", "Propuesta"]
missing = [c for c in required_cols if c not in df_sample.columns]
```

```python
if missing:
    raise ValueError(f"Faltan columnas requeridas en la muestra: {missing}")

df_refine = df_sample.copy()

df_refine = df_refine.rename(
    columns={
        "id": "sample_id",
        "Segmento": "source_text",
        "Propuesta": "reference_text",
    }
)

keep_cols = ["sample_id", "source_text", "reference_text"] + [c for c in META_COLS if c in df_refine.columns]
df_refine = df_refine[keep_cols].copy()

print("Shape refinamiento:", df_refine.shape)
display(df_refine.head(5))
```

```
Shape refinamiento: (20, 7)
```

	sample_id	source_text	reference_text	idFinal	grupo	motivo	lex
0	2088	La comunidad humana más antigua ha sido denomi...	La comunidad humana más antigua se llamó tribu.	1872_LibroBAC.pdf	A_cortos	Muy corto, sustitución léxica clara.	1
1	2976	Prueba a poner en un sobre o frasco $1 por día...	Pon en un sobre un dólar diario más las moneda...	881_LibroNEFE_Sincopyright.pdf	A_cortos	Corto con dinero/cantidad.	1
2	3430	Uno de los problemas más importantes en los ne...	Asignar precios a los productos es un problema...	2692_LibroUide_Sincopyright.pdf	A_cortos	Frase conceptual simple de negocios.	1
3	3679	El resultado será 190, o sea, el IVA del kilo ...	El resultado será ciento noventa. Es decir, el...	829_LibroUAC_Sincopyright.pdf	A_cortos	Corto con número e IVA.	1
4	3145	Por cada $100 facturados, la compañía gasta 2...	La empresa gasta dos dólares con veinte centav...	1045_LibroUide_Sincopyright.pdf	A_cortos	Corto con proporción financiera.	1

In [ ]:
```python
FEW_SHOT_EXAMPLES = [
    {
        "source": """A continuación una tabla donde se demuestra como crecen los ahorros al pasar los años: Edad Inversión
        "target": """A continuación, presentamos una tabla donde se demuestra como crecen los ahorros al pasar los años. L
    },
    {
        "source": """El varias veces mencionado Yager, nos dice acertadamente sobre estos aspectos lo siguiente: La mayorí
        "target": """Yager habla acertadamente sobre estos aspectos y dice que la mayoría ambiciona tener libertad financi
    },
    {
        "source": """De acuerdo con esta medición, la proporción de pobres en la población mundial —quienes viven con meno
        "target": """Según esta medición, la proporción de personas pobres en la población mundial descendió un poco entre
    },
    {
        "source": """- Rentabilidad
INTERÉS DE 2 PESOS SOBRE UNA INVERSIÓN DE 100 PESOS = RENTABILIDAD DE 2 % ((2 ÷ 100) × 100 = 2%) POR CADA 100 PESOS SE GAN
 Endeudamiento
 DEUDA DE 30 PESOS POR SOBRE EL CAPITAL DE 20 PESOS = ENDEUDAMIENTO DE 1,5 VECES EL CAPITAL (30 ÷ 20 = 1,5) POR CADA PESO
 Liquidez
80 PESOS DE DINERO DISPONIBLE POR SOBRE DEUDAS DE 40 PESOS = LIQUIDEZ DE DOS VECES EL VALOR DE LA DEUDA (80 ÷ 40 = 2) POR
        "target": """EL INTERÉS DE DOS PESOS SOBRE UNA INVERSIÓN DE CIEN PESOS DA UNA RENTABILIDAD DE DOS POR CIENTO. ES D
    },
]

FEW_SHOT_EXAMPLE_IDS = [78, 1805, 3635, 5262]

print("Número de ejemplos few-shot:", len(FEW_SHOT_EXAMPLES))
print("IDs few-shot:", FEW_SHOT_EXAMPLE_IDS)
```

```
Número de ejemplos few-shot: 4
IDs few-shot: [78, 1805, 3635, 5262]
```

In [ ]:
```python
PROMPT_TYPE = "few-shot"

FINALIST_CONFIGS = [
    {
        "model_key": "llama3",
        "temperature": 0.3,
```

```
        "top_p": 0.90,
        "repetition_penalty": 1.15,
        "do_sample": True,
        "no_repeat_ngram_size": 4,
        "config_label": "llama3_cfg_1",
    },
    {
        "model_key": "llama3",
        "temperature": 0.7,
        "top_p": 0.90,
        "repetition_penalty": 1.1,
        "max_new_tokens": 512,
        "do_sample": True,
        "no_repeat_ngram_size": 4,
        "config_label": "llama3_cfg_2",
    },
    {
        "model_key": "mistral",
        "temperature": 0.7,
        "top_p": 0.90,
        "repetition_penalty": 1.1,
        "max_new_tokens": 512,
        "do_sample": True,
        "no_repeat_ngram_size": 4,
        "config_label": "mistral_cfg_1",
    },
    {
        "model_key": "mistral",
        "temperature": 0.3,
        "top_p": 0.90,
        "repetition_penalty": 1.15,
        "max_new_tokens": 400,
        "do_sample": True,
        "no_repeat_ngram_size": 4,
        "config_label": "mistral_cfg_2",
    },
]

ACTIVE_RULESETS = ["R0", "R1", "R2", "R3", "R4"]

print("Prompt type fijo:", PROMPT_TYPE)
print("N configuraciones finalistas:", len(FINALIST_CONFIGS))
print("Rulesets:", ACTIVE_RULESETS)
display(pd.DataFrame(FINALIST_CONFIGS))
```

```
Prompt type fijo: few-shot
N configuraciones finalistas: 4
Rulesets: ['R0', 'R1', 'R2', 'R3', 'R4']
```

	model_key	temperature	top_p	repetition_penalty	do_sample	no_repeat_ngram_size	config_label	max_new_tokens
0	llama3	0.3	0.9	1.15	True	4	llama3_cfg_1	NaN
1	llama3	0.7	0.9	1.10	True	4	llama3_cfg_2	512.0
2	mistral	0.7	0.9	1.10	True	4	mistral_cfg_1	512.0
3	mistral	0.3	0.9	1.15	True	4	mistral_cfg_2	400.0

In [ ]:
```
for cfg in FINALIST_CONFIGS:
    if cfg["model_key"] not in MODELS:
        raise ValueError(f"Modelo no definido en MODELS: {cfg['model_key']}")

for ruleset in ACTIVE_RULESETS:
    if ruleset not in RULESETS:
        raise ValueError(f"Ruleset no definido en RULESETS: {ruleset}")

if PROMPT_TYPE not in ["zero-shot", "few-shot"]:
    raise ValueError(f"Técnica no soportada: {PROMPT_TYPE}")

print("Configuración validada correctamente.")
```

```
Configuración validada correctamente.
```

In [ ]:
```
# Celda 1: Instalar dependencia faltante
!apt-get install -y zstd

# Celda 2: Ahora sí instalar Ollama
!curl -fsSL https://ollama.com/install.sh | sh
```

```
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  zstd
0 upgraded, 1 newly installed, 0 to remove and 45 not upgraded.
Need to get 603 kB of archives.
After this operation, 1,695 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu jammy/main amd64 zstd amd64 1.4.8+dfsg-3build1 [603 kB]
Fetched 603 kB in 1s (747 kB/s)
Selecting previously unselected package zstd.
(Reading database ... 122354 files and directories currently installed.)
Preparing to unpack .../zstd_1.4.8+dfsg-3build1_amd64.deb ...
Unpacking zstd (1.4.8+dfsg-3build1) ...
Setting up zstd (1.4.8+dfsg-3build1) ...
Processing triggers for man-db (2.10.2-1) ...
>>> Installing ollama to /usr/local
>>> Downloading ollama-linux-amd64.tar.zst
######################################################################## 100.0%
>>> Creating ollama user...
>>> Adding ollama user to video group...
>>> Adding current user to ollama group...
>>> Creating ollama systemd service...
WARNING: systemd is not running
WARNING: Unable to detect NVIDIA/AMD GPU. Install lspci or lshw to automatically detect and install GPU dependencies.
>>> The Ollama API is now available at 127.0.0.1:11434.
>>> Install complete. Run "ollama" from the command line.
```

In [ ]:
```python
import subprocess, time, requests

subprocess.Popen(["ollama", "serve"], stdout=subprocess.DEVNULL, stderr=subprocess.DEVNULL)

time.sleep(5)

try:
    r = requests.get("http://localhost:11434/api/version", timeout=5)
    print("Ollama iniciado ✓", r.json())
except:
    print("Error: Ollama no respondió")
```

```
Ollama iniciado ✓ {'version': '0.18.2'}
```

In [ ]:
```python
# Celda 3 - Descargar Mistral
!ollama pull mistral:7b-instruct-v0.2-q4_0
```

In [ ]:
```python
!ollama list
```

```
NAME                            ID              SIZE      MODIFIED
mistral:7b-instruct-v0.2-q4_0    61e88e884507    4.1 GB    8 seconds ago
```

In [ ]:
```python
runner = ExperimentRunner(
    experiment_id=EXPERIMENT_ID,
    log_dir=str(PROJECT_ROOT / "outputs" / "logs")
)

print("Runner inicializado:", runner.experiment_id)
```

```
Runner inicializado: exp_ruleset_comparison_20260326_034918
```

In [ ]:
```python
# Celda para descargar el modelo llama3
!ollama pull llama3:8b
```

In [ ]:
```python
test_row = df_refine.iloc[0]
test_cfg = FINALIST_CONFIGS[1] # Changed from FINALIST_CONFIGS[0] to FINALIST_CONFIGS[1]

test_record = runner.run_one(
    dataset_name="muestra_20_ruleset_comparison",
    model_key=test_cfg["model_key"],
    prompt_type=PROMPT_TYPE,
    ruleset=ACTIVE_RULESETS[0],
    source_text=test_row["source_text"],
    reference_text=test_row["reference_text"],
    sample_id=str(test_row["sample_id"]),
    fold_id=None,
    split_name="ruleset_comparison",
    few_shot_examples=FEW_SHOT_EXAMPLES if PROMPT_TYPE == "few-shot" else None,
    few_shot_example_ids=FEW_SHOT_EXAMPLE_IDS if PROMPT_TYPE == "few-shot" else None,
    generation_config={
        "temperature": test_cfg["temperature"],
        "top_p": test_cfg["top_p"],
        "repetition_penalty": test_cfg["repetition_penalty"],
        "max_new_tokens": test_cfg["max_new_tokens"],
    },
)
```

```
test_record.to_dict()
```

Out[ ]:
```
{'experiment_id': 'exp_ruleset_comparison_20260326_034918',
 'run_id': 'bbadc7c6-b45f-4a4e-9ca6-ffdb133a7a44',
 'timestamp': '2026-03-26T03:56:57.621372',
 'dataset_name': 'muestra_20_ruleset_comparison',
 'fold_id': None,
 'split_name': 'ruleset_comparison',
 'model_key': 'llama3',
 'model_id': 'meta-llama/Meta-Llama-3-8B-Instruct',
 'backend': 'ollama',
 'prompt_type': 'few-shot',
 'ruleset': 'R0',
 'few_shot_example_ids': [78, 1805, 3635, 5262],
 'generation_config': {'temperature': 0.7,
  'top_p': 0.9,
  'repetition_penalty': 1.1,
  'max_new_tokens': 512},
 'sample_id': '2088',
 'source_text': 'La comunidad humana más antigua ha sido denominada horda primitiva.',
 'reference_text': 'La comunidad humana más antigua se llamó tribu.',
 'generated_text': 'La comunidad humana más antigua se conoce como horda primitiva.',
 'prompt_text': 'Reescribe en español cada texto con lenguaje más claro y sencillo.\nConserva el significado original y n
o inventes información.\n\nDevuelve solo la versión final simplificada.\n\nEjemplo 1\nTexto: A continuación una tabla don
de se demuestra como crecen los ahorros al pasar los años: Edad Inversión Intereses Saldo Inversión Intereses Saldo Laura
Ganados Alberto Ganados 22 $800 $80 $880 23 $800 $168 $1.232 Valor al Jubilarse $311.092 Valor al Jubilarse $263.232 Meno
s las contribuciones iniciales $6.400 Menos las contribuciones iniciales $28.800 Ganancia Neta $304.692 Ganancia Neta $23
4.\nVersión simplificada: A continuación, presentamos una tabla donde se demuestra como crecen los ahorros al pasar los a
ños. Las categorías en que se divide la tabla son edad, inversión, intereses ganados y saldo. La tabla contrasta las gana
ncias en intereses por año de Laura y Alberto con una proyección de edad de jubilación de sesenta y cinco años y según la
cantidad de años que mantuvieron el ahorro.\n\nEjemplo 2\nTexto: El varias veces mencionado Yager, nos dice acertadamente
sobre estos aspectos lo siguiente: La mayoría de ustedes están hambrientos de tener libertad financiera, están hastiados
de tener batallas financieras porque son como un carrusel.\nVersión simplificada: Yager habla acertadamente sobre estos a
spectos y dice que la mayoría ambiciona tener libertad financiera y está cansada de tener batallas financieras inútile
s.\n\nEjemplo 3\nTexto: De acuerdo con esta medición, la proporción de pobres en la población mundial —quienes viven con
menos de un dólar por día— descendió levemente entre 1987 y 1993, pues pasó del 30% al 29%.\nVersión simplificada: Según
esta medición, la proporción de personas pobres en la población mundial descendió un poco entre mil novecientos ochenta y
siete y mil novecientos noventa y tres. Es decir, el porcentaje de personas que vivían con menos de un dólar por día pasó
del treinta al veintinueve por ciento.\n\nEjemplo 4\nTexto: - Rentabilidad\nINTERÉS DE 2 PESOS SOBRE UNA INVERSIÓN DE 100
PESOS = RENTABILIDAD DE 2 % ((2 ÷ 100) × 100 = 2%) POR CADA 100 PESOS SE GANAN 2 PESOS\n Endeudamiento\n DEUDA DE 30 PESO
S POR SOBRE EL CAPITAL DE 20 PESOS = ENDEUDAMIENTO DE 1,5 VECES EL CAPITAL (30 ÷ 20 = 1,5) POR CADA PESO DE CAPITAL EXIST
E 1,5 PESOS DE DEUDA\n Liquidez\n80 PESOS DE DINERO DISPONIBLE POR SOBRE DEUDAS DE 40 PESOS = LIQUIDEZ DE DOS VECES EL VA
LOR DE LA DEUDA (80 ÷ 40 = 2) POR CADA PESO DE DEUDA SE DISPONE DE 2 PESOS PARA PAGO\nVersión simplificada: EL INTERÉS DE
DOS PESOS SOBRE UNA INVERSIÓN DE CIEN PESOS DA UNA RENTABILIDAD DE DOS POR CIENTO. ES DECIR, POR CADA CIEN PESOS GANAMOS
DOS PESOS. LA DEUDA DE TREINTA PESOS SOBRE EL CAPITAL DE VEINTE PESOS RESULTA EN UNA DEUDA DE UNO PUNTO CINCO VECES EL CA
PITAL. ES DECIR, POR CADA PESO DE CAPITAL HAY UNO PUNTO CINCO PESOS DE DEUDA. EN OCHENTA PESOS DE DINERO DISPONIBLE SOBRE
DEUDAS DE CUARENTA PESOS DA UNA LIQUIDEZ DEL DOBLE DE LA DEUDA. POR CADA PESO ADEUDADO HAY DOS PESOS PARA PAGAR.\n\nText
o: La comunidad humana más antigua ha sido denominada horda primitiva.\nVersión simplificada:',
 'inference_seconds': 4.5331,
 'status': 'success',
 'error_message': None,
 'metrics': {}}
```

In [ ]:
```
# Celda para descargar el modelo llama3
!ollama pull llama3:8b
```

In [26]:
```
all_records = []

total_runs = len(FINALIST_CONFIGS) * len(ACTIVE_RULESETS) * len(df_refine)
run_counter = 0

for cfg in FINALIST_CONFIGS:
    for ruleset in ACTIVE_RULESETS:
        for _, row in df_refine.iterrows():
            run_counter += 1

            generation_config = {
                "temperature": cfg["temperature"],
                "top_p": cfg["top_p"],
                "repetition_penalty": cfg["repetition_penalty"],
                "max_new_tokens": cfg.get("max_new_tokens", 512), # Use .get() with a default value
            }

            print(
                f"[{run_counter}/{total_runs}] "
                f"model={cfg['model_key']} | cfg={cfg['config_label']} | "
                f"ruleset={ruleset} | sample_id={row['sample_id']}"
            )

            record = runner.run_one(
                dataset_name="muestra_20_ruleset_comparison",
                model_key=cfg["model_key"],
                prompt_type=PROMPT_TYPE,
```

```
                ruleset=ruleset,
                source_text=row["source_text"],
                reference_text=row["reference_text"],
                sample_id=str(row["sample_id"]),
                fold_id=None,
                split_name="ruleset_comparison",
                few_shot_examples=FEW_SHOT_EXAMPLES if PROMPT_TYPE == "few-shot" else None,
                few_shot_example_ids=FEW_SHOT_EXAMPLE_IDS if PROMPT_TYPE == "few-shot" else None,
                generation_config=generation_config,
            )

            record_dict = record.to_dict()
            record_dict["config_label"] = cfg["config_label"]

            for meta_col in ["idFinal", "grupo", "motivo", "lex"]:
                if meta_col in row.index:
                    record_dict[meta_col] = row[meta_col]

            all_records.append(record_dict)

print(f"Corridas completadas: {len(all_records)}")
```

```
[1/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=2088
[2/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=2976
[3/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3430
[4/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3679
[5/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3145
[6/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=507
[7/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=1756
[8/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3093
[9/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3192
[10/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3525
[11/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3627
[12/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3206
[13/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=329
[14/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3481
[15/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3703
[16/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=224
[17/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=1765
[18/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3508
[19/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=2523
[20/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R0 | sample_id=3690
[21/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=2088
[22/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=2976
[23/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3430
[24/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3679
[25/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3145
[26/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=507
[27/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=1756
[28/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3093
[29/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3192
[30/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3525
[31/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3627
[32/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3206
[33/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=329
[34/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3481
[35/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3703
[36/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=224
[37/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=1765
[38/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3508
[39/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=2523
[40/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R1 | sample_id=3690
[41/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=2088
[42/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=2976
[43/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3430
[44/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3679
[45/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3145
[46/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=507
[47/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=1756
[48/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3093
[49/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3192
[50/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3525
[51/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3627
[52/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3206
[53/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=329
[54/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3481
[55/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3703
[56/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=224
[57/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=1765
[58/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3508
[59/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=2523
[60/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R2 | sample_id=3690
[61/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=2088
[62/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=2976
[63/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3430
[64/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3679
[65/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3145
[66/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=507
[67/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=1756
[68/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3093
[69/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3192
[70/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3525
[71/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3627
[72/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3206
[73/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=329
[74/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3481
[75/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3703
[76/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=224
[77/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=1765
[78/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3508
[79/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=2523
[80/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R3 | sample_id=3690
[81/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=2088
[82/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=2976
[83/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3430
[84/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3679
```

```
[85/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3145
[86/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=507
[87/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=1756
[88/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3093
[89/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3192
[90/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3525
[91/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3627
[92/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3206
[93/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=329
[94/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3481
[95/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3703
[96/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=224
[97/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=1765
[98/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3508
[99/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=2523
[100/400] model=llama3 | cfg=llama3_cfg_1 | ruleset=R4 | sample_id=3690
[101/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=2088
[102/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=2976
[103/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3430
[104/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3679
[105/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3145
[106/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=507
[107/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=1756
[108/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3093
[109/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3192
[110/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3525
[111/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3627
[112/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3206
[113/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=329
[114/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3481
[115/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3703
[116/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=224
[117/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=1765
[118/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3508
[119/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=2523
[120/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R0 | sample_id=3690
[121/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=2088
[122/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=2976
[123/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3430
[124/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3679
[125/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3145
[126/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=507
[127/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=1756
[128/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3093
[129/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3192
[130/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3525
[131/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3627
[132/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3206
[133/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=329
[134/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3481
[135/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3703
[136/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=224
[137/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=1765
[138/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3508
[139/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=2523
[140/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R1 | sample_id=3690
[141/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=2088
[142/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=2976
[143/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3430
[144/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3679
[145/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3145
[146/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=507
[147/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=1756
[148/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3093
[149/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3192
[150/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3525
[151/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3627
[152/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3206
[153/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=329
[154/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3481
[155/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3703
[156/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=224
[157/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=1765
[158/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3508
[159/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=2523
[160/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R2 | sample_id=3690
[161/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=2088
[162/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=2976
[163/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3430
[164/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3679
[165/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3145
[166/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=507
[167/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=1756
[168/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3093
```

```
[169/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3192
[170/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3525
[171/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3627
[172/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3206
[173/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=329
[174/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3481
[175/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3703
[176/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=224
[177/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=1765
[178/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3508
[179/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=2523
[180/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R3 | sample_id=3690
[181/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=2088
[182/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=2976
[183/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3430
[184/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3679
[185/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3145
[186/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=507
[187/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=1756
[188/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3093
[189/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3192
[190/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3525
[191/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3627
[192/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3206
[193/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=329
[194/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3481
[195/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3703
[196/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=224
[197/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=1765
[198/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3508
[199/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=2523
[200/400] model=llama3 | cfg=llama3_cfg_2 | ruleset=R4 | sample_id=3690
[201/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=2088
[202/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=2976
[203/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3430
[204/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3679
[205/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3145
[206/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=507
[207/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=1756
[208/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3093
[209/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3192
[210/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3525
[211/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3627
[212/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3206
[213/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=329
[214/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3481
[215/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3703
[216/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=224
[217/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=1765
[218/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3508
[219/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=2523
[220/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R0 | sample_id=3690
[221/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=2088
[222/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=2976
[223/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3430
[224/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3679
[225/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3145
[226/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=507
[227/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=1756
[228/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3093
[229/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3192
[230/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3525
[231/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3627
[232/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3206
[233/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=329
[234/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3481
[235/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3703
[236/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=224
[237/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=1765
[238/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3508
[239/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=2523
[240/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R1 | sample_id=3690
[241/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=2088
[242/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=2976
[243/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3430
[244/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3679
[245/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3145
[246/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=507
[247/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=1756
[248/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3093
[249/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3192
[250/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3525
[251/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3627
[252/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3206
```

```
[253/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=329
[254/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3481
[255/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3703
[256/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=224
[257/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=1765
[258/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3508
[259/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=2523
[260/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R2 | sample_id=3690
[261/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=2088
[262/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=2976
[263/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3430
[264/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3679
[265/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3145
[266/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=507
[267/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=1756
[268/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3093
[269/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3192
[270/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3525
[271/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3627
[272/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3206
[273/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=329
[274/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3481
[275/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3703
[276/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=224
[277/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=1765
[278/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3508
[279/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=2523
[280/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R3 | sample_id=3690
[281/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=2088
[282/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=2976
[283/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3430
[284/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3679
[285/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3145
[286/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=507
[287/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=1756
[288/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3093
[289/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3192
[290/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3525
[291/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3627
[292/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3206
[293/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=329
[294/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3481
[295/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3703
[296/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=224
[297/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=1765
[298/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3508
[299/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=2523
[300/400] model=mistral | cfg=mistral_cfg_1 | ruleset=R4 | sample_id=3690
[301/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=2088
[302/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=2976
[303/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3430
[304/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3679
[305/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3145
[306/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=507
[307/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=1756
[308/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3093
[309/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3192
[310/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3525
[311/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3627
[312/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3206
[313/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=329
[314/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3481
[315/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3703
[316/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=224
[317/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=1765
[318/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3508
[319/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=2523
[320/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R0 | sample_id=3690
[321/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=2088
[322/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=2976
[323/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3430
[324/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3679
[325/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3145
[326/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=507
[327/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=1756
[328/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3093
[329/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3192
[330/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3525
[331/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3627
[332/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3206
[333/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=329
[334/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3481
[335/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3703
[336/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=224
```

```
[337/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=1765
[338/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3508
[339/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=2523
[340/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R1 | sample_id=3690
[341/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=2088
[342/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=2976
[343/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3430
[344/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3679
[345/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3145
[346/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=507
[347/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=1756
[348/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3093
[349/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3192
[350/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3525
[351/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3627
[352/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3206
[353/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=329
[354/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3481
[355/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3703
[356/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=224
[357/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=1765
[358/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3508
[359/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=2523
[360/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R2 | sample_id=3690
[361/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=2088
[362/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=2976
[363/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3430
[364/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3679
[365/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3145
[366/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=507
[367/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=1756
[368/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3093
[369/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3192
[370/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3525
[371/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3627
[372/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3206
[373/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=329
[374/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3481
[375/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3703
[376/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=224
[377/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=1765
[378/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3508
[379/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=2523
[380/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R3 | sample_id=3690
[381/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=2088
[382/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=2976
[383/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3430
[384/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3679
[385/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3145
[386/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=507
[387/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=1756
[388/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3093
[389/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3192
[390/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3525
[391/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3627
[392/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3206
[393/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=329
[394/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3481
[395/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3703
[396/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=224
[397/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=1765
[398/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3508
[399/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=2523
[400/400] model=mistral | cfg=mistral_cfg_2 | ruleset=R4 | sample_id=3690
Corridas completadas: 400
```

Guarda y Copia el Notebook

Primero, asegúrate de haber guardado tu notebook actual (por ejemplo, `MiNotebookParaSubir.ipynb`). Luego, ejecuta la siguiente celda para copiarlo a la carpeta `notebooks` de tu repositorio local.

In [5]:
```python
from pathlib import Path
import sys
import os

# Define PROJECT_ROOT and other paths
PROJECT_ROOT = Path.cwd().resolve()
if str(PROJECT_ROOT) not in sys.path:
    sys.path.append(str(PROJECT_ROOT))

DATA_DIR = PROJECT_ROOT / "data"
OUTPUT_DIR = PROJECT_ROOT / "outputs" / "ruleset_comparison"
```

```
# Ensure OUTPUT_DIR exists, though not directly used in copy, it's good practice to have it
OUTPUT_DIR.mkdir(parents=True, exist_ok=True)

# *** REEMPLAZA ESTO CON EL NOMBRE REAL DE TU NOTEBOOK ***
notebook_filename = "pruebas_parametros.ipynb"

# Ruta donde Colab guarda tu notebook por defecto o donde lo hayas guardado
source_path = os.path.join("/content/", notebook_filename)

# Ruta de destino dentro del repositorio clonado
dest_dir = PROJECT_ROOT / "notebooks"

# Asegúrate de que el directorio de destino exista
dest_dir.mkdir(parents=True, exist_ok=True)

dest_path = dest_dir / notebook_filename

# Copia el archivo
!cp "{source_path}" "{dest_path}"

print(f"Notebook '{notebook_filename}' copiado a {dest_path}")
```

```
cp: cannot stat '/content/pruebas_parametros.ipynb': No such file or directory
Notebook 'pruebas_parametros.ipynb' copiado a /content/notebooks/pruebas_parametros.ipynb
```

Añade, Commitea y Sube el Notebook a GitHub

Ahora, utilizaremos Git para añadir, commitear y subir tu notebook a la rama `Fase1_v2` de tu repositorio en GitHub.

In [2]:
```
# Agrega el notebook copiado al área de preparación de Git
!git add notebooks/{notebook_filename}

# Confirma los cambios
!git commit -m "Agregado: {notebook_filename} a la carpeta notebooks"

# Sube los cambios a la rama remota 'Fase1_v2'
# Si es la primera vez que subes a esta rama desde Colab, usa '-u' para establecer el seguimiento
!git push -u origin Fase1_v2

print("Notebook subido exitosamente a GitHub en la rama Fase1_v2!")
```

```
fatal: not a git repository (or any of the parent directories): .git
fatal: not a git repository (or any of the parent directories): .git
fatal: not a git repository (or any of the parent directories): .git
Notebook subido exitosamente a GitHub en la rama Fase1_v2!
```

In [ ]:
```
results_df = pd.DataFrame(all_records)

print("Shape results_df:", results_df.shape)
display(results_df.head(3))

if "status" in results_df.columns:
    display(results_df["status"].value_counts(dropna=False))
```

```
---------------------------------------------------------------------------
NameError                                 Traceback (most recent call last)
/tmp/ipykernel_3388/971053442.py in <cell line: 0>()
----> 1 results_df = pd.DataFrame(all_records)
      2
      3 print("Shape results_df:", results_df.shape)
      4 display(results_df.head(3))
      5

NameError: name 'pd' is not defined
```

In [ ]:
```
raw_results_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_raw_results.csv"
results_df.to_csv(raw_results_path, index=False, encoding="utf-8-sig")

print(raw_results_path)
```

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_raw_results.csv
```

In [ ]:
```
successful_df = results_df[results_df["status"] == "success"].copy()

print("Corridas exitosas:", len(successful_df))
print("Corridas con error:", len(results_df) - len(successful_df))
display(successful_df.head(3))
```

```
Corridas exitosas: 400
Corridas con error: 0
```

	experiment_id	run_id	timestamp	dataset_name	fold_id	split_name	model_key
0	exp_ruleset_comparison_20260325_041653	f9f8a2fa-b2e1-473d-ba92-c9cc8bdb4b9c	2026-03-25T04:42:09.730744	muestra_20_ruleset_comparison	None	ruleset_comparison	llama3
1	exp_ruleset_comparison_20260325_041653	1f3432dd-8af9-45fa-99db-8bca38fc7c88	2026-03-25T04:42:14.860037	muestra_20_ruleset_comparison	None	ruleset_comparison	llama3
2	exp_ruleset_comparison_20260325_041653	c0614e0e-7d03-4f7b-b7f0-e65a7a77fc2a	2026-03-25T04:42:29.297120	muestra_20_ruleset_comparison	None	ruleset_comparison	llama3

3 rows × 27 columns

In [ ]:
```
evaluated_df = evaluate_dataframe(
    successful_df,
    source_col="source_text",
    pred_col="generated_text",
    ref_col="reference_text",
)

print("Shape evaluated_df:", evaluated_df.shape)
display(evaluated_df.head(3))
```

```
Shape evaluated_df: (400, 52)
```

	experiment_id	run_id	timestamp	dataset_name	fold_id	split_name	model_key
0	exp_ruleset_comparison_20260325_041653	f9f8a2fa-b2e1-473d-ba92-c9cc8bdb4b9c	2026-03-25T04:42:09.730744	muestra_20_ruleset_comparison	None	ruleset_comparison	llama3
1	exp_ruleset_comparison_20260325_041653	1f3432dd-8af9-45fa-99db-8bca38fc7c88	2026-03-25T04:42:14.860037	muestra_20_ruleset_comparison	None	ruleset_comparison	llama3
2	exp_ruleset_comparison_20260325_041653	c0614e0e-7d03-4f7b-b7f0-e65a7a77fc2a	2026-03-25T04:42:29.297120	muestra_20_ruleset_comparison	None	ruleset_comparison	llama3

3 rows × 52 columns

In [ ]:
```
param_cols = evaluated_df["generation_config"].apply(pd.Series)
param_cols = param_cols.rename(columns=lambda c: f"gen_{c}")

evaluated_df = pd.concat([evaluated_df, param_cols], axis=1)

display(
    evaluated_df[
        [
            "model_key",
            "config_label",
            "ruleset",
            "gen_temperature",
            "gen_top_p",
            "gen_repetition_penalty",
            "gen_max_new_tokens",
        ]
    ].head(5)
)
```

	model_key	config_label	ruleset	gen_temperature	gen_top_p	gen_repetition_penalty	gen_max_new_tokens
0	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0
1	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0
2	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0
3	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0
4	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0

In [ ]:
```
evaluated_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_evaluated.csv"
evaluated_df.to_csv(evaluated_path, index=False, encoding="utf-8-sig")

print(evaluated_path)
```

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_evaluated.csv
```

In [ ]:
```
summary_by_ruleset = summarize_metrics(
    evaluated_df,
    group_cols=[
        "model_key",
        "config_label",
        "ruleset",
        "gen_temperature",
        "gen_top_p",
        "gen_repetition_penalty",
        "gen_max_new_tokens",
    ],
)

display(
    summary_by_ruleset.sort_values(
        by=["model_key", "config_label", "sari"],
        ascending=[True, True, False]
    ).head(30)
)

summary_by_ruleset_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_summary_by_ruleset.csv"
summary_by_ruleset.to_csv(summary_by_ruleset_path, index=False, encoding="utf-8-sig")

print(summary_by_ruleset_path)
```

	model_key	config_label	ruleset	gen_temperature	gen_top_p	gen_repetition_penalty	gen_max_new_tokens	sari	fernandez_huerta_pred	f
0	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0	42.575762	81.539995	
1	llama3	llama3_cfg_1	R1	0.3	0.9	1.15	512.0	42.402353	84.003186	
3	llama3	llama3_cfg_1	R3	0.3	0.9	1.15	512.0	41.170953	80.639558	
2	llama3	llama3_cfg_1	R2	0.3	0.9	1.15	512.0	40.553949	84.813687	
4	llama3	llama3_cfg_1	R4	0.3	0.9	1.15	512.0	40.135310	81.231695	
6	llama3	llama3_cfg_2	R1	0.7	0.9	1.10	512.0	42.593872	82.164103	
8	llama3	llama3_cfg_2	R3	0.7	0.9	1.10	512.0	41.769782	81.138805	
5	llama3	llama3_cfg_2	R0	0.7	0.9	1.10	512.0	41.703724	78.365761	
7	llama3	llama3_cfg_2	R2	0.7	0.9	1.10	512.0	41.118085	84.084170	
9	llama3	llama3_cfg_2	R4	0.7	0.9	1.10	512.0	41.094112	86.343560	
14	mistral	mistral_cfg_1	R4	0.7	0.9	1.10	512.0	42.361980	84.668359	
10	mistral	mistral_cfg_1	R0	0.7	0.9	1.10	512.0	40.440165	82.593920	
13	mistral	mistral_cfg_1	R3	0.7	0.9	1.10	512.0	40.038115	81.070828	
12	mistral	mistral_cfg_1	R2	0.7	0.9	1.10	512.0	39.498789	82.943787	
11	mistral	mistral_cfg_1	R1	0.7	0.9	1.10	512.0	39.493179	85.189328	
15	mistral	mistral_cfg_2	R0	0.3	0.9	1.15	400.0	40.351687	81.550883	
16	mistral	mistral_cfg_2	R1	0.3	0.9	1.15	400.0	40.345796	83.181889	
17	mistral	mistral_cfg_2	R2	0.3	0.9	1.15	400.0	40.249757	80.997725	
19	mistral	mistral_cfg_2	R4	0.3	0.9	1.15	400.0	38.852422	83.977308	
18	mistral	mistral_cfg_2	R3	0.3	0.9	1.15	400.0	38.766133	82.587537	

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_summary_by_ruleset.csv
```

In [ ]:
```
best_ruleset_per_config = (
    summary_by_ruleset
```

```
    .sort_values(
        by=["model_key", "config_label", "sari"],
        ascending=[True, True, False]
    )
    .groupby(["model_key", "config_label"], as_index=False, group_keys=False)
    .head(1)
    .reset_index(drop=True)
)

display(best_ruleset_per_config)

best_ruleset_per_config_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_best_ruleset_per_config.csv"
best_ruleset_per_config.to_csv(best_ruleset_per_config_path, index=False, encoding="utf-8-sig")

print(best_ruleset_per_config_path)
```

	model_key	config_label	ruleset	gen_temperature	gen_top_p	gen_repetition_penalty	gen_max_new_tokens	sari	fernandez_huerta_pred	fe
0	llama3	llama3_cfg_1	R0	0.3	0.9	1.15	512.0	42.575762	81.539995	
1	llama3	llama3_cfg_2	R1	0.7	0.9	1.10	512.0	42.593872	82.164103	
2	mistral	mistral_cfg_1	R4	0.7	0.9	1.10	512.0	42.361980	84.668359	
3	mistral	mistral_cfg_2	R0	0.3	0.9	1.15	400.0	40.351687	81.550883	

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_best_ruleset_per_config.csv
```

In [ ]:

```
best_ruleset_per_model = summarize_metrics(
    evaluated_df,
    group_cols=["model_key", "ruleset"]
)

display(
    best_ruleset_per_model.sort_values(
        by=["model_key", "sari"],
        ascending=[True, False]
    )
)

best_ruleset_per_model_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_best_ruleset_per_model.csv"
best_ruleset_per_model.to_csv(best_ruleset_per_model_path, index=False, encoding="utf-8-sig")

print(best_ruleset_per_model_path)
```

	model_key	ruleset	sari	fernandez_huerta_pred	fernandez_huerta_src	fernandez_huerta_delta	compression_ratio_eval	sentence_splits	lever
1	llama3	R1	42.498112	83.083644	88.314342	-5.230698	0.833349	0.600	
0	llama3	R0	42.139743	79.952878	88.314342	-8.361464	0.785438	0.525	
3	llama3	R3	41.470368	80.889182	88.314342	-7.425160	0.778191	0.550	
2	llama3	R2	40.836017	84.448929	88.314342	-3.865413	0.772981	0.675	
4	llama3	R4	40.614711	83.787628	88.314342	-4.526714	0.719661	0.425	
9	mistral	R4	40.607201	84.322834	88.314342	-3.991509	1.635399	0.950	
5	mistral	R0	40.395926	82.072402	88.314342	-6.241940	1.312077	0.825	
6	mistral	R1	39.919488	84.185609	88.314342	-4.128734	1.721447	1.425	
7	mistral	R2	39.874273	81.970756	88.314342	-6.343586	1.515745	0.875	
8	mistral	R3	39.402124	81.829182	88.314342	-6.485160	1.519195	0.925	

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_best_ruleset_per_model.csv
```

In [ ]:

```
selected_configs = best_ruleset_per_config[
    ["model_key", "config_label", "ruleset"]
].drop_duplicates()

finalist_cases = evaluated_df.merge(
    selected_configs,
    on=["model_key", "config_label", "ruleset"],
    how="inner"
)

qual_cols = [
    "sample_id",
    "idFinal",
    "grupo",
    "motivo",
    "model_key",
    "config_label",
```

```
    "ruleset",
    "gen_temperature",
    "gen_top_p",
    "gen_repetition_penalty",
    "source_text",
    "reference_text",
    "generated_text",
    "sari",
    "bertscore_f1",
    "rougeL_f",
    "compression_ratio_eval",
    "exact_copy",
]

qual_cols = [c for c in qual_cols if c in finalist_cases.columns]

qual_review_df = finalist_cases[qual_cols].copy()

display(qual_review_df.head(20))

qual_review_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_qualitative_review.csv"
qual_review_df.to_csv(qual_review_path, index=False, encoding="utf-8-sig")

print(qual_review_path)
```

	sample_id	idFinal	grupo	motivo	model_key	config_label	ruleset	gen_temperature	gen_to
0	2088	1872_LibroBAC.pdf	A_cortos	Muy corto, sustitución léxica clara.	llama3	llama3_cfg_1	R0	0.3	
1	2976	881_LibroNEFE_Sincopyright.pdf	A_cortos	Corto con dinero/cantidad.	llama3	llama3_cfg_1	R0	0.3	
2	3430	2692_LibroUide_Sincopyright.pdf	A_cortos	Frase conceptual simple de negocios.	llama3	llama3_cfg_1	R0	0.3	
3	3679	829_LibroUAC_Sincopyright.pdf	A_cortos	Corto con número e IVA.	llama3	llama3_cfg_1	R0	0.3	
4	3145	1045_LibroUide_Sincopyright.pdf	A_cortos	Corto con proporción financiera.	llama3	llama3_cfg_1	R0	0.3	
5	507	562_LibroUAC_Sincopyright.pdf	B_medianos	Porcentajes y rentabilidad.	llama3	llama3_cfg_1	R0	0.3	
6	1756	5100_LibroBAC.pdf	B_medianos	Redacción abstracta/institucional.	llama3	llama3_cfg_1	R0	0.3	
7	3093	875_LibroUide_Sincopyright.pdf	B_medianos	Definición contable.	llama3	llama3_cfg_1	R0	0.3	
8	3192	1202_LibroUide_Sincopyright.pdf	B_medianos	Relación de pasivo/activo, útil para precisión.	llama3	llama3_cfg_1	R0	0.3	
9	3525	230_LibroUAC_Sincopyright.pdf	B_medianos	Dato económico con cifra.	llama3	llama3_cfg_1	R0	0.3	
10	3627	725_LibroUAC_Sincopyright.pdf	C_estructurales	Explicación con fórmula verbal.	llama3	llama3_cfg_1	R0	0.3	
11	3206	1255_LibroUide_Sincopyright.pdf	C_estructurales	Dos conceptos técnicos en una sola oración.	llama3	llama3_cfg_1	R0	0.3	
12	329	17510_LibroBAC.pdf	C_estructurales	Definición tipo glosario.	llama3	llama3_cfg_1	R0	0.3	
13	3481	130_LibroUAC_Sincopyright.pdf	C_estructurales	Evolución temporal con cifras.	llama3	llama3_cfg_1	R0	0.3	
14	3703	884_LibroUAC_Sincopyright.pdf	C_estructurales	Ley + fechas + porcentaje.	llama3	llama3_cfg_1	R0	0.3	
15	224	11653_LibroBAC.pdf	D_complejos	Lista de preguntas	llama3	llama3_cfg_1	R0	0.3	
16	1765	5125_LibroBAC.pdf	D_complejos	Texto histórico-conceptual denso.	llama3	llama3_cfg_1	R0	0.3	

	sample_id	idFinal	grupo	motivo	model_key	config_label	ruleset	gen_temperature	gen_to
17	3508	203b_LibroUAC_Sincopyright.pdf	D_complejos	Texto ideológico/económico más cargado.	llama3	llama3_cfg_1	R0	0.3	
18	2523	282a_LibroNEFE_Sincopyright.pdf	D_complejos	Enumeración larga con información personal/cre...	llama3	llama3_cfg_1	R0	0.3	
19	3690	843_LibroUAC_Sincopyright.pdf	D_complejos	Tabla/ley/tasas/categorías	llama3	llama3_cfg_1	R0	0.3	

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_qualitative_review.csv
```

In [ ]:
```
bitacora = {
    "experiment_id": EXPERIMENT_ID,
    "dataset_name": "muestra_20_ruleset_comparison",
    "n_samples": int(len(df_refine)),
    "prompt_type_fixed": PROMPT_TYPE,
    "finalist_configs": FINALIST_CONFIGS,
    "rulesets_tested": ACTIVE_RULESETS,
    "expected_total_runs": int(len(FINALIST_CONFIGS) * len(ACTIVE_RULESETS) * len(df_refine)),
    "successful_runs": int(len(successful_df)),
    "leader_metrics": ["sari", "bertscore_f1"],
    "support_metrics": ["rougeL_f", "compression_ratio_eval", "exact_copy"],
    "best_ruleset_per_config": best_ruleset_per_config.to_dict(orient="records"),
}

bitacora_path = OUTPUT_DIR / f"{EXPERIMENT_ID}_bitacora_experimento.json"

with open(bitacora_path, "w", encoding="utf-8") as f:
    json.dump(bitacora, f, ensure_ascii=False, indent=2)

print(bitacora_path)
```

```
/content/TT2/outputs/ruleset_comparison/exp_ruleset_comparison_20260325_041653_bitacora_experimento.json
```

In [ ]:
```
!ls /content/TT2/outputs/ruleset_comparison/
```

```
exp_ruleset_comparison_20260322_133408_best_ruleset_per_config.csv
exp_ruleset_comparison_20260322_133408_best_ruleset_per_model.csv
exp_ruleset_comparison_20260322_133408_bitacora_experimento.json
exp_ruleset_comparison_20260322_133408_evaluated.csv
exp_ruleset_comparison_20260322_133408_qualitative_review.csv
exp_ruleset_comparison_20260322_133408_raw_results.csv
exp_ruleset_comparison_20260322_133408_summary_by_ruleset.csv
exp_ruleset_comparison_20260325_041653_best_ruleset_per_config.csv
exp_ruleset_comparison_20260325_041653_best_ruleset_per_model.csv
exp_ruleset_comparison_20260325_041653_bitacora_experimento.json
exp_ruleset_comparison_20260325_041653_evaluated.csv
exp_ruleset_comparison_20260325_041653_qualitative_review.csv
exp_ruleset_comparison_20260325_041653_raw_results.csv
exp_ruleset_comparison_20260325_041653_summary_by_ruleset.csv
```

In [ ]:
```
from pathlib import Path
import sys
from datetime import datetime

# PROJECT_ROOT debería apuntar a la raíz del repositorio, que es el directorio actual después de %cd TT2/
PROJECT_ROOT = Path.cwd().resolve()
if str(PROJECT_ROOT) not in sys.path:
    sys.path.append(str(PROJECT_ROOT))

DATA_DIR = PROJECT_ROOT / "data"
OUTPUT_DIR = PROJECT_ROOT / "outputs" / "ruleset_comparison"

OUTPUT_DIR.mkdir(parents=True, exist_ok=True);

RUN_TS = datetime.now().strftime("%Y%m%d_%H%M%S")
EXPERIMENT_ID = f"exp_comparison_{RUN_TS}"

print("PROJECT_ROOT:", PROJECT_ROOT)
print("DATA_DIR:", DATA_DIR)
print("OUTPUT_DIR:", OUTPUT_DIR)
print("EXPERIMENT_ID:", EXPERIMENT_ID)
```

```
PROJECT_ROOT: /content/TT2
DATA_DIR: /content/TT2/data
OUTPUT_DIR: /content/TT2/outputs/ruleset_comparison
EXPERIMENT_ID: exp_comparison_20260325_061420
```

In [ ]:
```
!zip -r TT2.zip TT2/
```

```
        zip warning: name not matched: TT2/

zip error: Nothing to do! (try: zip -r TT2.zip . -i TT2/)
```

In [ ]:
```
print(f"""
Resumen rapido de esta fase:

- Se probaron {len(FINALIST_CONFIGS)} configuraciones finalistas.
- Se fijo la tecnica en: {PROMPT_TYPE}
- Se compararon {len(ACTIVE_RULESETS)} rulesets: {ACTIVE_RULESETS}
- En total se esperaban {len(FINALIST_CONFIGS) * len(ACTIVE_RULESETS) * len(df_refine)} corridas.

El objetivo de esta fase fue ver como cambia el desempeño cuando se modifica el conjunto de reglas,
manteniendo fijas las configuraciones que ya habian sido seleccionadas en la etapa de hiperparametros.
La comparacion se hizo principalmente con SARI y BERTScore F1, apoyandose tambien en otras metricas
para revisar el balance entre simplificacion, preservacion del significado y nivel de compresion.
""")
```

```
Resumen rapido de esta fase:

- Se probaron 4 configuraciones finalistas.
- Se fijo la tecnica en: few-shot
- Se compararon 5 rulesets: ['R0', 'R1', 'R2', 'R3', 'R4']
- En total se esperaban 400 corridas.

El objetivo de esta fase fue ver como cambia el desempeño cuando se modifica el conjunto de reglas,
manteniendo fijas las configuraciones que ya habian sido seleccionadas en la etapa de hiperparametros.
La comparacion se hizo principalmente con SARI y BERTScore F1, apoyandose tambien en otras metricas
para revisar el balance entre simplificacion, preservacion del significado y nivel de compresion.
```