

13.7_best_few_zero

May 5, 2026

```
[1]: from pathlib import Path
      from datetime import datetime
      import sys
      import time
      import json
      import pandas as pd
      import numpy as np
```

```
[2]: PROJECT_ROOT = Path("/home/harielpadillasanchez/Documentos/TT/TT2")
      if str(PROJECT_ROOT) not in sys.path:
          sys.path.append(str(PROJECT_ROOT))

      OUT_DIR = PROJECT_ROOT / "outputs" / "prompting_on_sample36"
      OUT_DIR.mkdir(parents=True, exist_ok=True)

      SAMPLE36_CSV = PROJECT_ROOT / "outputs" / "final_sample_36" /
          ↪"feina_repr30_test_sample36_representative.csv"

      print("PROJECT_ROOT:", PROJECT_ROOT)
      print("SAMPLE36_CSV:", SAMPLE36_CSV, SAMPLE36_CSV.exists())
      print("OUT_DIR:", OUT_DIR)
```

```
PROJECT_ROOT: /home/harielpadillasanchez/Documentos/TT/TT2
SAMPLE36_CSV: /home/harielpadillasanchez/Documentos/TT/TT2/outputs/final_sample_
36/feina_repr30_test_sample36_representative.csv True
OUT_DIR:
/home/harielpadillasanchez/Documentos/TT/TT2/outputs/prompting_on_sample36
```

```
[3]: from configs.models import MODELS
      from src.experiment.runner import ExperimentRunner
      from src.evaluation.metrics import evaluate_dataframe, summarize_metrics
```

```
/home/harielpadillasanchez/Documentos/TT/TT2/.venv-bloom/lib/python3.10/site-
packages/tqdm/auto.py:21: TqdmWarning: IPProgress not found. Please update
jupyter and ipywidgets. See
https://ipywidgets.readthedocs.io/en/stable/user_install.html
      from .autonotebook import tqdm as notebook_tqdm
```

```
[4]: df_sample36 = pd.read_csv(SAMPLE36_CSV)

print("Shape df_sample36:", df_sample36.shape)
display(df_sample36.head(3))
print(df_sample36.columns.tolist())
```

Shape df_sample36: (36, 32)

	row_id	idFinal	\
0	550	642_LibroUAC_Sincopyright.pdf	
1	571	677_LibroUAC_Sincopyright.pdf	
2	885	17229_LibroBAC.pdf	

	source_text	\
0	No tiene incentivos ni motivación, dos element...	
1	En los procesos de importaciones y exportacion...	
2	El robo de identidad ocurre cuando su informac...	

	reference_text	idcod	atr0	\
0	No tiene sentido ni motivación. Estos elemento...	Fiorella	16.0	
1	Clientes y proveedores intervienen en las impo...	Fiorella	15.0	
2	El robo de identidad ocurre cuando su informac...	María Annette	9.0	

	atr1	atr2	atr3	atr4	...	src_words	src_sentences	has_number	\
0	6.0	NaN	NaN	NaN	...	12	1	0	
1	19.0	16.0	6.0	9.0	...	27	1	0	
2	NaN	NaN	NaN	NaN	...	33	1	0	

	has_money	has_percent	n_rules_bucket	length_bucket	lex_bucket	\
0	0	0	r2	short	0	
1	0	0	r4plus	long	0	
2	0	0	r1	long	0	

	stratum	\
0	fam=reduction rules=r2 len=short num=0 ...	
1	fam=structural rules=r4plus len=long num...	
2	fam=morphosyntactic rules=r1 len=long nu...	

	split_stratum
0	fam=reduction rules=r2 len=short
1	fam=structural rules=r4plus len=long
2	fam=morphosyntactic rules=r1 len=long

[3 rows x 32 columns]

['row_id', 'idFinal', 'source_text', 'reference_text', 'idcod', 'atr0', 'atr1', 'atr2', 'atr3', 'atr4', 'atr5', 'atr6', 'atr7', 'atr8', 'lex', 'rules_list', 'n_rules', 'main_rule', 'main_rule_name', 'families_list', 'n_families', 'main_family', 'src_words', 'src_sentences', 'has_number', 'has_money',

```
'has_percent', 'n_rules_bucket', 'length_bucket', 'lex_bucket', 'stratum',
'split_stratum']
```

```
[5]: required_cols = ["row_id", "source_text", "reference_text"]
missing = [c for c in required_cols if c not in df_sample36.columns]
if missing:
    raise ValueError(f"Faltan columnas en df_sample36: {missing}")

print("OK columnas base")
```

OK columnas base

```
[6]: FEW_SHOT_EXAMPLES = [
    {
        "source": ""A continuación una tabla donde se demuestra como crecen
        ↪ los ahorros al pasar los años: Edad Inversión Intereses Saldo Inversión
        ↪ Intereses Saldo Laura Ganados Alberto Ganados 22 $800 $80 $880 23 $800 $168
        ↪ $1.232 Valor al Jubilarse $311.092 Valor al Jubilarse $263.232 Menos las
        ↪ contribuciones iniciales $6.400 Menos las contribuciones iniciales $28.800
        ↪ Ganancia Neta $304.692 Ganancia Neta $234.""",
        "target": ""A continuación, presentamos una tabla donde se demuestra
        ↪ como crecen los ahorros al pasar los años. Las categorías en que se divide
        ↪ la tabla son edad, inversión, intereses ganados y saldo. La tabla contrasta
        ↪ las ganancias en intereses por año de Laura y Alberto con una proyección de
        ↪ edad de jubilación de sesenta y cinco años y según la cantidad de años que
        ↪ mantuvieron el ahorro.""",
    },
    {
        "source": ""El varias veces mencionado Yager, nos dice acertadamente
        ↪ sobre estos aspectos lo siguiente: La mayoría de ustedes están hambrientos
        ↪ de tener libertad financiera, están hastiados de tener batallas financieras
        ↪ porque son como un carrusel.""",
        "target": ""Yager habla acertadamente sobre estos aspectos y dice que
        ↪ la mayoría ambiciona tener libertad financiera y está cansada de tener
        ↪ batallas financieras inútiles.""",
    },
    {
        "source": ""De acuerdo con esta medición, la proporción de pobres en
        ↪ la población mundial quienes viven con menos de un dólar por día descendió
        ↪ levemente entre 1987 y 1993, pues pasó del 30% al 29%.""",
        "target": ""Según esta medición, la proporción de personas pobres en
        ↪ la población mundial descendió un poco entre mil novecientos ochenta y siete
        ↪ y mil novecientos noventa y tres. Es decir, el porcentaje de personas que
        ↪ vivían con menos de un dólar por día pasó del treinta al veintinueve por
        ↪ ciento.""",
    },
    {
```

```

        "source": ""- Rentabilidad
INTERÉS DE 2 PESOS SOBRE UNA INVERSIÓN DE 100 PESOS = RENTABILIDAD DE 2 % ((2 ÷
↳100) × 100 = 2%) POR CADA 100 PESOS SE GANAN 2 PESOS
Endeudamiento
DEUDA DE 30 PESOS POR SOBRE EL CAPITAL DE 20 PESOS = ENDEUDAMIENTO DE 1,5 VECES
↳EL CAPITAL (30 ÷ 20 = 1,5) POR CADA PESO DE CAPITAL EXISTE 1,5 PESOS DE DEUDA
Liquidez
80 PESOS DE DINERO DISPONIBLE POR SOBRE DEUDAS DE 40 PESOS = LIQUIDEZ DE DOS
↳VECES EL VALOR DE LA DEUDA (80 ÷ 40 = 2) POR CADA PESO DE DEUDA SE DISPONE
↳DE 2 PESOS PARA PAGO"",
        "target": ""EL INTERÉS DE DOS PESOS SOBRE UNA INVERSIÓN DE CIENTO PESOS
↳DA UNA RENTABILIDAD DE DOS POR CIENTO. ES DECIR, POR CADA CIENTO PESOS GANAMOS
↳DOS PESOS. LA DEUDA DE TREINTA PESOS SOBRE EL CAPITAL DE VEINTE PESOS
↳RESULTA EN UNA DEUDA DE UNO PUNTO CINCO VECES EL CAPITAL. ES DECIR, POR CADA
↳PESO DE CAPITAL HAY UNO PUNTO CINCO PESOS DE DEUDA. EN OCHENTA PESOS DE
↳DINERO DISPONIBLE SOBRE DEUDAS DE CUARENTA PESOS DA UNA LIQUIDEZ DEL DOBLE
↳DE LA DEUDA. POR CADA PESO ADEUDADO HAY DOS PESOS PARA PAGAR.""
    },
]

FEW_SHOT_EXAMPLE_IDS = [78, 1805, 3635, 5262]

print("Numero de ejemplos few-shot:", len(FEW_SHOT_EXAMPLES))
print("IDs few-shot:", FEW_SHOT_EXAMPLE_IDS)

```

```

Numero de ejemplos few-shot: 4
IDs few-shot: [78, 1805, 3635, 5262]

```

```

[7]: PROMPT_FINALISTS = [
    {
        "prompt_family": "few-shot",
        "owner": "harriel",
        "model_key": "llama3",
        "config_label": "llama3_cfg_3",
        "ruleset": "R1",
        "temperature": 0.3,
        "top_p": 0.90,
        "repetition_penalty": 1.15,
        "max_new_tokens": 256,
        "few_shot_examples": FEW_SHOT_EXAMPLES,
        "few_shot_example_ids": FEW_SHOT_EXAMPLE_IDS,
    },
    {
        "prompt_family": "few-shot",
        "owner": "nancy",
        "model_key": "llama3",
        "config_label": "llama3_cfg_2",
    }
]

```

```

        "ruleset": "R2",
        "temperature": 0.7,
        "top_p": 0.90,
        "repetition_penalty": 1.10,
        "max_new_tokens": 512,
        "few_shot_examples": FEW_SHOT_EXAMPLES,
        "few_shot_example_ids": FEW_SHOT_EXAMPLE_IDS,
    },
    {
        "prompt_family": "zero-shot",
        "owner": "hariel",
        "model_key": "llama3",
        "config_label": "hariel_llama3_cfg_1",
        "ruleset": "R0",
        "temperature": 0.2,
        "top_p": 0.85,
        "repetition_penalty": 1.05,
        "max_new_tokens": 256,
        "few_shot_examples": None,
        "few_shot_example_ids": [],
    },
    {
        "prompt_family": "zero-shot",
        "owner": "nancy",
        "model_key": "mistral",
        "config_label": "nancy_mistral_cfg_2",
        "ruleset": "R4",
        "temperature": 0.3,
        "top_p": 0.90,
        "repetition_penalty": 1.15,
        "max_new_tokens": 400,
        "do_sample": True,
        "no_repeat_ngram_size": 4,
        "few_shot_examples": None,
        "few_shot_example_ids": [],
    },
]

```

```
display(pd.DataFrame(PROMPT_FINALISTS))
```

	prompt_family	owner	model_key	config_label	ruleset	temperature	\
0	few-shot	hariel	llama3	llama3_cfg_3	R1	0.3	
1	few-shot	nancy	llama3	llama3_cfg_2	R2	0.7	
2	zero-shot	hariel	llama3	hariel_llama3_cfg_1	R0	0.2	
3	zero-shot	nancy	mistral	nancy_mistral_cfg_2	R4	0.3	

	top_p	repetition_penalty	max_new_tokens	\
0	0.90	1.15	256	

1	0.90	1.10	512
2	0.85	1.05	256
3	0.90	1.15	400

	few_shot_examples	few_shot_example_ids \
0	[{'source': 'A continuación una tabla donde se... [78, 1805, 3635, 5262]	
1	[{'source': 'A continuación una tabla donde se... [78, 1805, 3635, 5262]	
2	None	[]
3	None	[]

	do_sample	no_repeat_ngram_size
0	NaN	NaN
1	NaN	NaN
2	NaN	NaN
3	True	4.0

```
[8]: for cfg in PROMPT_FINALISTS:
      if cfg["model_key"] not in MODELS:
          raise ValueError(f"Modelo no definido en MODELS: {cfg['model_key']}")

      print("Configuraciones validadas.")
```

Configuraciones validadas.

```
[9]: RUN_TS = datetime.now().strftime("%Y%m%d_%H%M%S")
      EXPERIMENT_ID = f"exp_prompting_sample36_top4_{RUN_TS}"

      runner = ExperimentRunner(
          experiment_id=EXPERIMENT_ID,
          log_dir=str(PROJECT_ROOT / "outputs" / "logs")
      )

      print("EXPERIMENT_ID:", EXPERIMENT_ID)
```

EXPERIMENT_ID: exp_prompting_sample36_top4_20260505_022729

```
[10]: test_row = df_sample36.iloc[0]
       test_cfg = PROMPT_FINALISTS[0]

       generation_config_test = {
           "temperature": test_cfg["temperature"],
           "top_p": test_cfg["top_p"],
           "repetition_penalty": test_cfg["repetition_penalty"],
           "max_new_tokens": test_cfg["max_new_tokens"],
       }

       if "do_sample" in test_cfg:
           generation_config_test["do_sample"] = test_cfg["do_sample"]
```

```

if "no_repeat_ngram_size" in test_cfg:
    generation_config_test["no_repeat_ngram_size"] = 0
    test_cfg["no_repeat_ngram_size"]

test_record = runner.run_one(
    dataset_name="feina_repr30_test_sample36",
    model_key=test_cfg["model_key"],
    prompt_type=test_cfg["prompt_family"],
    ruleset=test_cfg["ruleset"],
    source_text=test_row["source_text"],
    reference_text=test_row["reference_text"],
    sample_id=str(test_row["row_id"]),
    fold_id=None,
    split_name="sample36",
    few_shot_examples=test_cfg["few_shot_examples"],
    few_shot_example_ids=test_cfg["few_shot_example_ids"],
    generation_config=generation_config_test,
)

test_record.to_dict()

```

```

[10]: {'experiment_id': 'exp_prompting_sample36_top4_20260505_022729',
      'run_id': 'b336be6c-86ca-4a60-b452-bd0489b0dede',
      'timestamp': '2026-05-05T02:27:29.179992',
      'dataset_name': 'feina_repr30_test_sample36',
      'fold_id': None,
      'split_name': 'sample36',
      'model_key': 'llama3',
      'model_id': 'meta-llama/Meta-Llama-3-8B-Instruct',
      'backend': 'ollama',
      'prompt_type': 'few-shot',
      'ruleset': 'R1',
      'few_shot_example_ids': [78, 1805, 3635, 5262],
      'generation_config': {'temperature': 0.3,
                             'top_p': 0.9,
                             'repetition_penalty': 1.15,
                             'max_new_tokens': 256},
      'sample_id': '550',
      'source_text': 'No tiene incentivos ni motivación, dos elementos esenciales en ambientes de competencia.',
      'reference_text': 'No tiene sentido ni motivación. Estos elementos son esenciales para la competencia.',
      'generated_text': 'Sin motivación ni incentivos no se puede trabajar bien en un ambiente competitivo.',
      'prompt_text': 'Reescribe en español cada texto con lenguaje más claro y sencillo.\nConserva el significado original y no inventes información.\nGuía

```

interna de simplificación: usa palabras comunes; evita tecnicismos innecesarios; reemplaza palabras difíciles por palabras simples.

Devuelve solo la versión final simplificada.

Ejemplo 1

Texto: A continuación una tabla donde se demuestra como crecen los ahorros al pasar los años:

Edad	Inversión	Intereses	Saldo
Laura	Ganados	Alberto	Ganados
22	\$800	\$80	\$880
23	\$800	\$168	\$1.232
Valor al Jubilarse	\$311.092	Valor al Jubilarse	\$263.232
Menos las contribuciones iniciales	\$6.400	Menos las contribuciones iniciales	\$28.800
Ganancia Neta	\$304.692	Ganancia Neta	\$234.

Versión simplificada: A continuación, presentamos una tabla donde se demuestra como crecen los ahorros al pasar los años. Las categorías en que se divide la tabla son edad, inversión, intereses ganados y saldo. La tabla contrasta las ganancias en intereses por año de Laura y Alberto con una proyección de edad de jubilación de sesenta y cinco años y según la cantidad de años que mantuvieron el ahorro.

Ejemplo 2

Texto: El varias veces mencionado Yager, nos dice acertadamente sobre estos aspectos lo siguiente: La mayoría de ustedes están hambrientos de tener libertad financiera, están hastiados de tener batallas financieras porque son como un carrusel.

Versión simplificada: Yager habla acertadamente sobre estos aspectos y dice que la mayoría ambiciona tener libertad financiera y está cansada de tener batallas financieras inútiles.

Ejemplo 3

Texto: De acuerdo con esta medición, la proporción de pobres en la población mundial quienes viven con menos de un dólar por día descendió levemente entre 1987 y 1993, pues pasó del 30% al 29%.

Versión simplificada: Según esta medición, la proporción de personas pobres en la población mundial descendió un poco entre mil novecientos ochenta y siete y mil novecientos noventa y tres. Es decir, el porcentaje de personas que vivían con menos de un dólar por día pasó del treinta al veintinueve por ciento.

Ejemplo 4

Texto: - Rentabilidad

INTERÉS DE 2 PESOS SOBRE UNA INVERSIÓN DE 100 PESOS = RENTABILIDAD DE 2 % $((2 \div 100) \times 100 = 2\%)$

POR CADA 100 PESOS SE GANAN 2 PESOS

Endeudamiento

DEUDA DE 30 PESOS POR SOBRE EL CAPITAL DE 20 PESOS = ENDEUDAMIENTO DE 1,5 VECES EL CAPITAL $(30 \div 20 = 1,5)$

POR CADA PESO DE CAPITAL EXISTE 1,5 PESOS DE DEUDA

Liquidez

80 PESOS DE DINERO DISPONIBLE POR SOBRE DEUDAS DE 40 PESOS = LIQUIDEZ DE DOS VECES EL VALOR DE LA DEUDA $(80 \div 40 = 2)$

POR CADA PESO DE DEUDA SE DISPONE DE 2 PESOS PARA PAGO

Versión simplificada: EL INTERÉS DE DOS PESOS SOBRE UNA INVERSIÓN DE CIEN PESOS DA UNA RENTABILIDAD DE DOS POR CIENTO. ES DECIR, POR CADA CIEN PESOS GANAMOS DOS PESOS. LA DEUDA DE TREINTA PESOS SOBRE EL CAPITAL DE VEINTE PESOS RESULTA EN UNA DEUDA DE UNO PUNTO CINCO VECES EL CAPITAL. ES DECIR, POR CADA PESO DE CAPITAL HAY UNO PUNTO CINCO PESOS DE DEUDA. EN OCHENTA PESOS DE DINERO DISPONIBLE SOBRE DEUDAS DE CUARENTA PESOS DA UNA LIQUIDEZ DEL DOBLE DE LA DEUDA. POR CADA PESO ADEUDADO HAY DOS PESOS PARA PAGAR.

Texto: No tiene incentivos ni motivación, dos elementos esenciales en ambientes de competencia.

Versión simplificada:',

```
'inference_seconds': 25.217,
'status': 'success',
'error_message': None,
'metrics': {}
```



```

[11]: all_records = []

total_runs = len(PROMPT_FINALISTS) * len(df_sample36)
run_counter = 0

t0 = time.perf_counter()

for cfg in PROMPT_FINALISTS:
    for _, row in df_sample36.iterrows():
        run_counter += 1

        generation_config = {
            "temperature": cfg["temperature"],
            "top_p": cfg["top_p"],
            "repetition_penalty": cfg["repetition_penalty"],
            "max_new_tokens": cfg["max_new_tokens"],
        }

        if "do_sample" in cfg:
            generation_config["do_sample"] = cfg["do_sample"]

        if "no_repeat_ngram_size" in cfg:
            generation_config["no_repeat_ngram_size"] = _
            ↪cfg["no_repeat_ngram_size"]

        print(
            f"[{run_counter}/{total_runs}] "
            f"prompt_family={cfg['prompt_family']} | "
            f"owner={cfg['owner']} | "
            f"model={cfg['model_key']} | "
            f"cfg={cfg['config_label']} | "
            f"ruleset={cfg['ruleset']} | "
            f"row_id={row['row_id']}"
        )

        record = runner.run_one(
            dataset_name="feina_repr30_test_sample36",
            model_key=cfg["model_key"],
            prompt_type=cfg["prompt_family"],
            ruleset=cfg["ruleset"],
            source_text=row["source_text"],
            reference_text=row["reference_text"],
            sample_id=str(row["row_id"]),
            fold_id=None,
            split_name="sample36",
            few_shot_examples=cfg["few_shot_examples"],
            few_shot_example_ids=cfg["few_shot_example_ids"],

```

```

        generation_config=generation_config,
    )

    rec = record.to_dict()
    rec["row_id"] = row["row_id"]
    rec["prompt_family"] = cfg["prompt_family"]
    rec["owner"] = cfg["owner"]
    rec["config_label"] = cfg["config_label"]
    rec["ruleset"] = cfg["ruleset"]
    rec["gen_temperature"] = cfg["temperature"]
    rec["gen_top_p"] = cfg["top_p"]
    rec["gen_repetition_penalty"] = cfg["repetition_penalty"]
    rec["gen_max_new_tokens"] = cfg["max_new_tokens"]
    rec["gen_do_sample"] = cfg.get("do_sample", np.nan)
    rec["gen_no_repeat_ngram_size"] = cfg.get("no_repeat_ngram_size", np.
nan)

    all_records.append(rec)

t1 = time.perf_counter()
print(f"\nTiempo total: {(t1 - t0)/60:.2f} min")
print("Total records:", len(all_records))

```

```

[1/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=550
[2/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=571
[3/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=885
[4/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1193
[5/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1391
[6/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1399
[7/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1636
[8/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1740
[9/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1742
[10/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1790
[11/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=1920
[12/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3
| ruleset=R1 | row_id=2027
[13/144] prompt_family=few-shot | owner=hariel | model=llama3 | cfg=llama3_cfg_3

```

	ruleset=R1	row_id=2065			
[14/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2365			
[15/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2449			
[16/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2550			
[17/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2657			
[18/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2703			
[19/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2732			
[20/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=2947			
[21/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3320			
[22/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3396			
[23/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3404			
[24/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3570			
[25/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3653			
[26/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3712			
[27/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3776			
[28/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=3819			
[29/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=4006			
[30/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=4276			
[31/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=4284			
[32/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=4638			
[33/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=4751			
[34/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=5037			
[35/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=5112			
[36/144]	prompt_family=few-shot	owner=hariel	model=llama3	cfg=llama3_cfg_3	
	ruleset=R1	row_id=5187			
[37/144]	prompt_family=few-shot	owner=nancy	model=llama3	cfg=llama3_cfg_2	

ruleset=R2 row_id=550
[38/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=571
[39/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=885
[40/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1193
[41/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1391
[42/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1399
[43/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1636
[44/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1740
[45/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1742
[46/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1790
[47/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=1920
[48/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2027
[49/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2065
[50/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2365
[51/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2449
[52/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2550
[53/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2657
[54/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2703
[55/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2732
[56/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=2947
[57/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=3320
[58/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=3396
[59/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=3404
[60/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2
ruleset=R2 row_id=3570
[61/144] prompt_family=few-shot owner=nancy model=llama3 cfg=llama3_cfg_2

| ruleset=R2 | row_id=3653
 [62/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=3712
 [63/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=3776
 [64/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=3819
 [65/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=4006
 [66/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=4276
 [67/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=4284
 [68/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=4638
 [69/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=4751
 [70/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=5037
 [71/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=5112
 [72/144] prompt_family=few-shot | owner=nancy | model=llama3 | cfg=llama3_cfg_2
 | ruleset=R2 | row_id=5187
 [73/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=550
 [74/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=571
 [75/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=885
 [76/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1193
 [77/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1391
 [78/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1399
 [79/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1636
 [80/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1740
 [81/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1742
 [82/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1790
 [83/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=1920
 [84/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
 cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2027
 [85/144] prompt_family=zero-shot | owner=hariel | model=llama3 |

```

cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2065
[86/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2365
[87/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2449
[88/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2550
[89/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2657
[90/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2703
[91/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2732
[92/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=2947
[93/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3320
[94/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3396
[95/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3404
[96/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3570
[97/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3653
[98/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3712
[99/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3776
[100/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=3819
[101/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=4006
[102/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=4276
[103/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=4284
[104/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=4638
[105/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=4751
[106/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=5037
[107/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=5112
[108/144] prompt_family=zero-shot | owner=hariel | model=llama3 |
cfg=hariel_llama3_cfg_1 | ruleset=R0 | row_id=5187
[109/144] prompt_family=zero-shot | owner=nancy | model=mistral |

```

```

cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=550
[110/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=571
[111/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=885
[112/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1193
[113/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1391
[114/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1399
[115/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1636
[116/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1740
[117/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1742
[118/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1790
[119/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=1920
[120/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2027
[121/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2065
[122/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2365
[123/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2449
[124/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2550
[125/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2657
[126/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2703
[127/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2732
[128/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=2947
[129/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3320
[130/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3396
[131/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3404
[132/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3570
[133/144] prompt_family=zero-shot | owner=nancy | model=mistral |

```

```

cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3653
[134/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3712
[135/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3776
[136/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=3819
[137/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=4006
[138/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=4276
[139/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=4284
[140/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=4638
[141/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=4751
[142/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=5037
[143/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=5112
[144/144] prompt_family=zero-shot | owner=nancy | model=mistral |
cfg=nancy_mistral_cfg_2 | ruleset=R4 | row_id=5187

```

Tiempo total: 35.48 min

Total records: 144

```

[12]: raw_df = pd.DataFrame(all_records)

print("Shape raw_df:", raw_df.shape)
display(raw_df.head(3))
display(raw_df.columns.tolist())

```

Shape raw_df: (144, 32)

```

                                experiment_id \
0  exp_prompting_sample36_top4_20260505_022729
1  exp_prompting_sample36_top4_20260505_022729
2  exp_prompting_sample36_top4_20260505_022729

                                run_id          timestamp \
0  5da3ab91-74bc-412b-97f1-c4314bf29c85  2026-05-05T02:27:54.697730
1  ef76b546-02c9-4365-8968-f0d71dbf182c  2026-05-05T02:28:10.286189
2  ccd5b843-da04-492e-93a3-9fe4689ae854  2026-05-05T02:28:27.880568

dataset_name  fold_id  split_name  model_key \
0  feina_repr30_test_sample36      None  sample36  llama3
1  feina_repr30_test_sample36      None  sample36  llama3
2  feina_repr30_test_sample36      None  sample36  llama3

```


	model_id	backend	prompt_type	...	row_id	\
0	meta-llama/Meta-Llama-3-8B-Instruct	ollama	few-shot	...	550	
1	meta-llama/Meta-Llama-3-8B-Instruct	ollama	few-shot	...	571	
2	meta-llama/Meta-Llama-3-8B-Instruct	ollama	few-shot	...	885	

	prompt_family	owner	config_label	gen_temperature	gen_top_p	\
0	few-shot	hariel	llama3_cfg_3	0.3	0.9	
1	few-shot	hariel	llama3_cfg_3	0.3	0.9	
2	few-shot	hariel	llama3_cfg_3	0.3	0.9	

	gen_repetition_penalty	gen_max_new_tokens	gen_do_sample	\
0	1.15	256	NaN	
1	1.15	256	NaN	
2	1.15	256	NaN	

	gen_no_repeat_ngram_size
0	NaN
1	NaN
2	NaN

[3 rows x 32 columns]

```
[
  'experiment_id',
  'run_id',
  'timestamp',
  'dataset_name',
  'fold_id',
  'split_name',
  'model_key',
  'model_id',
  'backend',
  'prompt_type',
  'ruleset',
  'few_shot_example_ids',
  'generation_config',
  'sample_id',
  'source_text',
  'reference_text',
  'generated_text',
  'prompt_text',
  'inference_seconds',
  'status',
  'error_message',
  'metrics',
  'row_id',
  'prompt_family',
  'owner',

```

```

'config_label',
'gen_temperature',
'gen_top_p',
'gen_repetition_penalty',
'gen_max_new_tokens',
'gen_do_sample',
'gen_no_repeat_ngram_size']

```

```

[13]: if "status" in raw_df.columns:
        eval_input_df = raw_df[raw_df["status"] == "success"].copy()
    else:
        eval_input_df = raw_df.copy()

    print("Shape eval_input_df:", eval_input_df.shape)

    evaluated_df = evaluate_dataframe(
        eval_input_df,
        source_col="source_text",
        pred_col="generated_text",
        ref_col="reference_text",
        compute_bertscore=True,
        compute_sbent=False,
    )

    print("Shape evaluated_df:", evaluated_df.shape)
    display(evaluated_df.head(3))

```

Shape eval_input_df: (144, 32)

Shape evaluated_df: (144, 57)

	experiment_id	\
0	exp_prompting_sample36_top4_20260505_022729	
1	exp_prompting_sample36_top4_20260505_022729	
2	exp_prompting_sample36_top4_20260505_022729	

	run_id	timestamp	\
0	5da3ab91-74bc-412b-97f1-c4314bf29c85	2026-05-05T02:27:54.697730	
1	ef76b546-02c9-4365-8968-f0d71dbf182c	2026-05-05T02:28:10.286189	
2	ccd5b843-da04-492e-93a3-9fe4689ae854	2026-05-05T02:28:27.880568	

	dataset_name	fold_id	split_name	model_key	\
0	feina_repr30_test_sample36	None	sample36	llama3	
1	feina_repr30_test_sample36	None	sample36	llama3	
2	feina_repr30_test_sample36	None	sample36	llama3	

	model_id	backend	prompt_type	...	\
0	meta-llama/Meta-Llama-3-8B-Instruct	ollama	few-shot	...	
1	meta-llama/Meta-Llama-3-8B-Instruct	ollama	few-shot	...	
2	meta-llama/Meta-Llama-3-8B-Instruct	ollama	few-shot	...	

	additions_proportion	deletions_proportion	inflesz_pred	inflesz_src	\
0	0.714286	0.666667	63.785000	39.085000	
1	0.500000	0.703704	38.978750	41.390556	
2	0.379310	0.454545	51.086724	47.347121	

	inflesz_delta	rouge1_f	rouge2_f	rougeL_f	bertscore_f1	sbert_similarity
0	24.700000	0.214286	0.076923	0.142857	0.744898	None
1	-2.411806	0.454545	0.190476	0.272727	0.785588	None
2	3.739603	0.617647	0.303030	0.588235	0.852907	None

[3 rows x 57 columns]

```
[20]: group_df = evaluated_df.copy()

group_df["gen_do_sample"] = group_df["gen_do_sample"].astype("string").
    ↪fillna("NA")
group_df["gen_no_repeat_ngram_size"] = group_df["gen_no_repeat_ngram_size"].
    ↪astype("string").fillna("NA")

group_cols = [
    "prompt_family",
    "owner",
    "model_key",
    "config_label",
    "ruleset",
    "gen_temperature",
    "gen_top_p",
    "gen_repetition_penalty",
    "gen_max_new_tokens",
    "gen_do_sample",
    "gen_no_repeat_ngram_size",
]

summary_df = summarize_metrics(
    group_df,
    group_cols=group_cols,
)

summary_df["leader_score"] = (
    0.6 * summary_df["sari"] +
    0.4 * (summary_df["bertscore_f1"] * 100.0)
)

display(
    summary_df[
        [
```

```

        "prompt_family",
        "owner",
        "model_key",
        "config_label",
        "ruleset",
        "sari",
        "bertscore_f1",
        "leader_score",
        "rougeL_f",
        "compression_ratio_eval",
        "exact_copy",
    ]
].sort_values(
    by=["leader_score", "sari", "bertscore_f1"],
    ascending=False,
)
)

```

	prompt_family	owner	model_key	config_label	ruleset	sari \
0	few-shot	hariel	llama3	llama3_cfg_3	R1	36.161632
1	few-shot	nancy	llama3	llama3_cfg_2	R2	35.025034
2	zero-shot	hariel	llama3	hariel_llama3_cfg_1	R0	34.580136
3	zero-shot	nancy	mistral	nancy_mistral_cfg_2	R4	36.577888

	bertscore_f1	leader_score	rougeL_f	compression_ratio_eval	exact_copy
0	0.814534	54.278349	0.402859	1.040341	0.0
1	0.818844	53.768799	0.389381	0.923332	0.0
2	0.813240	53.277701	0.387453	0.763318	0.0
3	0.773919	52.903505	0.380849	1.261758	0.0

```

[21]: ranking_df = summary_df.sort_values(
        by=["leader_score", "sari", "bertscore_f1"],
        ascending=False
    ).reset_index(drop=True)

display(ranking_df)

```

	prompt_family	owner	model_key	config_label	ruleset \
0	few-shot	hariel	llama3	llama3_cfg_3	R1
1	few-shot	nancy	llama3	llama3_cfg_2	R2
2	zero-shot	hariel	llama3	hariel_llama3_cfg_1	R0
3	zero-shot	nancy	mistral	nancy_mistral_cfg_2	R4

	gen_temperature	gen_top_p	gen_repetition_penalty	gen_max_new_tokens \
0	0.3	0.90	1.15	256
1	0.7	0.90	1.10	512
2	0.2	0.85	1.05	256
3	0.3	0.90	1.15	400

	gen_do_sample	...	additions_proportion	deletions_proportion	rouge1_f	\
0	NA	...	0.502279	0.584855	0.447907	
1	NA	...	0.506607	0.592203	0.446025	
2	NA	...	0.458538	0.609197	0.441423	
3	True	...	0.574438	0.540120	0.421734	

	rouge2_f	rougeL_f	inflesz_pred	inflesz_src	inflesz_delta	bertscore_f1	\
0	0.246218	0.402859	61.141883	59.599136	1.542747	0.814534	
1	0.227822	0.389381	66.487015	59.599136	6.887879	0.818844	
2	0.229333	0.387453	64.030230	59.599136	4.431094	0.813240	
3	0.212082	0.380849	65.673031	59.599136	6.073894	0.773919	

	leader_score
0	54.278349
1	53.768799
2	53.277701
3	52.903505

[4 rows x 30 columns]

```
[22]: simplified_texts_df = evaluated_df[
    [
        c for c in [
            "row_id",
            "prompt_family",
            "owner",
            "model_key",
            "config_label",
            "ruleset",
            "source_text",
            "reference_text",
            "generated_text",
            "sari",
            "bertscore_f1",
            "rougeL_f",
            "compression_ratio_eval",
            "exact_copy",
        ] if c in evaluated_df.columns
    ]
].copy()

simplified_texts_df = simplified_texts_df.sort_values(
    by=["prompt_family", "owner", "model_key", "config_label", "row_id"]
).reset_index(drop=True)

display(simplified_texts_df.head(12))
```

	row_id	prompt_family	owner	model_key	config_label	ruleset	\
0	550	few-shot	harel	llama3	llama3_cfg_3	R1	
1	571	few-shot	harel	llama3	llama3_cfg_3	R1	
2	885	few-shot	harel	llama3	llama3_cfg_3	R1	
3	1193	few-shot	harel	llama3	llama3_cfg_3	R1	
4	1391	few-shot	harel	llama3	llama3_cfg_3	R1	
5	1399	few-shot	harel	llama3	llama3_cfg_3	R1	
6	1636	few-shot	harel	llama3	llama3_cfg_3	R1	
7	1740	few-shot	harel	llama3	llama3_cfg_3	R1	
8	1742	few-shot	harel	llama3	llama3_cfg_3	R1	
9	1790	few-shot	harel	llama3	llama3_cfg_3	R1	
10	1920	few-shot	harel	llama3	llama3_cfg_3	R1	
11	2027	few-shot	harel	llama3	llama3_cfg_3	R1	

	source_text	\
0	No tiene incentivos ni motivación, dos element...	
1	En los procesos de importaciones y exportacion...	
2	El robo de identidad ocurre cuando su informac...	
3	Los sueños de los niños tienen una gran varied...	
4	Expresiones como soborno y cohecho se refieren...	
5	DIRECCIÓN DE PRESUPUESTO (DIPRES): "formula y ...	
6	Interés compuesto: Es la suma del capital y el...	
7	La producción en un país se realiza mediante l...	
8	A pesar de que algunos critican al intermediar...	
9	El impuesto a los réditos es también un buen i...	
10	También es de mucha ayuda separar las metas en...	
11	Seguridad financiera: Consiste en cumplir con ...	

	reference_text	\
0	No tiene sentido ni motivación. Estos elemento...	
1	Cientes y proveedores intervienen en las impo...	
2	El robo de identidad ocurre cuando su informac...	
3	Los sueños de los niños son variados y van des...	
4	Expresiones como soborno y cohecho se refieren...	
5	DIRECCIÓN DE PRESUPUESTO: formula y lleva el c...	
6	El interés compuesto es la suma del capital y ...	
7	A través de los factores de producción se real...	
8	Aunque algunas personas critican al intermedia...	
9	El impuesto a las utilidades también es un bue...	
10	También ayuda separar las metas en tres períod...	
11	Seguridad financiera, consiste en cumplir con ...	

	generated_text	sari	\
0	Sin motivación y sin incentivos no se puede tr...	32.203642	
1	En la importación y exportación, también parti...	44.060676	
2	El robo de identidad es cuando alguien utiliza...	17.219228	
3	Los niños soñan con cosas muy diferentes, como...	39.355610	
4	Expresiones como "soborno" y "cohecho" se refi...	39.102538	

5	La Dirección de Presupuesto es responsable de ...	31.316305
6	El interés compuesto es la suma del capital y ...	56.657226
7	La producción en un país se hace utilizando re...	45.353193
8	Aunque algunos critican al intermediario finan...	56.211569
9	El impuesto sobre los intereses es una forma e...	39.711278
10	Separar las metas en tres períodos de tiempo a...	49.867897
11	La seguridad financiera es importante porque t...	26.158552

	bertscore_f1	rougeL_f	compression_ratio_eval	exact_copy
0	0.744898	0.142857	1.166667	0
1	0.785588	0.272727	0.592593	0
2	0.852907	0.588235	0.878788	0
3	0.837914	0.473684	0.750000	0
4	0.895930	0.585366	1.000000	0
5	0.706406	0.333333	1.076923	0
6	0.940141	0.828571	0.942857	0
7	0.788121	0.355556	0.538462	0
8	0.882987	0.642857	0.812500	0
9	0.890636	0.478261	0.954545	0
10	0.760203	0.391304	0.240000	0
11	0.780211	0.320000	0.807692	0

```
[23]: raw_path = OUT_DIR / f"{EXPERIMENT_ID}_raw_results.csv"
eval_path = OUT_DIR / f"{EXPERIMENT_ID}_evaluated.csv"
summary_path = OUT_DIR / f"{EXPERIMENT_ID}_summary.csv"
ranking_path = OUT_DIR / f"{EXPERIMENT_ID}_ranking.csv"
simplified_texts_path = OUT_DIR / f"{EXPERIMENT_ID}_simplified_texts_only.csv"

raw_df.to_csv(raw_path, index=False, encoding="utf-8-sig")
evaluated_df.to_csv(eval_path, index=False, encoding="utf-8-sig")
summary_df.to_csv(summary_path, index=False, encoding="utf-8-sig")
ranking_df.to_csv(ranking_path, index=False, encoding="utf-8-sig")
simplified_texts_df.to_csv(simplified_texts_path, index=False,
    ↪encoding="utf-8-sig")

print("Guardado raw          :", raw_path)
print("Guardado evaluated     :", eval_path)
print("Guardado summary        :", summary_path)
print("Guardado ranking         :", ranking_path)
print("Guardado simplified csv   :", simplified_texts_path)
```

```
Guardado raw          : /home/harielpadillasanchez/Documentos/TT/TT2/outputs/p
rompting_on_sample36/exp_prompting_sample36_top4_20260505_022729_raw_results.csv
Guardado evaluated     : /home/harielpadillasanchez/Documentos/TT/TT2/outputs/p
rompting_on_sample36/exp_prompting_sample36_top4_20260505_022729_evaluated.csv
Guardado summary      : /home/harielpadillasanchez/Documentos/TT/TT2/outputs/p
rompting_on_sample36/exp_prompting_sample36_top4_20260505_022729_summary.csv
Guardado ranking      : /home/harielpadillasanchez/Documentos/TT/TT2/outputs/p
```

```
rompting_on_sample36/exp_prompting_sample36_top4_20260505_022729_ranking.csv
Guardado simplified csv : /home/harielpadillasanchez/Documentos/TT/TT2/outputs/p
rompting_on_sample36/exp_prompting_sample36_top4_20260505_022729_simplified_text
s_only.csv
```

```
[24]: metadata = {
    "experiment_id": EXPERIMENT_ID,
    "sample_size": int(len(df_sample36)),
    "n_candidates": int(len(PROMPT_FINALISTS)),
    "sample_csv": str(SAMPLE36_CSV),
    "raw_path": str(raw_path),
    "eval_path": str(eval_path),
    "summary_path": str(summary_path),
    "ranking_path": str(ranking_path),
    "simplified_texts_path": str(simplified_texts_path),
}

meta_path = OUT_DIR / f"{EXPERIMENT_ID}_metadata.json"
with open(meta_path, "w", encoding="utf-8") as f:
    json.dump(metadata, f, ensure_ascii=False, indent=2)

print("Guardado metadata:", meta_path)
```

```
Guardado metadata: /home/harielpadillasanchez/Documentos/TT/TT2/outputs/promptin
g_on_sample36/exp_prompting_sample36_top4_20260505_022729_metadata.json
```

```
[25]: print("Resumen final sample36 prompting")
print("-" * 50)
print("Total filas evaluadas:", len(evaluated_df))
print("Total simplificaciones guardadas:", len(simplified_texts_df))

best_row = ranking_df.iloc[0]

for col in [
    "prompt_family",
    "owner",
    "model_key",
    "config_label",
    "ruleset",
    "sari",
    "bertscore_f1",
    "leader_score",
]:
    if col in best_row.index:
        print(f"{col}: {best_row[col]}")
```

```
Resumen final sample36 prompting
```

```
-----
Total filas evaluadas: 144
```


Total simplificaciones guardadas: 144
prompt_family: few-shot
owner: haniel
model_key: llama3
config_label: llama3_cfg_3
ruleset: R1
sari: 36.1616321438465
bertscore_f1: 0.8145342336760627
leader_score: 54.278348633350404