ASSIGNMENT-4 DISTANCEDETECTIONUSINGULTRASONICSENS OR

Date	20October2022
TeamID	PNT2022TMID10953
Name	BHARATHWAJ D
StudentRollNumber	811519106023
MaximumMarks	2Marks

Question1:

Write code and connections in wokwiforul trasonics ensor. Whenever distance is less than 100 cmss end "alert" to ibm cloud and display indevice recent events.


CODE:

```
esp32-blink.ino
                  diagram.json •
                                   libraries.txt ●
                                                  Library Manager *
       pinMode(trig,OUTPUT);
       pinMode(echo,INPUT);
       pinMode(LED, OUTPUT);
       delay(10);
       wificonnect();
       mqttconnect();
       void loop()// Recursive Function
        digitalWrite(trig,LOW);
         digitalWrite(trig,HIGH);
         delayMicroseconds(10);
         digitalWrite(trig,LOW);
         float dur = pulseIn(echo,HIGH);
         float dist = (dur * 0.0343)/2;
         Serial.print ("Distancein cm");
         Serial.println(dist);
         PublishData(dist);
         delay(1000);
         if (!client.loop()) {
         mqttconnect();
       void PublishData(float dist) {
         mqttconnect();//function call for connecting to ibm
```


```
| creating the String in in form JSon to update the data to ibm cloud
| "/
| String object;
| if (dist cloe) {
| digitalWrite(LED,HIGH);
| Serial.println("object is near");
| object = "Near";
| }
| else {
| digitalWrite(LED,LOM);
| Serial.println("no object found");
| object = "No";
| }
| String payload = "{\"distance\":";
| payload += dist;
| payload += dist;
| payload += "," "\"object\":\"";
| payload += object;
| payload += "\")";
| Serial.println("Sending payload: ");
| Serial.println(payload);
```

```
esp32-blink.ino •
                   diagram.json •
                                   libraries.txt ●
                                                  Library Manager
         WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish the connection
         while (WiFi.status() != WL_CONNECTED) {
           delay(500);
           Serial.print(".");
         Serial.println("");
         Serial.println("WiFi connected");
         Serial.println("IP address: ");
         Serial.println(WiFi.localIP());
       void initManagedDevice() {
         if (client.subscribe(subscribetopic)) {
           Serial.println((subscribetopic));
           Serial.println("subscribe to cmd OK");
           Serial.println("subscribe to cmd FAILED");
       void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
         Serial.print("callback invoked for topic: ");
 148
         Serial.println(subscribetopic);
         for (int i = 0; i < payloadLength; i++) {</pre>
           data3 += (char)payload[i];
```


OUTPUT:



Datas end to the IBM cloud device when the object is far



when object is near to the ultrasonic sensor



Datas ent to the IBM Cloud Device when the object is near

