AWS CLOUD INFRASTRUCTURE IMPLEMENTATION FOR MEDIASTORE APPLICATION

REPORT BY HARIHARAN V S(24AM031)

S3 Object Version Control, IAM Access Control and CloudTrail Auditing

Screenshot Evidence

The following screenshots are the captured implementation evidence from the AWS Management Console. They are presented in chronological order from bucket creation through CloudTrail verification.

Figure 1. S3 bucket creation – General configuration and AWS Region.




Figure 2. S3 bucket creation – Bucket name and Object Ownership settings.




Figure 3. S3 bucket creation – Block Public Access configuration.




Figure 4. S3 bucket creation – Bucket Versioning enabled.




Figure 5. S3 bucket creation – Default server-side encryption using SSE-S3.




Figure 6. Created S3 bucket – Empty bucket ready for application files.




Figure 7. S3 upload page – config.txt selected for upload.




Figure 8. S3 object properties – config.txt stored in mediastore-config-hariharan.




Figure 9. S3 Versions tab – Initial version of config.txt.




Figure 10. S3 Versions tab – Second version created after overwrite.




Figure 11. S3 version view – Earlier version selected for inspection.




Figure 12. S3 Versions tab – Multiple versions visible for config.txt.




Figure 13. IAM Create User – mediastore-admin user details.




Figure 14. IAM permissions – MediaStore-Version-Control-Policy selected.




Figure 15. IAM review – mediastore-admin and attached permissions summary.




Figure 16. CloudTrail Quick Trail/Create Trail workflow – initial trail setup.




Figure 17. CloudTrail Step 1 – Trail attributes and separate log bucket.




Figure 18. CloudTrail Step 1 – Log file validation, recursive logging and additional settings.




Figure 19. CloudTrail Step 1 – Optional CloudWatch Logs and tags configuration.




Figure 20. CloudTrail Step 1 – Final trail attributes configuration.




Figure 21. CloudTrail Step 2 – Management events with Read and Write activity.




Figure 22. CloudTrail Step 2 – S3 data event configuration using advanced selectors.




Figure 23. CloudTrail Step 2 – Basic S3 event selectors enabled.




Figure 24. CloudTrail Step 2 – S3 data events and bucket selection controls.




Figure 25. CloudTrail Step 2 – Individual mediastore-config-hariharan bucket selected with Read and Write enabled.




Figure 26. CloudTrail Step 3 – Event aggregation left unconfigured because it is optional.




Figure 27. CloudTrail Step 4 – Review of trail attributes.




Figure 28. CloudTrail Step 4 – Review confirming S3 data events for mediastore-config-hariharan.




Figure 29. CloudTrail Dashboard – Event History showing recorded AWS activity.




Figure 30. CloudTrail Event History screenshot – final audit evidence captured from the console.

