### 225229110

HARI PRASATH S

# Lab 3: Getting the stargazers of a GitHub Repository and create a network

#### Step-1: Install PyGithub requests and get information about your Github Profile

## In [1]:

```
import requests
from pprint import pprint
username = 'Harihp2002'
url = f'https://api.github.com/users/{username}'
user data = requests.get(url).json()
pprint(user data)
{'avatar url': 'https://avatars.githubusercontent.com/u/138384616?v=4',
 'bio': None,
 'blog': '',
 'company': None,
 'created_at': '2023-07-02T15:06:53Z',
 'email': None,
 'events url': 'https://api.github.com/users/Harihp2002/events{/privacy}',
 'followers': 0,
 'followers_url': 'https://api.github.com/users/Harihp2002/followers',
 'following': 0,
 'following_url': 'https://api.github.com/users/Harihp2002/following{/othe
r user}',
 gists_url': 'https://api.github.com/users/Harihp2002/gists{/gist_id}',
 'gravatar_id': '',
 'hireable': None,
 'html_url': 'https://github.com/Harihp2002',
 'id': 138384616,
 'location': None,
 'login': 'Harihp2002',
 'name': None,
 'node id': 'U kgDOCD-U6A',
 'organizations_url': 'https://api.github.com/users/Harihp2002/orgs',
 'public gists': 0,
 'public repos': 4,
 'received events url': 'https://api.github.com/users/Harihp2002/received
events',
 'repos_url': 'https://api.github.com/users/Harihp2002/repos',
 'site_admin': False,
 'starred url': 'https://api.github.com/users/Harihp2002/starred{/owner}{/
repo}',
 'subscriptions url': 'https://api.github.com/users/Harihp2002/subscriptio
 'twitter_username': None,
 'type': 'User',
 'updated at': '2023-07-20T03:32:33Z',
 'url': 'https://api.github.com/users/Harihp2002'}
```

### Step-2: Getting Public repositories of a user

# In [2]:

```
!pip install pygithub
Collecting pygithub
  Downloading PyGithub-1.59.0-py3-none-any.whl (342 kB)
Requirement already satisfied: requests>=2.14.0 in c:\users\lenovo\anacond
a3\lib\site-packages (from pygithub) (2.25.1)
Collecting pyjwt[crypto]>=2.4.0
  Downloading PyJWT-2.8.0-py3-none-any.whl (22 kB)
Requirement already satisfied: pynacl>=1.4.0 in c:\users\lenovo\anaconda3
\lib\site-packages (from pygithub) (1.4.0)
Collecting deprecated
  Downloading Deprecated-1.2.14-py2.py3-none-any.whl (9.6 kB)
Requirement already satisfied: cryptography>=3.4.0 in c:\users\lenovo\anac
onda3\lib\site-packages (from pyjwt[crypto]>=2.4.0->pygithub) (3.4.7)
Requirement already satisfied: cffi>=1.12 in c:\users\lenovo\anaconda3\lib
\site-packages (from cryptography>=3.4.0->pyjwt[crypto]>=2.4.0->pygithub)
(1.14.5)
Requirement already satisfied: pycparser in c:\users\lenovo\anaconda3\lib
\site-packages (from cffi>=1.12->cryptography>=3.4.0->pyjwt[crypto]>=2.4.0
->pygithub) (2.20)
Requirement already satisfied: six in c:\users\lenovo\anaconda3\lib\site-p
ackages (from pynacl>=1.4.0->pygithub) (1.15.0)
Requirement already satisfied: idna<3,>=2.5 in c:\users\lenovo\anaconda3\l
ib\site-packages (from requests>=2.14.0->pygithub) (2.10)
Requirement already satisfied: chardet<5,>=3.0.2 in c:\users\lenovo\anacon
da3\lib\site-packages (from requests>=2.14.0->pygithub) (4.0.0)
Requirement already satisfied: certifi>=2017.4.17 in c:\users\lenovo\anaco
nda3\lib\site-packages (from requests>=2.14.0->pygithub) (2020.12.5)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\users\lenovo\an
aconda3\lib\site-packages (from requests>=2.14.0->pygithub) (1.26.4)
Requirement already satisfied: wrapt<2,>=1.10 in c:\users\lenovo\anaconda3
\lib\site-packages (from deprecated->pygithub) (1.12.1)
Installing collected packages: pyjwt, deprecated, pygithub
Successfully installed deprecated-1.2.14 pygithub-1.59.0 pyjwt-2.8.0
```

#### In [4]:

```
import base64
from github import Github
from pprint import pprint
username="Harihp2002"
g=Github()
user=g.get_user(username)
for repo in user.get_repos():
    print(repo)
```

```
Repository(full_name="Harihp2002/admission-flask")
Repository(full_name="Harihp2002/admission_pred")
Repository(full_name="Harihp2002/Admission_pred_PMLmicroproject")
Repository(full_name="Harihp2002/Predict-webapp")
```

## In [5]:

```
from github import Github
ACCESS_TOKEN="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"
USER="ptwobrussell"
REPO="Mining-the-Social-Web"
#REPO="Mining-the-Social-Web-2nd-Edition"
client=Github(ACCESS_TOKEN, per_page=100)
user=client.get_user(USER)
repo=user.get_repo(REPO)
stargazers=[s for s in repo.get_stargazers()]
print("Number of stargazers", len(stargazers))
```

Number of stargazers 1210

## Step-4: Constructing an ego graph of a repository and its stargazers

## In [7]:

```
import networkx as nx
g=nx.DiGraph()
g.add_node(repo.name+"(repo)",type='repo',lang=repo.language,owner=user.login)
for sg in stargazers:
    g.add_node(sg.login+"(user)",type='user')
    g.add_edge(sg.login+"(user)",repo.name+"(repo)",type='gazes')
```

#### Step-5: Perform handy graph operations

## In [8]:

```
print(nx.info(g))
print(g.nodes['Mining-the-Social-Web(repo)'])
print(g.nodes['ptwobrussell(user)'])
print(g['ptwobrussell(user)']['Mining-the-Social-Web(repo)'])
print(g['ptwobrussell(user)'])
print(g['Mining-the-Social-Web(repo)'])
print(g.in_edges(['ptwobrussell(user)']))
print(g.out_edges(['ptwobrussell(user)']))
print(g.in_edges(['Mining-the-Social-Web(repo)']))
print(g.out edges(['Mining-the-Social-Web(repo)']))
Name:
Type: DiGraph
Number of nodes: 1211
Number of edges: 1210
Average in degree:
                     0.9992
Average out degree:
                      0.9992
{ 'type': 'repo', 'lang': 'JavaScript', 'owner': 'ptwobrussell'}
{'type': 'user'}
{'type': 'gazes'}
{'Mining-the-Social-Web(repo)': {'type': 'gazes'}}
{}
[]
[('ptwobrussell(user)', 'Mining-the-Social-Web(repo)')]
[('rdempsey(user)', 'Mining-the-Social-Web(repo)'), ('prb(user)', 'Minin
g-the-Social-Web(repo)'), ('mcroydon(user)', 'Mining-the-Social-Web(rep
o)'), ('twleung(user)', 'Mining-the-Social-Web(repo)'), ('kevinchiu(use
r)', 'Mining-the-Social-Web(repo)'), ('nikolay(user)', 'Mining-the-Socia
1-Web(repo)'), ('tswicegood(user)', 'Mining-the-Social-Web(repo)'), ('ng
pestelos(user)', 'Mining-the-Social-Web(repo)'), ('darron(user)', 'Minin
In [ ]:
```