

APAC

<https://ap-southeast-1.int.lifion.adp.com/>

User : FirstBCEO

Password : lifionNY01@

Environments groupIds for debugging and log checking purposes:

Integration Sydney (the new apac region, the one we are debugging this morning): **int-apse2**

Integration Singapore (the old apac region, that we are deprecating): **int-ap-se-1**

Integration US EAST: **int01**

kubectl edit deployment business-events-reactor-consumer-etl

To run only int test :

<https://prod1.jenkins.lifion.oneadp.com/job/ANY/job/integration/job/master/job/assert-big-tests/>

Ap-south-east:

```
lifion_aws_auth --profile scnnext_lifion_int -r AWS-PowerUsers -a 784001157278  
proxy_on  
goss start -p scnnext_lifion_int
```

INT - in-use1:

```
export AWS_PROFILE=scnnext_lifion_int  
lifion_aws_auth --profile scnnext_lifion_int --r AWS-PowerUsers -a  
784001157278
```

proxy_on
gossml start -p scnext_lifion_int -r us-east-1

BE:

mysql -ube_dashboard -hmysql-business-events -pGVVkbj5m5k8NR6r%
use business_events;

SHOW GRANTS FOR 'be_dashboard'@'%';

mysql -A -h mysql-business-events -ube_schema_seeder -
pNCUXH@5F@edUI61V

mysql -A -h mysql-business-events.int-use1.us-east-1.scnext-lifion-int-
internal-nonprod.aws.adp -ube_schema_seeder -pNCUXH@5F@edUI61V

mysql-business-events-reader

mysql -A -h mysql-business-events-reader.int-use1.us-east-1.scnext-lifion-
int-internal-nonprod.aws.adp -ube_schema_seeder -pNCUXH@5F@edUI61V

mysql -A -h mysql-business-events-reader.int-use1.us-east-1.scnext-lifion-
int-internal-nonprod.aws.adp -ube_schema_seeder -pNCUXH@5F@edUI61V

SOR DB:

mysql -A -h mysql -ulemma_sor_rw -p02xGZx5cUe6LIOUN
use SorDesignTime;

mysql -A -h mysql -urootroot -pYH0LDS56QCrLDCIq

mysql-businessevents/master

mysql -A -h mysql-business-events -ube_schema_seeder -
pNCUXH@5F@edUI61V

use business_events;

For APAC :

gossml start -p scnext_lifion_int -r ap-southeast-2

mysql -hmysql-business-events -ube_schema_seeder -pxv17IVC_YPUUOBke

mysql -ube_producer -h mysql-business-events -p9uo8V20_sJ_C8m7j

Connecting to INT : alm password:

lifion_aws_auth --list-roles

lifion_aws_auth --profile lifion-int --r AWS-PowerUsers -a 251445355718

proxy_on

gossml start -p lifion-int

PROD:

PROD Sydney urls (They are also pinned at the top of the channel)

URL: <https://ap-southeast-2.prod.lifion.oneadp.com>

Gateway: ap-southeast-2.gateway.prod.lifion.oneadp.com