


HandsOn



```
JS ListOfPlayers.js U X JS IndianPlayers.js U JS App.js M ●
src > JS ListOfPlayers.js > ...
1 // src/ListofPlayers.js
2 import React from 'react'; 7.9k (gzipped: 3.1k)
3
4 Complexity is 12 You must be kidding
5 function ListofPlayers() {
6   const players = [
7     { name: "Virat", score: 85 },
8     { name: "Rohit", score: 60 },
9     { name: "Dhoni", score: 90 },
10    { name: "Jadeja", score: 55 },
11    { name: "Kohli", score: 78 },
12    { name: "Hardik", score: 45 },
13    { name: "Pant", score: 95 },
14    { name: "Ashwin", score: 88 },
15    { name: "Rahul", score: 35 },
16    { name: "Ishant", score: 76 },
17    { name: "Shami", score: 67 },
18  ];
19
20  // Filter players with score below 70
21  const filteredPlayers = players.filter(player => player.score < 70);
22
23  return (
24    <div>
25      <h2>All Players</h2>
26      <ul>
27        {players.map((player, index) => (
28          <li key={index}>{player.name} - {player.score}</li>
29        ))}
30      </ul>
31    </div>
32  );
33 }
```

```
    {players.map((player, index) => (
      <li key={index}>{player.name} - {player.score}</li>
    ))}
  </ul>

  <h3>Filtered Players (score < 70)</h3>
  <ul>
    {filteredPlayers.map((player, index) => (
      <li key={index}>{player.name} - {player.score}</li>
    ))}
  </ul>
</div>
);
}

export default ListofPlayers;
```

```
import React from 'react'; 7.9k (gzipped: 3.1k)
```

Complexity is 13 You must be kidding

```
function IndianPlayers() {  
  const oddTeam = ["Virat", "Dhoni", "Hardik", "Pant", "Shami"];  
  const evenTeam = ["Rohit", "Jadeja", "Ashwin", "Rahul", "Ishant"];  
  
  const [p1, p2, ...restOdd] = oddTeam;  
  const [e1, e2, ...restEven] = evenTeam;  
  
  const T20Players = ["Kohli", "Bumrah", "Rishabh"];  
  const RanjiPlayers = ["Pujara", "Rahane"];  
  
  const allPlayers = [...T20Players, ...RanjiPlayers]; // merge using spread  
  
  return (  
    <div>  
      <h2>Odd Team</h2>  
      <p>Captain: {p1}, Vice Captain: {p2}</p>  
      <p>Others: {restOdd.join(", ")}</p>  
  
      <h2>Even Team</h2>  
      <p>Captain: {e1}, Vice Captain: {e2}</p>  
      <p>Others: {restEven.join(", ")}</p>  
  
      <h2>Merged Players (T20 + Ranji)</h2>  
      <ul>  
        {allPlayers.map((player, idx) => (  
          <li key={idx}>{player}</li>
```

JS ListOfPlayers.js U

JS IndianPlayers.js U ●

JS App.js M ●

src > JS App.js > ...

```
1 |
2 import React from 'react'; 7.9k (gzipped: 3.1k)
3 import ListOfPlayers from './ListOfPlayers';
4 import IndianPlayers from './IndianPlayers';
5
  Complexity is 7 It's time to do something...
6 function App() {
7   const flag = true;
8
9   return (
10     <div>
11       <h1>Cricket App</h1>
12       {flag ? <ListOfPlayers /> : <IndianPlayers />}
13     </div>
14   );
15 }
16
17 export default App;
18
```

OUTPUT



Cricket App


All Players

- Virat - 85
- Rohit - 60
- Dhoni - 90
- Jadeja - 55
- Kohli - 78
- Hardik - 45
- Pant - 95
- Ashwin - 88
- Rahul - 35
- Ishant - 76
- Shami - 67

Filtered Players (score < 70)

- Rohit - 60
- Jadeja - 55
- Hardik - 45
- Rahul - 35
- Shami - 67

If flag == false



Cricket App

Odd Team

Captain: Virat, Vice Captain: Dhoni

Others: Hardik, Pant, Shami

Even Team


Captain: Rohit, Vice Captain: Jadeja

Others: Ashwin, Rahul, Ishant


Merged Players (T20 + Ranji)

- Kohli
- Bumrah
- Rishabh
- Pujara
- Rahane


HandsOn 10



OUTPUT



HandsOn 11



JS App.js

JS CurrencyConvertor.js X


JS EventExamples.js

src > JS CurrencyConvertor.js > ...

```
1  import React, { useState } from 'react'; 6.9k (gziped: 2.7k)
2  ⚡
   Complexity is 10 It's time to do something...
3  function CurrencyConvertor() {
4      const [rupees, setRupees] = useState('');
5      const [euro, setEuro] = useState(null);
6
7      const handleSubmit = () => {
8          const euroValue = (parseFloat(rupees) / 90).toFixed(2);
9          setEuro(euroValue);
10     };
11
12     return (
13         <div>
14             <h2>Currency Convertor</h2>
15             <input
16                 type="number"
17                 placeholder="Enter INR"
18                 value={rupees}
19                 onChange={(e) => setRupees(e.target.value)}
20             />
21             <button onClick={handleSubmit}>Convert</button>
22             {euro} && <p>€ {euro}</p>
23         </div>
24     );
25 }
26
27 export default CurrencyConvertor;
28
```

```
JS App.js    JS CurrencyConvertor.js    JS EventExamples.js X
src > JS EventExamples.js > ...
1  import React from 'react'; 6.9k (gzipped: 2.7k)
2  ⚠
   Complexity is 14 You must be kidding
3  class EventExamples extends React.Component {
4      constructor(props) {
5          super(props);
6          this.state = { count: 0 };
7      }
8
9      increment = () => {
10         this.setState({ count: this.state.count + 1 });
11         this.sayHello();
12     };
13
14     decrement = () => {
15         this.setState({ count: this.state.count - 1 });
16     };
17
18     sayHello = () => {
19         alert("Hello! This is a static message.");
20     };
21
22     sayWelcome = (msg) => {
23         alert(`Welcome Message: ${msg}`);
24     };
25
26     handleSyntheticEvent = (event) => {
27         alert("I was clicked");
28         console.log("Synthetic Event:", event);
29     };
30 }
```

OUTPUT



Event Examples App

localhost:3000

React Event Handling Examples

Event Handling Demo

Counter: 1

Increase

Decrease

Say Welcome

Synthetic Click

Currency Convertor

900

Convert

€ 10.00

localhost:3000 says
Hello! This is a static message.

OK

Event Examples App

localhost:3000

React Event Handling Examples

Event Handling Demo

Counter: 2

Increase

Decrease

Say Welcome

Synthetic Click

Currency Convertor


900

Convert

€ 10.00

localhost:3000 says
I was clicked

OK



React Event Handling Examples

Event Handling Demo

Counter: 2

Increase Decrease


Say Welcome

Synthetic Click

Currency Convertor

100000 Convert

€ 1111.11




```
5 App.js M X JS GuestPage.js U JS UserPage.js U
rc > JS App.js > ...
1  import React, { useState } from 'react'; 7.9k (gzipped: 3.1k)
2  import GuestPage from './GuestPage';
3  import UserPage from './UserPage';
4
   Complexity is 11 You must be kidding
5  function App() {
6      const [isLoggedIn, setIsLoggedIn] = useState(false);
7
8      const handleLogin = () => setIsLoggedIn(true);
9      const handleLogout = () => setIsLoggedIn(false);
10
11     return (
12         <div>
13             <h1>Flight Booking Portal</h1>
14             {isLoggedIn ? (
15                 <>
16                     <button onClick={handleLogout}>Logout</button>
17                     <UserPage />
```

```
JS App.js M X JS GuestPage.js U JS UserPage.js U
src > JS App.js > ...
5  function App() {
18
19     ) : (
20         <>
21             <button onClick={handleLogin}>Login</button>
22             <GuestPage />
23         </>
24     )}
25 </div>
26 );
27 }
28
29 export default App;
30
31
```

```
App.js M JS GuestPage.js U X JS UserPage.js U
> JS GuestPage.js > ...
1 import React from 'react'; 7.9k (gzipped: 3.1k)
2
3 Complexity is 9 It's time to do something...
4 function GuestPage() {
5   return (
6     <div>
7       <h2>Welcome, Guest!</h2>
8       <p>You can view flight details, but must log in to book tickets.</p>
9       <ul>
10        <li>Flight A: Chennai → Delhi</li>
11        <li>Flight B: Bangalore → Mumbai</li>
12        <li>Flight C: Hyderabad → Kolkata</li>
13      </ul>
14    </div>
15  );
16 }
17 export default GuestPage;
```

```
App.js M JS GuestPage.js U JS UserPage.js U X
> JS UserPage.js > ...
1 import React from 'react'; 7.9k (gzipped: 3.1k)
2
3 Complexity is 16 You must be kidding
4 function UserPage() {
5   const handleBook = (flightName) => {
6     alert(`You have successfully booked ${flightName}`);
7   };
8
9   return (
10     <div>
11       <h2>Welcome, Logged-in User!</h2>
12       <p>You can now book tickets.</p>
13       <ul>
14        <li>
15          Flight A - <button onClick={() => handleBook('Flight A')}>Book</button>
16        </li>
17        <li>
18          Flight B - <button onClick={() => handleBook('Flight B')}>Book</button>
19        </li>
20      </ul>
21    </div>
22  );
23 }
24 export default UserPage;
```

```
function UserPage() {  
  <ul>  
    <li>  
      Flight A - <button onClick={() => handleBook('Flight A')}>Book</button>  
    </li>  
    <li>  
      Flight B - <button onClick={() => handleBook('Flight B')}>Book</button>  
    </li>  
    <li>  
      Flight C - <button onClick={() => handleBook('Flight C')}>Book</button>  
    </li>  
  </ul>  
</div>  
);  
}  
  
export default UserPage;
```

OUTPUT




Flight Booking Portal

Login

Welcome, Guest!

You can view flight details, but must log in to book tickets.

- Flight A: Chennai → Delhi
- Flight B: Bangalore → Mumbai
- Flight C: Hyderabad → Kolkata




Flight Booking Portal

Logout

Welcome, Logged-in User!

You can now book tickets.

- Flight A -
- Flight B -
- Flight C -



Flight Booking Portal

Logout

Welcome, Logged-in User!

You can now book tickets.

- Flight A -
- Flight B -
- Flight C -

React App

localhost:3000

Flight Booking Portal

Logout

Welcome, Logged-in User!

You can now book tickets.

- Flight A -

Book
- Flight B -

Book
- Flight C -

Book

localhost:3000 says

You have successfully booked Flight B

OK

React App

localhost:3000

Flight Booking Portal

Logout

Welcome, Logged-in User!

You can now book tickets.

- Flight A -

Book
- Flight B -

Book
- Flight C -

Book

localhost:3000 says

You have successfully booked Flight C

OK



Blogger App

[Show Book Details](#) [Show Blog Details](#) [Show Course Details](#)

Course Details

Course details are currently unavailable.