

Success
Successfully initiated launch of instance ([i-0fe8b627cb501b754](#))

► Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

< 1 2 3 4 5 6 >

Create billing and free tier usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.

Connect to your instance

Once your instance is running, log into it from your local computer.

[Connect to instance](#)

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

- EC2 Dashboard
- EC2 Global View
- Events
- ▼ Instances
 - Instances
 - Instance Types
 - Launch Templates
 - Spot Requests
 - Savings Plans
 - Reserved Instances
 - Dedicated Hosts
 - Capacity Reservations
- ▼ Images
 - AMIs
 - AMI Catalog

Successfully terminated i-0fe8b627cb501b754

Instances (1/1) Info							Connect	Instance state ▼	Actions ▼	Launch instances ▼
Find Instance by attribute or tag (case-sensitive)							< 1 > ⚙			
<input checked="" type="checkbox"/>	Name	Instance ID	Instance state	Instance type	Status check	Alarm status				
<input checked="" type="checkbox"/>	Hari	i-0fe8b627cb501b754	Shutting-d...	t3.micro	Initializing	View alarms +				

Instance: i-0fe8b627cb501b754 (Hari)

- Details
- Status and alarms New
- Monitoring
- Security
- Networking
- Storage
- Tags

▼ Instance summary Info

Instance ID
i-0fe8b627cb501b754 (Hari)

IPv6 address
-

Public IPv4 address
16.171.255.136 [open address](#)

Instance state
Shutting-down

Private IPv4 addresses
172.31.41.5

Public IPv4 DNS
ec2-16-171-255-136.eu-north-1.compute.amazonaws.com [open address](#)

Amazon RDS

- Dashboard
- Databases**
- Performance insights
- Snapshots
- Exports in Amazon S3
- Automated backups
- Reserved instances
- Proxies
- Subnet groups
- Parameter groups
- Option groups
- Custom engine versions
- Zero-ETL integrations [New](#)

Introducing Aurora I/O-Optimized

Aurora's I/O-Optimized is a new cluster storage configuration that offers predictable pricing for all applications and improved price-performance, with up to 40% costs savings for I/O-intensive applications.

RDS > Databases



Consider creating a Blue/Green Deployment to minimize downtime during upgrades

You may want to consider using Amazon RDS Blue/Green Deployments and minimize your downtime during upgrades. A Blue/Green Deployment provides a staging environment for changes to production databases.

[RDS User Guide](#) [Aurora User Guide](#)

Databases (1)

☒ Group resources [Modify](#) [Actions](#) [Restore from S3](#) [Create database](#)

Filter by databases

DB identifier ▲	Status ▼	Role ▼	Engine ▼	Region & AZ ▼	Size ▼
hari	Creating	Instance	MySQL Community	-	db.t3.micro



Services

Search

[Alt+S]



Stockholm

sathyamoorthy.thi

Amazon RDS

Dashboard

Databases

Performance insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Proxies

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations [New](#)

Deleting DB instance [hari](#)

Creating database [hari](#)

[View credential details](#)

Your database might take a few minutes to launch.

You can use settings from [hari](#) to simplify configuration of [suggested database add-ons](#) while we finish creating your DB for you.

Introducing Aurora I/O-Optimized

[Aurora's I/O-Optimized](#) is a new cluster storage configuration that offers predictable pricing for all applications and improved price-performance, with up to 40% costs savings for I/O-intensive applications.

[RDS](#) > Databases



Consider creating a Blue/Green Deployment to minimize downtime during upgrades

You may want to consider using Amazon RDS Blue/Green Deployments and minimize your downtime during upgrades. A Blue/Green Deployment provides a staging environment for changes to production databases.

[RDS User Guide](#) [Aurora User Guide](#)

Databases (1)



Group resources



Modify

Actions

Restore from S3

Create database

CloudShell Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

[Privacy](#)

[Terms](#)

[Cookie preferences](#)

Type here to search



30°C Mostly sunny



22:33
18-01-2024

aws

Services

Search

[Alt+S]

Stockholm

sathyamoorthy.thi

Amazon RDS

Dashboard

Databases

Performance insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Proxies

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations [New](#)

Introducing Aurora I/O-Optimized

Aurora's I/O-Optimized is a new cluster storage configuration that offers predictable pricing for all applications and improved price-performance, with up to 40% costs savings for I/O-intensive applications.

RDS > Databases

Consider creating a Blue/Green Deployment to minimize downtime during upgrades

You may want to consider using Amazon RDS Blue/Green Deployments and minimize your downtime during upgrades. A Blue/Green Deployment provides a staging environment for changes to production databases.
[RDS User Guide](#) [Aurora User Guide](#)

Databases (1)

Group resources

Modify

Actions

Restore from S3

Create database

Filter by databases

DB identifier	Status	Role	Engine	Region & AZ	Size
hari	Deleting	Instance	MySQL Community	eu-north-1a	db.t3.micro

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

22:33

18-01-2024

Create bucket [Info](#)

Buckets are containers for data stored in S3. [Learn more](#)

General configuration

AWS Region

Asia Pacific (Mumbai) ap-south-1

Bucket name [Info](#)

hari43276

Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#)

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

[View details](#)

>

[View Storage Lens dashboard](#)

[Learn more](#)

Directory buckets

Info

[Learn more](#)

< 1 > ⚙

	Name ▲	AWS Region ▼	Access ▼	Creation date ▼
○	hari43276	Asia Pacific (Mumbai) ap-south-1	<u>Objects can be public</u>	January 18, 2024, 22:25:48 (UTC+05:30)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 Total, 158.2 KB)

Remove

Add files

Add folder

All files and folders in this table will be uploaded.

Find by name

< 1 >

<input type="checkbox"/>	Name ▾	Folder ▾	Type ▾
<input type="checkbox"/>	Yhst.jpg	-	image/jpeg

Destination [Info](#)

Destination

s3://hari43276

Upload succeeded

View details below.

Summary

Destination

s3://hari43276

Succeeded

✓ 1 file, 158.2 KB (100.00%)

Failed

⌵ 0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 Total, 158.2 KB)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
Yhst.jpg	-	image/jpeg	158.2 KB	✓ Succeeded	-

Successfully deleted objects

View details below.

Source

s3://hari43276

Successfully deleted

✓ 1 object, 158.2 KB

Failed to delete

0 objects

Failed to delete

Configuration

✕ Failed to delete (0)

Find objects by name

< 1 >

Name



Folder



Type



Last modified



Size



Error



No objects failed to delete.