Word Traverse Algorithm.



Y
O → which are higher order
O X of course. But there aren't permanent. May be surf of temporary embeddings and create a temp-memory token

→ Encode Modern Computational Math Space.

→ And then the learned meta context would be translated to

the 'CDT' AI space. (which is essentially the User Private AI).

But these would be non-prompted by the user essentially, the crawl space, that's sub-agent's auto prompt related-'web-traverse' request/enquiry

- And these lead to some 'deep mines'.

These lead to something called an "explored" word tuned (semantic based of course)

This is the hum of a switched on Reflect computational engine.
And this too 'mission' based which arises from auto prompt semantic relevance.

Semantic

Already known a - mapped semantic space data.

METADATA → Meta data of the algorithm & the AI Local itself.

| Bigger AI |
LCM generated →

Hypothesize extent of knowledge retention triggered by an automated context aware prompt during the + mission >

Deep learning Paper ?

Does it like stretch out the knowledge lanes while enriching results of the auto crowd of the web launched by an agent on a mission. Notice that mission → S(context) X (prompt)

Reason of prompt

Reason of Prompt is a prompt derived parameter.

This should be able to solve the ① token → ① answer

via temporary / proactive reasoning auto-activations from pulled information

---

Notes on Algorithms!

"Word Traverse Miner"