

BÁO CÁO SẢN XUẤT 1 NGÀY 18/06/2026 (Cames)

Máy Chạy			NL SD			Sản lượng						Hàng NG						Hao hụt nguyên liệu					
			Ngày		Lấy kế	Ngày				LK từ 26 tới BC		Ngày			LK từ 26 tới BC			Ngày			LK từ 26 tới BC		
	Máy	Ngày	KH(cây)	TH(cây)		KH(pcs)	TH(pcs)	Tỉ lệ	Điểm	SL(pcs)	Điểm	SL(pcs)	Tỉ lệ	GT (VND)	SL(pcs)	Tỉ lệ	Giá trị (VND)	SL(cây)	Tỉ lệ	GT (VND)	SL(cây)	Tỉ lệ	Giá trị (VND)
Ca A	79	11	959,0	667,0	6,659,0	130,082	97,567	75.%	175.6	987,607	1,712,9	1,762	1.8%	3,941,656	24,929	2.5%	45,710,060	11.1	1.7%	1,002,130	-1.8	0.%	-3,519,645
Ca B	0	12	0,0	0,0	7,304,0	0	0	0.0%	0,0	1,101,398	1,889,4	0	0.0%	0	29,187	2.6%	51,433,926	0,0	0.0%	0	-86.2	-1.2%	-19,736,784
Ca C	0	9	0,0	0,0	5,466,0	0	0	0.0%	0,0	843,339	1,444,8	0	0.0%	0	22,603	2.7%	39,249,215	0,0	0.0%	0	-185.7	-3.4%	-35,638,923
Σ	81			1,279,0	19,429,0		187,023		339.1	2,932,344	5,047,1	3,905		7,919,190	76,719		136,393,200	26.8		3,916,167	-273.7		-58,895,352

STT	Máy	Mã sản phẩm	Định mức (pcs/c)	NS TK (pcs/ngày)	Ca A					Ca A					Tổng 2 ca					Ngày (90% NSTK)		Tuần 17 từ 24/04-30/04			Tình trạng máy
					SL sản xuất (pcs)	NL SD (cây)	CPL (pcs)	PP (pcs)	SP mất đi theo ĐM	SL sản xuất (pcs)	NL SD (cây)	CPL (pcs)	PP (pcs)	SP mất đi theo ĐM	SL sản xuất (pcs)	NL SD (cây)	CPL (pcs)	PP (pcs)	SP mất đi theo ĐM	KH	TT/KH (%)	KH	TT	TT/KH (%)	
				260,150	95,805	667.00	62	1,700	-919	87,313	612.00	321	1,822	-2,942	183,118	1,279.00	383	3,522	-3,861						
1	C01	H2 0244A	93	2,880	1,200	13.00	-	-	-9	-	-	-	-	-	1,200	13.00	0	0	-9	5,184	56.1	31,104	8,895	28.6	
2	C01	H2 0244A	113	2,880	380	4.00	-	24	-48	1,326	12.00	-	9	-21	1,706	16.00	0	33	-69	5,184	56.1	31,104	8,895	28.6	
3	C02	S1P	50	2,400	1,129	24.00	-	36	-35	1,062	22.00	-	22	-16	2,191	46.00	0	58	-51	2,160	101.4	12,960	8,282	63.9	
4	C03	H2 0244A	94	2,880	560	6.00	-	-	-4	-	-	-	-	-	560	6.00	0	0	-4	5,184	57.3	31,104	11,054	35.5	
5	C03	H2 0244A	114	2,880	995	9.00	-	24	-7	1,413	13.00	-	9	-60	2,408	22.00	0	33	-67	5,184	57.3	31,104	11,054	35.5	
6	C04	S1P	50	2,250	871	18.00	-	33	4	865	21.00	159	22	-4	1,736	39.00	159	55	0	2,025	85.7	12,150	7,644	62.9	
7	C05	S1P	50	2,058	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	1,852	0.0	11,113	0	0.0	PP không nhà
8	C06	S1P	50	2,250	1,046	22.00	-	33	-21	823	17.00	-	22	-5	1,869	39.00	0	55	-26	2,025	92.3	12,150	7,592	62.5	
9	C07	L062	715	6,546	2,120	3.00	-	18	-7	2,000	3.00	-	-	-145	4,120	6.00	0	18	-152	5,891	69.9	35,348	6,540	18.5	
10	C08	H2 0244A	92	2,770	730	8.00	-	-	-6	-	-	-	-	-	730	8.00	0	0	-6	4,986	51.4	29,916	10,545	35.2	
11	C08	H2 0244A	112	2,770	734	7.00	-	24	-26	1,100	10.00	-	-	-20	1,834	17.00	0	24	-46	4,986	51.4	29,916	10,545	35.2	
12	C09	Y18800	283	3,600	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Hư nặng
13	C10	H2 0244A	111	3,131	1,632	15.00	-	24	-9	1,527	14.00	-	10	-17	3,159	29.00	0	34	-26	0	100.0	0	12,576	100.0	Lên máy
14	C11	SC6P	46	2,770	825	19.00	-	27	-22	93	3.00	-	45	-	918	22.00	0	72	-22	4,986	23.2	29,916	6,740	22.5	Đang khắc phục
15	C11	SC6P	46	2,770	-	-	-	-	-	240	6.00	32	-	-4	240	6.00	32	0	-4	4,986	23.2	29,916	6,740	22.5	Đang khắc phục
16	C12	000003	119	2,483	1,167	10.00	-	20	-3	1,160	10.00	-	21	-9	2,327	20.00	0	41	-12	2,235	104.1	13,408	6,975	52.0	
17	C12B	H2 086A	69	1,800	636	10.00	-	20	-34	461	7.00	-	12	-10	1,097	17.00	0	32	-44	1,620	67.7	9,720	5,233	53.8	
18	C14	15106	492	1,800	1,353	3.00	-	14	-109	1,210	3.00	-	-	-266	2,563	6.00	0	14	-375	1,620	158.2	9,720	4,792	49.3	
19	C15	H2 0244A	92	2,667	270	3.00	-	-	-6	-	-	-	-	-	270	3.00	0	0	-6	4,801	51.9	28,804	10,229	35.5	
20	C15	H2 0244A	112	2,667	1,110	10.00	-	25	15	1,112	10.00	-	-	-8	2,222	20.00	0	25	7	4,801	51.9	28,804	10,229	35.5	
21	C16	P9	179	2,667	1,159	7.00	-	22	-72	1,207	7.00	-	34	-12	2,366	14.00	0	56	-84	2,400	98.6	14,402	8,026	55.7	Đường kính ngoài trái, xước
22	C17	3201	160	3,600	1,476	10.00	-	78	-46	615	5.00	99	-	-86	2,091	15.00	99	78	-132	3,240	64.5	19,440	3,473	17.9	
23	C18	NA-182	249	7,200	1,734	7.00	-	-	-9	-	-	-	-	-	1,734	7.00	0	0	-9	6,480	26.8	38,880	13,243	34.1	Đủ hàng
24	C19	SC1P	155	4,800	1,337	9.00	-	29	-29	1,594	11.00	-	43	-68	2,931	20.00	0	72	-97	4,320	67.8	25,920	11,236	43.3	
25	C20	L1008	246	2,400	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	2,160	0.0	12,960	1,711	13.2	
26	C21	R2-0119	115	4,000	1,419	13.00	-	22	-54	1,684	15.00	-	30	-11	3,103	28.00	0	52	-65	3,600	86.2	21,600	12,702	58.8	
27	C22	BD-04	119	2,400	1,513	13.00	-	-	-34	1,369	12.00	-	-	-59	2,882	25.00	0	0	-93	2,160	133.4	12,960	10,705	82.6	
28	C23	Oc Dong	411	7,200	2,847	7.00	-	23	-7	2,400	6.00	-	47	-19	5,247	13.00	0	70	-26	6,480	81.0	38,880	5,247	13.5	

29	C24	A50803	434	4,800	2,374	6.00	-	39	-191	1,650	4.00	-	39	-47	4,024	10.00	0	78	-238	4,320	93.1	25,920	16,307	62.9	
30	C25	SC1P	153	4,800	1,357	9.00	-	-	-20	-	-	-	-	-	1,357	9.00	0	0	-20	8,640	56.9	51,840	18,780	36.2	
31	C25	SC1P	153	4,800	1,211	8.00	-	27	14	2,350	16.00	-	34	-64	3,561	24.00	0	61	-50	8,640	56.9	51,840	18,780	36.2	
32	C26	L063	849	6,546	3,066	2.00	-	23	1,391	4,000	5.00	-	-	-245	7,066	7.00	0	23	1,146	5,891	119.9	35,348	29,544	83.6	
33	C27	1501	137	6,000	3,030	22.00	-	30	46	2,920	22.00	-	23	-71	5,950	44.00	0	53	-25	5,400	110.2	32,400	23,304	71.9	
34	C28	1401G	113	4,236	883	9.00	62	26	-46	991	9.00	-	-	-26	1,874	18.00	62	26	-72	3,812	49.2	22,874	13,552	59.2	Đường kính trong không lỗ khoan
35	C29	F3 105A	198	3,131	1,500	8.00	-	-	-84	1,750	9.00	-	-	-32	3,250	17.00	0	0	-116	2,818	115.3	16,907	12,012	71.0	
36	C30	1401G	113	4,236	2,111	19.00	-	26	-10	2,380	21.00	-	14	21	4,491	40.00	0	40	11	3,812	117.8	22,874	17,092	74.7	
37	C31	9024	218	7,200	157	1.00	-	28	-33	-	-	-	-	-	157	1.00	0	28	-33	6,480	2.4	38,880	15,582	40.1	Tự động không chạy
38	C32	SC4	54	3,000	1,099	21.00	-	28	-7	975	19.00	-	24	-27	2,074	40.00	0	52	-34	2,700	76.8	16,200	8,799	54.3	
39	C33	1401G	112	3,429	1,853	17.00	-	29	-22	1,948	18.00	-	17	-51	3,801	35.00	0	46	-73	3,086	123.2	18,517	16,336	88.2	
40	C34	1401G	111	4,500	2,394	22.00	-	34	-14	2,122	19.00	-	-	13	4,516	41.00	0	34	-1	4,050	111.5	24,300	16,385	67.4	
41	C35	4B00	431	9,000	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	391	100.0	Lên máy
42	C36	15122	143	4,800	429	3.00	-	-	-	-	-	-	-	-	429	3.00	0	0	0	0	100.0	0	13,147	100.0	Lên máy
43	C37	64B0	248	4,800	2,653	11.00	-	24	-51	2,675	11.00	-	20	-33	5,328	22.00	0	44	-84	4,320	123.3	25,920	19,525	75.3	
44	C38	S10-04	235	2,058	625	3.00	-	58	-22	578	3.00	-	31	-96	1,203	6.00	0	89	-118	0	100.0	0	1,660	100.0	Lên máy
45	C39	P71.M16003//R1	354	3,790	2,398	7.00	-	-	-80	2,367	7.00	-	63	-48	4,765	14.00	0	63	-128	3,411	139.7	20,466	15,538	75.9	Kích thước đk ngoài không ổn định
46	C40	P68.M21118-0	308	2,880	911	3.00	-	-	-13	855	3.00	-	58	-11	1,766	6.00	0	58	-24	2,592	68.1	15,552	4,808	30.9	
47	C41	P71.M42001/R1	88	1,715	498	6.00	-	-	-30	570	7.00	-	26	-20	1,068	13.00	0	26	-50	1,544	69.2	9,261	3,229	34.9	
48	C42	P71.M16003//R1	354	4,500	2,710	8.00	-	-	-122	2,948	9.00	-	63	-175	5,658	17.00	0	63	-297	4,050	139.7	24,300	21,326	87.8	
49	C43	P71.M42001/R1	89	1,310	597	7.00	-	-	-26	787	9.00	-	-	-14	1,384	16.00	0	0	-40	1,179	117.4	7,074	5,442	76.9	
50	C44	P68.M21118-0	306	2,058	1,160	4.00	-	-	-64	1,132	4.00	-	58	-34	2,292	8.00	0	58	-98	1,852	123.7	11,113	6,644	59.8	
51	C45	P71.M16003//R1	351	3,000	1,271	4.00	-	93	-40	2,033	6.00	-	63	-10	3,304	10.00	0	156	-50	2,700	122.4	16,200	7,631	47.1	
52	C46	P71.M16003//R1	345	3,429	1,694	5.00	-	-	-31	508	2.00	-	-	-182	2,202	7.00	0	0	-213	3,086	71.4	18,517	11,307	61.1	
53	C47	P71.M42001/R1	86	1,440	828	10.00	-	12	-20	809	10.00	-	-	-51	1,637	20.00	0	12	-71	1,296	126.3	7,776	6,157	79.2	
54	C48	P71.M42001/R1	86	1,715	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	1,544	0.0	9,261	757	8.2	Đang khắc phục
55	C49	H30-V87210	112	2,400	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	2,160	0.0	12,960	1,104	8.5	Kích thước đk ngoài không ổn định
56	C50	H30-V87210	112	2,400	352	5.00	-	144	-64	683	7.00	-	49	-52	1,035	12.00	0	193	-116	2,160	47.9	12,960	2,199	17.0	Chiều dài ngoài Không ổn định
57	C51	P68.M21118-0	299	2,058	1,029	4.00	-	94	-73	1,352	5.00	-	29	-114	2,381	9.00	0	123	-187	1,852	128.5	11,113	6,045	54.4	Chamfer bạc. SHD
58	C52	P26-155094	82	3,600	996	13.00	-	35	-35	1,026	13.00	-	-	-40	2,022	26.00	0	35	-75	3,240	62.4	19,440	6,296	32.4	
59	C53	E24-24-3755	70	1,334	608	9.00	-	22	-	178	3.00	-	-	-32	786	12.00	0	22	-32	1,201	65.5	7,204	3,310	45.9	
60	C54	P26-155095	62	3,273	961	16.00	-	18	-13	993	17.00	-	43	-18	1,954	33.00	0	61	-31	2,946	66.3	17,674	7,453	42.2	
61	C55	BEC166-2	265	4,800	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	4,320	0.0	25,920	0	0.0	Đủ hàng
62	C56	P68.M21118-0	304	2,058	823	3.00	-	-	-89	892	3.00	-	29	9	1,715	6.00	0	29	-80	1,852	92.6	11,113	5,434	48.9	
63	C57	15111	227	4,000	2,025	9.00	-	15	-3	2,100	10.00	-	56	-114	4,125	19.00	0	71	-117	3,600	114.6	21,600	12,428	57.5	
64	C58	426	142	4,500	2,628	19.00	-	18	-52	2,052	15.00	-	55	-23	4,680	34.00	0	73	-75	4,050	115.6	24,300	19,459	80.1	
65	C59	P8	139	3,000	767	6.00	-	35	-32	1,298	10.00	-	26	-66	2,065	16.00	0	61	-98	2,700	76.5	16,200	3,220	19.9	
66	C60	H2140	80	4,500	1,851	23.00	-	28	39	1,797	23.00	-	-	-43	3,648	46.00	0	28	-4	4,050	90.1	24,300	15,096	62.1	
67	C61	F3104	391	2,400	700	2.00	-	-	-82	782	2.00	-	-	-	1,482	4.00	0	0	-82	2,160	68.6	12,960	3,748	28.9	
68	C62	A1-300J	344	3,600	-	-	-	-	-	-	-	-	147	147	0	0.00	0	147	147	3,240	0.0	19,440	0	0.0	

69	C63	R2-0093095	201	3,600	1,383	7.00	-	13	-11	1,327	7.00	-	61	-19	2,710	14.00	0	74	-30	3,240	83.6	19,440	9,085	46.7	
70	C64	H2-233C	142	3,600	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	1,371	100.0	Lên máy
71	C65	F3104	391	2,400	1,100	3.00	-	-	-73	1,466	4.00	-	66	-32	2,566	7.00	0	66	-105	2,160	118.8	12,960	10,763	83.0	
72	C66	BD-03	307	3,429	122	1.00	-	42	-143	-	-	-	-	-	122	1.00	0	42	-143	3,086	4.0	18,517	6,109	33.0	Chiều dài ngoài Không ổn định
73	C67	P71.M16003//R1	354	3,000	1,355	4.00	-	-	-61	423	2.00	-	127	-158	1,778	6.00	0	127	-219	2,700	65.9	16,200	6,523	40.3	
74	C68	F3104	399	2,250	1,500	4.00	-	-	-96	1,500	4.00	-	66	-30	3,000	8.00	0	66	-126	2,025	148.1	12,150	7,864	64.7	
75	C69	P71.M16003//R1	342	3,000	2,330	7.00	-	-	-64	1,935	6.00	-	84	-33	4,265	13.00	0	84	-97	2,700	158.0	16,200	16,166	99.8	
76	C70	F3 105A	198	3,600	1,531	8.00	-	-	-53	312	2.00	-	-	-84	1,843	10.00	0	0	-137	3,240	56.9	19,440	2,811	14.5	Đường kính trong không lỗ khoan
77	C72	P9	177	2,667	1,386	8.00	-	-	-30	1,200	7.00	-	34	-5	2,586	15.00	0	34	-35	2,400	107.7	14,402	10,508	73.0	
78	C73	P71.M16003//R1	345	3,000	1,144	3.00	-	-	109	-	-	-	-	-	1,144	3.00	0	0	109	2,700	42.4	16,200	10,289	63.5	
79	C74	P71.M16003//R1	345	3,000	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	2,700	0.0	16,200	8,759	54.1	
80	Chamfer 01		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
81	Chamfer 02		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
82	CNC01	A25-18483	89	300	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	270	0.0	1,620	0	0.0	
83	CNC02	R2-0055SX0229	235	1,310	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	235	100.0	Lên máy
84	CNC03	E24-24-3473-2	62	800	116	2.00	-	-	-8	-	-	-	-	-	116	2.00	0	0	-8	720	16.1	4,320	982	22.7	
85	CNC04	E24-24-3473-2	63	900	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	810	0.0	4,860	2,392	49.2	Hư hỏng cơ
86	CNC05	V8-L04P-1	184	1,029	224	1.00	-	-	40	342	2.00	-	-	-26	566	3.00	0	0	14	926	61.1	5,557	566	10.2	
87	CNC06	4701	115	1,200	611	5.00	-	-	36	570	5.00	-	-	-5	1,181	10.00	0	0	31	1,080	109.4	6,480	4,712	72.7	
88	CNC07	STV24	209	4,236	1,231	6.00	-	-	-23	1,230	6.00	-	-	-24	2,461	12.00	0	0	-47	3,812	64.6	22,874	9,879	43.2	
89	CNC08	R2-0099235	95	1,108	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Thiếu NL/NS
90	CNC09	T9-6521	187	1,600	833	5.00	-	-	-102	727	4.00	-	-	-21	1,560	9.00	0	0	-123	1,440	108.3	8,640	4,654	53.9	
91	CNC10	3901	105	600	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	540	0.0	3,240	1,606	49.6	Hết phối không dừng
92	CNC11	S5P	36	1,500	211	8.00	-	64	-13	398	13.00	31	27	-12	609	21.00	31	91	-25	0	100.0	0	1,190	100.0	Lên máy
93	CNC12	4701	97	1,200	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
94	CNC12B	R2-0163075	88	1,200	597	7.00	-	-	-19	585	7.00	-	-	-31	1,182	14.00	0	0	-50	1,080	109.4	6,480	4,279	66.0	Đường kính trong không lỗ khoan
95	CNC14	C3	299	6,000	810	3.00	-	85	-2	888	3.00	-	-	-9	1,698	6.00	0	85	-11	5,400	31.4	32,400	2,635	8.1	
96	CNC15	V8-L04P-1	184	1,200	441	2.00	-	-	73	498	3.00	-	-	-54	939	5.00	0	0	19	1,080	86.9	6,480	4,112	63.5	Đường kính trong không lỗ khoan
97	CNC16	C7-4447	269	1,286	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Lên máy
98	CNC17	10620	125	1,412	610	6.00	-	114	-26	690	6.00	-	64	4	1,300	12.00	0	178	-22	1,271	102.3	7,625	5,304	69.6	
99	CNC19	STV25	158	1,385	478	3.00	-	-	4	460	3.00	-	-	-14	938	6.00	0	0	-10	1,247	75.3	7,479	3,618	48.4	
100	Khoan 01		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
101	Khoan 02		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Ngoại quan sai hình dạng
102	Khoan 03		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
103	Khoan 04		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
104	Khoan 05		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
105	Khoan 06		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
106	Khoan 07		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
107	Khoan 08		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
108	Khoan 09		0	0	0	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	

109	Khoan 10		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
110	Khoan 11		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
111	Khoan 12		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
112	Khoan 12A		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
113	Khoan 14		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
114	Khoan 15		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
115	MTĐ01	1401G	0	9,000	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	8,100	0.0	48,600	0	0.0	
116	MTĐ02	BD-11	0	2,058	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Hư nặng
117	MTĐ03	H2 0244A	0	3,892	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	3,503	0.0	21,017	0	0.0	
118	MTĐ04	S1P	0	3,273	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	2,946	0.0	17,674	0	0.0	
119	MTĐ05	15110	0	1,946	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	1,751	0.0	10,508	0	0.0	
120	MTĐ06	S1P	0	2,400	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	2,160	0.0	12,960	0	0.0	
121	MTĐ07	S4P	0	1,440	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	1,296	0.0	7,776	0	0.0	
122	MTĐ08	S1P	0	3,273	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	2,946	0.0	17,674	0	0.0	
123	MTĐ09	15110	0	1,946	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	1,751	0.0	10,508	0	0.0	
124	MTĐ10	H2 0244A	0	3,892	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	3,503	0.0	21,017	0	0.0	
125	MTĐ11	S1P	0	7,579	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	6,821	0.0	40,927	0	0.0	
126	MTĐ12	H2 0244A	0	18,000	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	16,200	0.0	97,200	0	0.0	
127	MTĐ12B	P6	0	9,000	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	8,100	0.0	48,600	0	0.0	Đủ hàng
128	P01	704Z0	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Hư nặng
129	P02	L23-29-3497-7	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Hư nặng
130	P03	S3P	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Hư nặng
131	P04	701Z2	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
132	P05	H2 086A	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Hư nặng
133	P06	H2 086A	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Kiểm tra máy
134	P07	320Z3	0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Thiếu NL/NS
135	Phay 02		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
136	Phay 03		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Đường kính trong không lỗ khoan
137	Phay 04		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	Đường kính trong không ổn định
138	Phay 05		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
139	Phay 06		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
140	Phay 07		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
141	Phay 08		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
142	Phay 09		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
143	Phay 10		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
144	Phay 11		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
145	Phay 12		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
146	Phay 12A		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
147	Phay 14		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	
148	Phay 15		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0.0	0	0	0.0	

149	VF2 Phay 01		0	0	-	-	-	-	-	-	-	-	-	-	0	0.00	0	0	0	0	0	0.0	0	0	0.0	
-----	-------------	--	---	---	---	---	---	---	---	---	---	---	---	---	---	------	---	---	---	---	---	-----	---	---	-----	--