TASK-6:


Create web pages and use CSS properties, and bootstrap properties like carousel.

Home page:


On this home page, there are two sections and CSS properties and on click, properties are used. Here is the code and output:

Output:

1st section:



On clicking explore more info, next section is displayed:




Events page:

Code:

```
| Object | Control | Contr
```

Output:




By clicking on the buttons, the user will redirect to the respective event page:

Mickey.html:

Code:

Here corosuel is being used and a paragraph, button is included.

Output:



Dinner.html:

Code:

```
odmenthml) ② html > ② body > ② div background

chall

cdiv class="background">

cdiv class="corokl">

cdiv class="corokl"


cdiv class="corokl">

cdiv class="corokl"

cdiv class="corokl"

cdiv class="corok
```

Output:




Afterhrs.html:

Code:

```
<div class="background":</pre>
     <div class="bg_card d-flex flex-row justify-content-left">
          <img src="logo.png" class="logo">
<hl class="headings">Welcome to the Event: Disney After Hours</hl>
     <div class="corok2"
          <div class="coro1":
               <div id="carouselExampleInterval" class="carousel slide" data-ride="carousel">
                     <div class="carousel-item active" data-interval="10000";</pre>
                          <img src="a1.jpg" class="d-block w-100"</pre>
                     <div class="carousel-item">
                          <img src="a3.jpeg" class="d-block w-100">
                     <span class="carousel-control-prev-icon" aria-hidden="true"</pre>
                     <a class="carousel-control-next" href="#carouselExampleInterval" role="button" data-slide="next">
<span class="carousel-control-next-icon" aria-hidden="true"></span>
                     <span class="sr-only">Next</span>
                Experience the magic of Disney After Hours, an exclusive event that lets you explore the par
Tickets for Disney After Hours are available for $60 per person and include access to a variety of rides and eve
                <div class="btn style"
               <a href="pay_after.html"><button type="button" class="btn btn-primary">Join now!</button></a>
<a href="events.html"><button type="button" class="btn btn-secondary" onclick="display('sectionevents')">Back</button</pre>
```

Output:



I have given one css for all the web pages:

Disney.css:

Code:

```
.background {
    width: 100%;
    height: 1000n;
    background-image: linear-gradient(□rgba(0,0,0,0.75), □rgba(0,0,0.5)), url('disney.jpg');
    background-size:cover;
    background-sposition: center;
}
.logo {
    margin-top: 20px;
    margin-left: 20px;
    height: 70px;
    width: 100px;
}
.caption {
    color: ■ mite;
    font-size: 60px;
    font-style: italic;
    font-weight: bold;
    font-style: italic;
    font-size: 22px;
    font-style: italic;
    font-style: italic;
    font-style: italic;
    font-size: 22px;
    font-style: italic;
    font-size: 2pp;
    font-style: italic;
    font-size: 12px;
    margin-top: 20px;
    margin-suto;
    margin-top: 20px;
    margin-bottom: 20px;
    margin-top: 2
```

```
.corok{
margin-bottom: 70px;
}
.coro1{
padding: 500px;
padding-top: 20px;
padding-bottom: 30px;
}
.corok1{
background-image: linear-gradient(|rgba(0,0,0.9), |rgba(0,0,0.8)), url('bg_dinner.jpg');
background-position: center;
margin: 30px;
margin-left: 50px;
border-radius: 25px;
margin-bottom: 70px;
}
.corok2{
background-image: linear-gradient(|rgba(0,0,0.9), |rgba(0,0,0.8)), url('bg_after.jpg');
background-position: center;
margin: 30px;
margin-left: 50px;
border-radius: 25px;
margin-left: 50px;
border-radius: 25px;
margin-left: 50px;
border-radius: 25px;
margin-left: 50px;
}
.para_style3{
text-align: left;
colon: | white;
font-size: 15px;
margin-top:20px;
padding: 30px;
font-family:'Trebuchet MS';
}
```