

Project Design Phase-I

Solution Architecture


Date	28/10/2023
TeamID	4B7B1A2BBD2AD6098334F16CDFB44684
Project Name	DRUG TRACEABILITY
Maximum Marks	4 Marks

Solution Architecture:

Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions. Its goals are to:

- Find the best tech solution to solve existing business problems.
- Describe the structure, characteristics, behavior, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.
- Provide specifications according to which the solution is defined, managed, and delivered.

Solution Architecture Diagram:



Prerequisite

1 download node.js : [Node.js](#)

2 download vs code: [Li4nk](#)

3 download metamask : <https://metamask.io/>

Steps to complete the project Step 1:-

1. Open the Zip file and download the zip file.

Extract all zip files

Step 2 :

1. Open vs code in the left top select open folder. Select extracted file and open .

2. Select the projectname.sol file and copy the code.

3. Open the remix ide platform and create a new file by giving the name of projectname.sol and paste the code which you copied from vs code.

4. Click on solidity compiler and click compile the projectname.sol

5. Deploy the smart contract by clicking on the deploy and run transaction.

6. select injected provider - MetaMask. In environment

7. Click on deploy. Automatically MetaMask will open and give confirmation. You will get a pop up click on ok.

8. In the Deployed contract you can see one address copy the address.

9. Open vs code and search for the connector.js. In contract.js you can paste the address at the bottom of the code. In export const address.

10. Save the code.

Step 3:

open file explorer

1. Open the extracted file and click on the folder.

2. Open src, and search for utiles.

3 . You can see the frontend files. Select all the things at the top in the search bar by clicking alt+ A. Search for cmd

4. Open cmd enter commands


npm install

npm bootstrap


npm start

5. It will install all the packages and after completing it will open {LOCALHOST IP ADDRESS} copy the address and open it to chrome so you can see the frontend of your project.


Step 1:-



Step 2 :



Step 3:



The screenshot shows the Visual Studio Code interface with a project named "Drug-Tracking". The Explorer sidebar on the left shows the project structure, including a "drugTracking.sol" file. The main editor displays the content of "drugTracking.sol", which is a Solidity contract. The terminal at the bottom shows the output of running "npm start", including deprecation warnings and the message "Starting the development server...".

```
1 // SPDX-License-Identifier: MIT
2 pragma solidity ^0.8.0;
3
4 contract Drug{
5     address public owner;
6
7     constructor() {
8         owner = msg.sender;
9     }
10
11     modifier onlyOwner() {
12         require(msg.sender == owner, "only the owner can perform this action");
13     }
14
15     struct Drug {
16         string drugName;
17         string manufacturer;
18         uint256 manufacturingDate;
19         address trackingHistory;
20     }
21
22 }
```

Terminal Output:

```
To address all issues (including breaking changes), run:
npm audit fix --force

Run `npm audit` for details.
PS D:\Drug-Tracking\drug-tracking> npm start

> drug-tracking@0.1.0 start
> react-scripts start

(node:8392) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(node:8392) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
```