

Design HashMap
Rotate Image - Lee
Search a 2D Matrix
Transpose Matrix
Print Diagonally | P
Print Diagonally | P
Linked List Cycle II
Remove Nth Node
https://leetcode.com/problems/remove-nth-node-from-end-of-list/submissions/2058197785/
Chat
Problem List
Submit
20:36:13
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 208 / 208 testcases passed
Harini-910 submitted at Jul 06, 2026 20:45
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
43.70 MB | Beats 6.69%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
/**
* Definition for singly-linked list.
* public class ListNode {
*   int val;
*   ListNode next;
*   ListNode() {}
Code
Java
Auto
*   ListNode(int val, ListNode next) { this.val = val; this.next = next; }
* }
*/
class Solution {
public ListNode removeNthFromEnd(ListNode head, int n) {
ListNode dummy = new ListNode(0, head);
ListNode fast = dummy, slow = dummy;
for (int i = 0; i <= n; i++)
fast = fast.next;
while (fast != null) {
fast = fast.next;
slow = slow.next;
}
slow.next = slow.next.next;
return dummy.next;
}
}
Saved
Ln 27, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input


Design HashMap - LeetCode
Rotate Image - LeetCode
Search a 2D Matrix - LeetCode
Transpose Matrix - LeetCode
https://leetcode.com/problems/transpose-matrix/submissions/2058192053/
Chat
Problem List
Submit
0
20:36:13
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 36 / 36 testcases passed
Harini-910 submitted at Jul 06, 2026 20:40
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
46.61 MB | Beats 67.50%
100%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
Code
Java
Auto
class Solution {
public int[][] transpose(int[][] matrix) {
int m = matrix.length;
int n = matrix[0].length;
int[][] ans = new int[n][m];
for (int i = 0; i < m; i++) {
for (int j = 0; j < n; j++) {
ans[j][i] = matrix[i][j];
}
}
return ans;
}
}
Saved
Ln 15, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input


Design HashMap - LeetCode
Rotate Image - LeetCode
Search a 2D Matrix - LeetCode
https://leetcode.com/problems/search-a-2d-matrix/submissions/2058190273/
Chat
Problem List
Submit
0
20:36:13
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 133 / 133 testcases passed
Harini-910 submitted at Jul 06, 2026 20:39
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
43.84 MB | Beats 61.90%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
class Solution {
public boolean searchMatrix(int[][] matrix, int target) {
int m = matrix.length, n = matrix[0].length;
int l = 0, r = m * n - 1;
while (l <= r) {
Code
Java
Auto
class Solution {
public boolean searchMatrix(int[][] matrix, int target) {
int m = matrix.length, n = matrix[0].length;
int l = 0, r = m * n - 1;
while (l <= r) {
int mid = l + (r - l) / 2;
int val = matrix[mid / n][mid % n];
if (val == target) return true;
if (val < target)
l = mid + 1;
else
r = mid - 1;
}
return false;
}
}
Saved
Ln 18, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input

Design HashMap - Leet | Rotate Image - LeetCoc | Search a 2D Matrix - Le | Transpose Matrix - Leet | Print Diagonally | Practi | Print Diagonally | Practi | Linked List Cycle II - Lee

https://leetcode.com/problems/linked-list-cycle-ii/submissions/2058196083/

Problem List | Submit | 0 | 20:36:13 | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 18 / 18 testcases passed

Harini-910 submitted at Jul 06, 2026 20:44

Analysis | Solution

Runtime

0 ms | Beats 100.00%

Memory

46.74 MB | Beats 30.09%

Code | Java

```java
/**
 * Definition for singly-linked list.
 * class ListNode {
 *     int val;
 *     ListNode next;
 *     ListNode(int x) {
```

Code

Java | Auto

```java
 *     int val;
 *     ListNode next;
 *     ListNode(int x) {
 *         val = x;
 *         next = null;
 *     }
 * }
 */
public class Solution {
    public ListNode detectCycle(ListNode head) {
        ListNode slow = head, fast = head;

        while (fast != null && fast.next != null) {
            slow = slow.next;
            fast = fast.next.next;

            if (slow == fast) {
                slow = head;
                while (slow != fast) {
                    slow = slow.next;
                    fast = fast.next;
```

Saved | Ln 32, Col 2

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Input


Design HashMap - LeetCode
Rotate Image - LeetCode
https://leetcode.com/problems/rotate-image/submissions/2058187996/
Chat
Problem List
Submit
20:36:13
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 21 / 21 testcases passed
Harini-910 submitted at Jul 06, 2026 20:36
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
43.85 MB | Beats 34.44%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
class Solution {
public void rotate(int[][] matrix) {
int n = matrix.length;
// Transpose
for (int i = 0; i < n; i++) {
Code
Java
Auto
class Solution {
public void rotate(int[][] matrix) {
int n = matrix.length;
// Transpose
for (int i = 0; i < n; i++) {
for (int j = i + 1; j < n; j++) {
int temp = matrix[i][j];
matrix[i][j] = matrix[j][i];
matrix[j][i] = temp;
}
}
// Reverse each row
for (int i = 0; i < n; i++) {
int left = 0, right = n - 1;
while (left < right) {
int temp = matrix[i][left];
matrix[i][left] = matrix[i][right];
matrix[i][right] = temp;
Saved
Ln 26, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input


Design HashMap - LeetCode
Progress - LeetCode
https://leetcode.com/problems/design-hashmap/submissions/2058185983/
Chat
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 37 / 37 testcases passed Time taken: 20hrs 36m 13s
Harini-910 submitted at Jul 06, 2026 20:34
Analysis
Solution
Runtime
40 ms | Beats 17.53%
Memory
57.66 MB | Beats 27.43%
30%
20%
10%
0%
14ms 46ms 79ms 111ms 143ms 175ms 208ms 240ms
Code | Java
class MyHashMap {
int[] map;
public MyHashMap() {
map=new int[1000001];
java.util.Arrays.fill(map,-1);
Code
Java
Auto
class MyHashMap {
int[] map;
public MyHashMap() {
map=new int[1000001];
java.util.Arrays.fill(map,-1);
}
public void put(int key, int value) {
map[key]=value;
}
public int get(int key) {
return map[key];
}
public void remove(int key) {
Saved
Ln 6, Col 24
Testcase
Test Result
Accepted Runtime: 2 ms
Case 1
Input



Uncommon Words from Two S
Valid Anagram - LeetCode
LeetCode 242 Solution
Ask Gemini
leetcode.com/problems/valid-anagram/submissions/2055521109/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 55 / 55 testcases passed
Harini-910 submitted at Jul 04, 2026 14:49
Analysis
Solution
Runtime
3 ms Beats 92.84%
Memory
46.57 MB Beats 24.73%
Code
Java
Auto
class Solution {
public boolean isAnagram(String s, String t) {
char[] a = s.toCharArray();
char[] b = t.toCharArray();
Arrays.sort(a);
Arrays.sort(b);
return Arrays.equals(a, b);
}
}
Saved
Ln 12, Col 5
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
s =
"anagram"