

Number of XSelf Divid...XNumber of XNumber of XUgly Num...XCount of f...XNumber of XRobot Reti...XCount Od...X2129. Cap...XCapitalize...X

https://leetcode.com/problems/capitalize-the-title/submissions/2051424611/Chat

Problem ListSubmitEditorialSolutionsSubmissionsSubmitCtrlEnter

DescriptionAcceptedEditorialSolutionsSubmissions

All Submissions

Accepted200 / 200 testcases passed

Harini-910 submitted at Jun 30, 2026 21:47

AnalysisSolution

Runtime

11 msBeats 5.04%

Memory

50.94 MBBeats 5.17%



Runtime (ms)	Percentage
2	~15%
3	~25%
4	~10%
5	~10%
6	~15%
7	~10%
8	~5%
9	~5%
10	~5%

CodeJava

```
1 class Solution {
2     public String capitalizeTitle(String title) {
3         String[] words = title.toLowerCase().split(" ");
4         String ans = "";
5
6         for (int i = 0; i < words.length; i++) {
```

JavaAuto

```
1 class Solution {
2     public String capitalizeTitle(String title) {
3         String[] words = title.toLowerCase().split(" ");
4         String ans = "";
5
6         for (int i = 0; i < words.length; i++) {
7             if (words[i].length() <= 2)
8                 ans += words[i];
9             else
10                ans += Character.toUpperCase(words[i].charAt(0)) + words[i].substring(1);
11
12             if (i != words.length - 1)
13                 ans += " ";
14         }
15
16         return ans;
17     }
18 }
```

TestcaseTest Result

AcceptedRuntime: 4 ms

Case 1Case 2Case 3

Input

https://leetcode.com/problems/robot-return-to-origin/submissions/2051418828/

Problem List

Submit

203231

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 79 / 79 testcases passed

Harini-910 submitted at Jun 30, 2026 21:42

Analysis

Solution

Runtime

4 ms | Beats 98.83%

Memory

45.86 MB | Beats 50.32%

Runtime (ms)	Percentage
1	~1%
2	~1%
3	~1%
4	~30%
5	~18%
6	~15%
7	~8%
8	~10%
9	~2%
10	~1%

Code | Java

```
1 class Solution {
2     public boolean judgeCircle(String moves) {
3         int x = 0, y = 0;
4
5         for (char c : moves.toCharArray()) {
6             if (c == 'U')
7                 y++;
8             else if (c == 'D')
9                 y--;
10            else if (c == 'L')
11                x--;
12            else
13                x++;
14        }
15
16        return x == 0 && y == 0;
17    }
18 }
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

https://leetcode.com/problems/number-of-students-doing-homework-at-a-given-time/submissions/2051417089/

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions

< All Submissions

Accepted 111 / 111 testcases passed

Harini-910 submitted at Jun 30, 2026 21:40

Analysis Solution

Runtime 0 ms | Beats 100.00% Memory 43.46 MB | Beats 39.28%

150%
100%
50%
0%

1ms 2ms 3ms 6ms

1ms 2ms 3ms 6ms

Code | Java

```
1 class Solution {
2     public int busyStudent(int[] startTime, int[] endTime, int queryTime) {
3         int count = 0;
4
5         for (int i = 0; i < startTime.length; i++) {
6             if (queryTime >= startTime[i] && queryTime <= endTime[i])
```

 Code

Java Auto

```
1 class Solution {
2     public int busyStudent(int[] startTime, int[] endTime, int queryTime) {
3         int count = 0;
4
5         for (int i = 0; i < startTime.length; i++) {
6             if (queryTime >= startTime[i] && queryTime <= endTime[i])
7                 count++;
8         }
9
10        return count;
11    }
12 }
```

Saved Ln 12, Col 2

 Testcase Test Result

Accepted Runtime: 0 ms

 Case 1 Case 2

Input

https://leetcode.com/problems/count-odd-numbers-in-an-interval-range/submissions/2051422438/

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 84 / 84 testcases passed

Harini-910 submitted at Jun 30, 2026 21:45

Analysis Solution

Runtime 0 ms | Beats 100.00%

Memory 42.20 MB | Beats 21.08%

Code | Java

```
1 class Solution {
2     public int countOdds(int low, int high) {
3         return (high + 1) / 2 - low / 2;
4     }
5 }
```

Code

```
1 class Solution {
2     public int countOdds(int low, int high) {
3         return (high + 1) / 2 - low / 2;
4     }
5 }
```

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

https://leetcode.com/problems/count-of-matches-in-tournament/submissions/2051415557/

Problem List < > <>


Accepted 200 / 200 testcases passed

Harini-910 submitted at Jun 30, 2026 21:38

Analysis Solution

Runtime: 0 ms | Beats 100.00%

Memory: 42.37 MB | Beats 18.47%



Code | Java

```
1 class Solution {
2     public int numberOfMatches(int n) {
3         int matches = 0;
4
5         while (n > 1) {
6             if (n % 2 == 0) {
```

Code

```
1 class Solution {
2     public int numberOfMatches(int n) {
3         int matches = 0;
4
5         while (n > 1) {
6             if (n % 2 == 0) {
7                 matches += n / 2;
8                 n /= 2;
9             } else {
10                matches += (n - 1) / 2;
11                n = (n - 1) / 2 + 1;
12            }
13        }
14
15        return matches;
16    }
17 }
```

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

Ugly Number - LeetCode

https://leetcode.com/problems/ugly-number/submissions/2051413536/

Problem List < > $\$

Submit

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 1013 / 1013 testcases passed

Harini-910 submitted at Jun 30, 2026 21:37

Analysis Solution

Runtime 1 ms | Beats 99.11%

Memory 42.55 MB | Beats 51.34%

Code | Java

```
1 class Solution {
2     public boolean isUgly(int n) {
3         if (n <= 0)
4             return false;
5
6         while (n % 2 == 0)
```

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

Number of Arithmetic Triplets - LeetCode X Self Dividing Numbers - LeetCode X Number of Common Factors - LeetCode X Number of Steps to Reduce a Number to Zero - LeetCode X

https://leetcode.com/problems/number-of-steps-to-reduce-a-number-to-zero/submissions/2051410517/

Problem List < > <> Submit <> 20:32:31 Premium

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted

Harini-910 submitted at Jun 30, 2026 21:34 Analysis Solution

Runtime 68 ms | Beats 0.17% Memory 42.18 MB | Beats 56.14%

150% 100% 50% 0%

1ms 2ms 3ms 9ms

Code | Java

```
1 class Solution {
2     public int numberOfSteps(int num) {
3         int count = 0;
4
5         while (num > 0) {
6             if (num % 2 == 0)
7                 num /= 2;
8             else
9                 num--;
10            count++;
11        }
12        return count;
13    }
14 }
15
16 }
```

Saved Ln 16, Col 2

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

Number of Arithmetic Triplets - Le X

https://leetcode.com/problems/number-of-arithmetic-triplets/submissions/2051403800/

Problem List<>Submit


DescriptionAcceptedEditorialSolutionsSubmissions

All Submissions

Accepted104 / 104 testcases passed
Harini-910 submitted at Jun 30, 2026 21:28

Runtime
3 ms | Beats 59.45%

Memory
43.00 MB | Beats 93.56%



Code | Java

```
1 class Solution {
2     public int arithmeticTriplets(int[] nums, int diff) {
3         int count = 0;
4
5         for (int i = 0; i < nums.length; i++) {
6             boolean a = false, b = false;
7
8             for (int j = i + 1; j < nums.length; j++) {
9                 if (nums[j] - nums[i] == diff)
10                    a = true;
11                 if (nums[j] - nums[i] == 2 * diff)
12                    b = true;
13             }
14
15             if (a && b)
16                 count++;
17         }
18
19         return count;
20     }
21 }
```

Code

JavaAuto

```
1 class Solution {
2     public int arithmeticTriplets(int[] nums, int diff) {
3         int count = 0;
4
5         for (int i = 0; i < nums.length; i++) {
6             boolean a = false, b = false;
7
8             for (int j = i + 1; j < nums.length; j++) {
9                 if (nums[j] - nums[i] == diff)
10                    a = true;
11                 if (nums[j] - nums[i] == 2 * diff)
12                    b = true;
13             }
14
15             if (a && b)
16                 count++;
17         }
18
19         return count;
20     }
21 }
```

SavedLn 21, Col 2

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input

Number of Arithmetic Triplets - LeetCode X Self Dividing Numbers - LeetCode X +

https://leetcode.com/problems/self-dividing-numbers/submissions/2051405604/

Problem List < > Submit Settings 20:32:31 Premium

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 31 / 31 testcases passed

Harini-910 submitted at Jun 30, 2026 21:29

Analysis Solution

Runtime 3 ms | Beats 41.42%

Memory 42.64 MB | Beats 45.76%

Code | Java

```
1 class Solution {
2     public List<Integer> selfDividingNumbers(int left, int right) {
3         List<Integer> list = new ArrayList<>();
4
5         for (int i = left; i <= right; i++) {
6             int n = i;
7             boolean ok = true;
```

Code

```
5     for (int i = left; i <= right; i++) {
6         int n = i;
7         boolean ok = true;
8
9         while (n > 0) {
10             int d = n % 10;
11             if (d == 0 || i % d != 0) {
12                 ok = false;
13                 break;
14             }
15             n /= 10;
16         }
17
18         if (ok)
19             list.add(i);
20     }
21
22     return list;
23 }
24 }
```

Saved Ln 24, Col 2

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

Number of Arithmetic Triplets - LeetCode X Self Dividing Numbers - LeetCode X 2427. Number of Common Factors - LeetCode X Number of Common Factors - LeetCode X

https://leetcode.com/problems/number-of-common-factors/submissions/2051407748/

Problem List < > < > Submit

Description | Accepted X | Editorial | Solutions | Submissions

All Submissions

Accepted 76 / 76 testcases passed

Harini-910 submitted at Jun 30, 2026 21:31

Analysis Solution

Runtime 1 ms | Beats 68.98%

Memory 41.94 MB | Beats 77.13%

Code | Java

```
1 class Solution {
2     public int commonFactors(int a, int b) {
3         int count = 0;
4
5         for (int i = 1; i <= Math.min(a, b); i++) {
6             if (a % i == 0 && b % i == 0)
7                 count++;
8         }
9
10        return count;
11    }
12 }
```

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input