

Final Value of Variable After Perform...

https://leetcode.com/problems/final-value-of-variable-after-performing-operations/submissions/2050077873/

Problem List

Submit

20:32:31

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

259 / 259 testcases passed

Time taken: 20hrs 32m 31s

Analysis

Solution

Harini-910

submitted at Jun 29, 2026 18:36

Runtime

1 ms | Beats 74.30%

Memory

44.66 MB | Beats 13.06%

Runtime (ms)	Beats (%)
1ms	74.30%
2ms	0%
3ms	0%
4ms	0%

Code | Java

```
1 class Solution {
2   public int finalValueAfterOperations(String[] operations) {
3     int x=0;
4
5     for(String op:operations)
6     {
7       if(op.contains("+")){
8         x++;
9       }else{
10        x--;
11      }
12    }
13    return x;
14  }
15 }
16
```

Testcase

Test Result

Accepted Runtime: 0 ms

Final Value of Variable After Perform... Count Integers With Even Digit Sum

https://leetcode.com/problems/count-integers-with-even-digit-sum/submissions/2050080976/

Problem List Submit Chat Premium

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 71 / 71 testcases passed
Harini-910 submitted at Jun 29, 2026 18:40 Analysis Solution

Runtime 2 ms | Beats 60.27%
Memory 42.32 MB | Beats 10.73%

Runtime (ms)	Beats (%)
1ms	~10%
2ms	60.27%
3ms	~5%
4ms	~2%

Code | Java

```
1 class Solution {
2     public int countEven(int num) {
3         int cnt=0;
4
5         for(int i=1;i<=num;i++){
6             int sum=0,temp=i;
7
8             while(temp>0){
9                 sum+=temp%10;
10                temp=temp/10;
11            }
12            if(sum%2==0){
13                cnt++;
14            }
15        }
16        return cnt;
17    }
18 }
```

Saved Ln 6, Col 23

Testcase Test Result

Accepted Runtime: 0 ms

Final Value of Variable After Perfor...

Count Integers With Even Digit Su...

Sum of Digits of String After Conv...

<https://leetcode.com/problems/sum-of-digits-of-string-after-convert/submissions/2050085971/>

Problem List

Accepted

Editorial

Solutions

Submissions

Accepted

216 / 216 testcases passed

Harini-910 submitted at Jun 29, 2026 18:45

Analysis

Solution

Runtime

5 ms | Beats 20.86%

Memory

44.08 MB | Beats 22.83%

Runtime (ms)	Beats (%)
1ms	~10%
2ms	~30%
3ms	~5%
4ms	~2%
5ms	20.86%

Code | Java

```

1 class Solution {
2     public int get Lucky(String s, int k) {
3         String str="";
4
5         for(int i=0;i<s.length();i++){
6             str+=(s.charAt(i)-'a'+1);
7         }
8     }
9 }

```

Code

```

1 class Solution {
2     public int get Lucky(String s, int k) {
3         String str="";
4
5         for(int i=0;i<s.length();i++){
6             str+=(s.charAt(i)-'a'+1);
7         }
8         int sum=0;
9
10        for(int i=0;i<k;i++){
11            sum=0;
12            for(int j=0;j<str.length();j++){
13                sum+=str.charAt(j)-'0';
14            }
15            str=Integer.toString(sum);
16        }
17        return sum;
18    }
19 }
20

```

Saved

Upgrade to Cloud Saving

Ln 18, Col 21

Testcase

Test Result

Accepted

Runtime: 2 ms

Final Value of Variable After Perfo...Count Integers With Even Digit Su...Sum of Digits of String After Conv...Smallest Even Multiple - LeetCode

https://leetcode.com/problems/smallest-even-multiple/submissions/2050087381/

Problem ListSubmit

DescriptionAcceptedEditorialSolutionsSubmissions

All Submissions

Accepted150 / 150 testcases passed

Harini-910 submitted at Jun 29, 2026 18:46

Runtime0 msBeats 100.00%

Memory42.20 MBBeats 30.59%



Code | Java

```
1 class Solution {
2     public int smallestEvenMultiple(int n) {
3         if(n%2==0){
4             return n;
5         }
6         return n*2;
7     }
8 }
```

Code

JavaAuto

```
1 class Solution {
2     public int smallestEvenMultiple(int n) {
3         if(n%2==0){
4             return n;
5         }
6         return n*2;
7     }
8 }
```

SavedLn 6, Col 20

TestcaseTest Result

AcceptedRuntime: 0 ms

Final Value of Variable × Count Integers With Ev × Sum of Digits of String × Smallest Even Multiple × Calculate Delayed Arriv × How Many Numbers A × Harshad Number - Leet ×

https://leetcode.com/problems/harshad-number/submissions/2050097782/

Problem List < > <>< Submit < > <>< 20:32:31 Premium

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 100 / 100 testcases passed
Harini-910 submitted at Jun 29, 2026 18:57 Analysis Solution

Runtime
0 ms | Beats 100.00%

Memory
42.05 MB | Beats 62.28%

Runtime	Beats
0 ms	100.00%
1 ms	0%
2 ms	0%
3 ms	0%
4 ms	0%

Code | Java

```
1 class Solution {
2     public int sumOfTheDigitsOfHarshadNumber(int x) {
3         int div=1;
4         int sum=0;
5         int n=x;
6         while(div<=x){
```

</> Code

Java Auto

```
1 class Solution {
2     public int sumOfTheDigitsOfHarshadNumber(int x) {
3         int div=1;
4         int sum=0;
5         int n=x;
6         while(div<=x){
7             int ld=n%(div*10)/div;
8             sum=sum*ld;
9             div=div*10;
10        }if(x%sum==0){
11            return sum;
12        }else{
13            return -1;
14        }
15    }
16 }
```

Saved Ln 5, Col 16

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

x =

18

Output

https://leetcode.com/problems/how-many-numbers-are-smaller-than-the-current-number/submissions/2050091503/

Problem List < > Submit

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 103 / 103 testcases passed

Harini-910 submitted at Jun 29, 2026 18:51

Analysis Solution

Runtime 7 ms | Beats 80.86%

Memory 45.54 MB | Beats 52.56%

Code | Java

```
1 class Solution {
2     public int[] smallerNumbersThanCurrent(int[] nums) {
3         int n=nums.length;
4         int[]ans=new int[n];
5
6         for(int i=0;i<n;i++){
```

Code

Java Auto

```
1 class Solution {
2     public int[] smallerNumbersThanCurrent(int[] nums) {
3         int n=nums.length;
4         int[]ans=new int[n];
5
6         for(int i=0;i<n;i++){
7             int cnt=0;
8
9             for(int j=0;j<n;j++){
10                 if(nums[j]<nums[i]){
11                     cnt++;
12                 }
13             }
14             ans[i]=cnt;
15         }
16         return ans;
17     }
18 }
```

Saved Ln 14, Col 23

Testcase Test Result

Accepted Runtime: 0 ms

https://leetcode.com/problems/calculate-delayed-arrival-time/submissions/2050088793/

Problem List < > Submit

Description | Accepted x | Editorial | Solutions | Submissions

All Submissions

Accepted 556 / 556 testcases passed

Analysis Solution

Harini-910 submitted at Jun 29, 2026 18:48

Runtime 0 ms | Beats 100.00%

Memory 42.27 MB | Beats 85.12%

Code | Java

```
1 class Solution {
2     public int findDelayedArrivalTime(int arrivalTime, int delayedTime) {
3         return (arrivalTime + delayedTime) % 24;
4     }
5 }
```

Java Auto

```
1 class Solution {
2     public int findDelayedArrivalTime(int arrivalTime, int delayedTime) {
3         return (arrivalTime + delayedTime) % 24;
4     }
5 }
```

Saved Ln 3, Col 44

Testcase Test Result

Accepted Runtime: 0 ms

Final Value of Vari...Count Integers Wit...Sum of Digits of St...Smallest Even Multi...Calculate Delayed /...How Many Numbe...Harshad Number -...Maximum Number X

https://leetcode.com/problems/maximum-number-of-words-found-in-sentences/

Problem List<>SubmitSubmit

2114. Maximum Number of Words Found in SentencesSolved

EasyTopicsCompaniesHint

A **sentence** is a list of **words** that are separated by a single space with no leading or trailing spaces.

You are given an array of strings `sentences`, where each `sentences[i]` represents a single **sentence**.

Return the **maximum number of words** that appear in a single sentence.

Example 1:

Input: `sentences = ["alice and bob love leetcode", "i think so too", "this is great thanks very much"]`

Output: 6

Explanation:

- The first sentence, "alice and bob love leetcode", has 5 words in total.
- The second sentence, "i think so too", has 4 words in total.
- The third sentence, "this is great thanks very much", has 6 words in total.

Thus, the maximum number of words in a single sentence comes from the third sentence, which has 6 words.

Example 2:

Input: `sentences = ["please wait", "continue to fight", "continue to win"]`

Output: 3

Explanation: It is possible that multiple sentences contain the same number of words.

1.9K4313 Online

Code

JavaAuto

```
1 class Solution {
2     public int mostWordsFound(String[] s) {
3         int max=0;
4         for(String str:s){
5             String arr[]=str.split(" ");
6             int len=arr.length;
7             max=Math.max(max,len);
8         }
9         return max;
10    }
11 }
```

SavedLn 9, Col 20

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input

sentences =
["alice and bob love leetcode","i think so too","this is great thanks very much"]

Final Value of XCount IntegerSum of DigitsSmallest EvenCalculate DeHow Many NHarshad NumMaximum NDifference BeFind Greatest

https://leetcode.com/problems/find-greatest-common-divisor-of-array/submissions/2050108467/

Problem ListSubmit

DescriptionAcceptedEditorialSolutionsSubmissions

All Submissions

Accepted215 / 215 testcases passed

Harini-910 submitted at Jun 29, 2026 19:09


AnalysisSolution

Runtime

0 msBeats 100.00%

Memory

45.09 MBBeats 57.92%



CodeJavaAuto

```
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
for(int i=1;i<nums.length;i++){
    if(nums[i]<min){
        min=nums[i];
    }
    if(nums[i]>max){
        max=nums[i];
    }
}
while(max%min!=0){
    int temp=max%min;
    max=min;
    min=temp;
}
return min;
}
```

SavedLn 19, Col 20

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1

Case 2

Case 3

Input

CodeJava

```
1 class Solution {
2     public int findGCD(int[] nums) {
3         int min=nums[0];
4         int max=nums[0];
5
6         for(int i=1;i<nums.length;i++){
7             //min=min<min?min:nums[i];
8             //max=max>max?max:nums[i];
9         }
10        while(max%min!=0){
11            int temp=max%min;
12            max=min;
13            min=temp;
14        }
15        return min;
16    }
17 }
```

https://leetcode.com/problems/difference-between-element-sum-and-digit-sum-of-an-array/submissions/2050105132/

Problem List < > < > Submit

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 142 / 142 testcases passed

Harini-910 submitted at Jun 29, 2026 19:05

Analysis Solution

Runtime 2 ms | Beats 99.35%

Memory 46.45 MB | Beats 48.35%

Runtime (ms)	Percentage
1ms	~0.5%
2ms	99.35%
3ms	~0.5%
4ms	~0.5%
5ms	~0.5%

Code

```
1 class Solution {
2     public int differenceOfSum(int[] nums) {
3         int es=0;
4         int ds=0;
5
6         for(int i=0;i<nums.length;i++){
7             es+=nums[i];
8             int n=nums[i];
9
10            while(n>0){
11                ds+=n%10;
12                n=n/10;
13            }
14        }
15        return Math.abs(es-ds);
16    }
17 }
```

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input