

Add Two Integers - LeetCode X Subtract the Product and Sum X Find Numbers with Even Num X Convert the Temperature - Le X Number of Good Pairs - LeetCode X Count the Digits That Divide X

https://leetcode.com/problems/number-of-good-pairs/submissions/2049116781/

Chat

Problem List

Submit

Premium

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 49 / 49 testcases passed

Analysis Solution


Harini-910 submitted at Jun 28, 2026 21:36

Runtime

1 ms | Beats 86.98%

Memory

42.69 MB | Beats 78.97%



Runtime (ms)	Beats (%)
1ms	86.98%
2ms	0%
3ms	0%
4ms	0%

Code Java

```
1 class Solution {
2     public int numIdenticalPairs(int[] nums) {
3         int cnt=0;
4
5         for(int i=0;i<nums.length;i++){
6             for(int j=i+1;j<nums.length;j++){
7                 if(nums[i]==nums[j]){
8                     cnt++;
9                 }
10            }
11        }
12        return cnt;
13    }
14 }
```

Saved

Ln 12, Col 20

Testcase Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Case 3

Input

Find the Pivot

https://leetcode.com/problems/find-the-pivot-integer/submissions/2049140705/

Problem List

Submit

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

428 / 428 testcases passed

Analysis

Solution


Harini-910 submitted at Jun 28, 2026 22:01

Runtime

1 ms | Beats 67.42%

Memory

42.35 MB | Beats 55.52%



Time (ms)	Percentage
1	67.42%

Code

Java

```
1 class Solution {
2     public int pivotInteger(int n) {
3         int totalSum=n*(n+1)/2;
4         int leftSum=0;
5
6         for(int i=1;i<=n;i++){
7             leftSum+=i;
8
9             if(leftSum==totalSum-leftSum+i){
10                 return i;
11             }
12         }
13         return -1;
14     }
15 }
```

Testcase

Test Result

Accepted Runtime: 0 ms

Add Two Integer X Subtract the Pro X Find Numbers w X Convert the Tern X Number of Good X Count the Digit X A Number After X Maximum 69 N X Minimum Sum X

https://leetcode.com/problems/minimum-sum-of-four-digit-number-after-splitting-digits/

Problem List < > Submit

Description Accepted X Editorial Solutions Submissions

All Submissions

Accepted 99 / 99 testcases passed

Harini-910 submitted at Jun 28, 2026 21:53

Analysis Solution

Runtime

0 ms | Beats 100.00%

Memory

42.31 MB | Beats 36.22%



Time Interval	Performance (%)
0ms	~15%
1ms	~0%
2ms	~45%
3ms	~0%
4ms	~0%

Code | Java

```
1 class Solution {
2     public int minimumSum(int num) {
3         int[] arr=new int[4];
4
5         for(int i=0;i<4;i++){
6             arr[i]=num%10;
7             num=num/10;
```

 Code

Java Auto

```
1 class Solution {
2     public int minimumSum(int num) {
3         int[] arr=new int[4];
4
5         for(int i=0;i<4;i++){
6             arr[i]=num%10;
7             num=num/10;
8         }
9         for(int i=0;i<arr.length-1;i++){
10            for(int j=i+1;j<arr.length;j++){
11                if(arr[i]>arr[j]){
12                    int temp=arr[i];
13                    arr[i]=arr[j];
14                    arr[j]=temp;
15                }
16            }
17        }
18        int new1=arr[0]*10+arr[2];
19        int new2=arr[1]*10+arr[3];
20        return new1+new2;
21    }
22 }
23
```

Saved Ln 13, Col 35

 Testcase Test Result

Accepted Runtime: 0 ms

Add Two Integers × Subtract the Product of Two Numbers × Find Numbers with GCD × Convert the Temperature × Number of Good Pairs × Count the Digits That Divide a Number × A Number After a Digit Rotation × Maximum 69 Number ×

https://leetcode.com/problems/maximum-69-number/submissions/2049124979/

Problem List < > ↺

Submit

0

Chat

Premium

Description × Accepted × Editorial Solutions Submissions

All Submissions

Accepted 153 / 153 testcases passed

Harini-910 submitted at Jun 28, 2026 21:45


Analysis Solution

Runtime

1 ms | Beats 79.18%

Memory

42.38 MB | Beats 28.44%



Code | Java

```
1 class Solution {
2     public int maximum69Number (int num) {
3         char[] digits=String.valueOf(num).toCharArray();
4
5         for(int i=0;i<digits.length;i++){
6             if(digits[i]=='6'){
7                 digits[i]='9';
8                 break;
9             }
10        }
11        return Integer.parseInt(new String(digits));
12    }
13 }
```

Java Auto

```
1 class Solution {
2     public int maximum69Number (int num) {
3         char[] digits=String.valueOf(num).toCharArray();
4
5         for(int i=0;i<digits.length;i++){
6             if(digits[i]=='6'){
7                 digits[i]='9';
8                 break;
9             }
10        }
11        return Integer.parseInt(new String(digits));
12    }
13 }
```

Saved

Ln 11, Col 53

Testcase > Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

⌵

Add Two Integers - Leet X

Subtract the Product an X

Find Numbers with Ever X

Convert the Temperatu X

Number of Good Pairs X

Count the Digits That D X

A Number After a Doub X

+

⌵

https://leetcode.com/problems/a-number-after-a-double-reversal/submissions/2049121850/

Chat

Problem List

Submit

0

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

129 / 129 testcases passed

Analysis

Solution

Harini-910 submitted at Jun 28, 2026 21:41

Runtime

0 ms | Beats 100.00%

Memory

41.89 MB | Beats 92.47%

150%

100%

50%

0%

1ms

2ms

3ms

4ms

Code

Java

```
1 class Solution {
2     public boolean isSameAfterReversals(int num) {
3         return num==0||num%10!=0;
4     }
5 }
6 }
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Case 3

Input

⌵

Add Two Integers - LeetCode × Subtract the Product and Sum × Find Numbers with Even Num × Convert the Temperature - Le × Number of Good Pairs - LeetCode × Count the Digits That Divide a Number ×

↶ ↷ https://leetcode.com/problems/count-the-digits-that-divide-a-number/submissions/2049118968/ ⌵ ⌵ ⌵ ⌵ ⌵ Chat ⌵

🏠 Problem List < > ⌵

🚀 Submit 📄 ✨

🔧 ⚙️ 🔥 0 ⌵ ⌵ ⌵ ⌵ ⌵ Premium

Description | Accepted × Editorial | Solutions | Submissions

← All Submissions 🔗

Accepted 56 / 56 testcases passed

👤 Harini-910 submitted at Jun 28, 2026 21:38

🔍 Analysis 📄 Solution

🕒 Runtime

0 ms | Beats 100.00% 🌱

🧠 Memory

41.90 MB | Beats 73.63% 🌱



Code | Java

```
1 class Solution {
2     public int countDigits(int num) {
3         int temp=num;
4         int cnt=0;
5
6         while(temp>0){
7             int digit=temp%10;
```

</> Code

Java ⌵ 🔒 Auto

```
1 class Solution {
2     public int countDigits(int num) {
3         int temp=num;
4         int cnt=0;
5
6         while(temp>0){
7             int digit=temp%10;
8
9             if(num%digit==0){
10                cnt++;
11            }
12            temp/=10;
13        }
14        return cnt;
15    }
16 }
```

Saved

Ln 14, Col 20

🔍 Testcase | ➤ Test Result

Accepted Runtime: 0 ms

👍 Case 1 👍 Case 2 👍 Case 3

Input

num =

7

⌵

Add Two Integers - LeetCode

✕

Subtract the Product and Sum of Digits of Two Numbers

✕

Find Numbers with Even Number of Divisors

✕

Convert the Temperature - LeetCode

✕

+

https://leetcode.com/problems/convert-the-temperature/submissions/2049113967/

🏠

Problem List

<

>

🔗

🏠

Submit

📄

🔗

🔧

⚙️

🔥 0

🕒

👤

👤

Premium

Description

Accepted

✕

Editorial

Solutions

Submissions

All Submissions

Accepted 74 / 74 testcases passed

🔗 Analysis

📄 Solution

👤 Harini-910 submitted at Jun 28, 2026 21:33

🕒 Runtime

0 ms | Beats 100.00%

🧠 Memory

46.38 MB | Beats 9.47%

Runtime	1ms	3ms	5ms	13ms
Beats	100%	~0%	~0%	~0%

Code | Java

```
1 class Solution {
2     public double[] convertTemperature(double celsius) {
3         double kelvin=celsius+273.15;
4         double fahrenheit=celsius*1.80+32.00;
5         return new double[]{kelvin,fahrenheit};
6     }
7 }
```

Saved

Ln 4, Col 22

🔍 Testcase

> Test Result

Accepted Runtime: 0 ms

✅ Case 1

✅ Case 2

Input

celsius =

36.50

Output

[309.65000,97.70000]

Expected

▼Add Two Integers - LeetCode × Subtract the Product and Sum of Digits - LeetCode ×Find Numbers with Even Number of Digits - LeetCode ×

https://leetcode.com/problems/find-numbers-with-even-number-of-digits/submissions/2049111096/

Chat

Problem List

Submit

Premium

DescriptionAccepted × Editorial Solutions Submissions

Upgrade to premium to use autocomplete

All Submissions

Accepted 105 / 105 testcases passed

Harini-910 submitted at Jun 28, 2026 21:30


AnalysisSolution

Runtime

1 ms | Beats 99.57%

Memory

44.76 MB | Beats 35.43%



Code

Java

```
1 class Solution {
2     public int findNumbers(int[] nums) {
3         int cnt=0;
4
5         for(int num:nums){
6             int digits=0;
7             int temp=num;
8
9             while(temp>0){
10                 digits++;
11                 temp/=10;
12             }
13         }
14         return cnt;
15     }
16 }
```

Java Auto

```
2     public int findNumbers(int[] nums) {
3         int cnt=0;
4
5         for(int num:nums){
6             int digits=0;
7             int temp=num;
8
9             while(temp>0){
10                 digits++;
11                 temp/=10;
12             }
13         }
14         return cnt;
15     }
16 }
```

SavedLn 11, Col 24

TestcaseTest Result

Accepted Runtime: 0 ms

Case 1

Case 2

Input

nums =
[12,345,2,6,7896]

Output

2

Expected

▼

Add Two Integers - LeetCode

×

Subtract the Product and Sum of Digits of an Integer

+

https://leetcode.com/problems/subtract-the-product-and-sum-of-digits-of-an-integer/submissions/2049108316/

Problem List

Submit

0

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

123 / 123 testcases passed

Analysis

Solution

Harini-910 submitted at Jun 28, 2026 21:27

Runtime

0 ms | Beats 100.00%

Memory

42.47 MB | Beats 10.45%

Runtime	Beats
0 ms	100.00%
1 ms	~0%
2 ms	~0%
3 ms	~0%
4 ms	~0%

Code

Java

```
1 class Solution {
2     public int subtractProductAndSum(int n) {
3         int product=1;
4         int sum=0;
5
6         while(n>0){
7             int digit=n%10;
8             product*=digit;
9             sum+=digit;
10            n/=10;
11        }
12        return product-sum;
13    }
14 }
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

n = 234

Output

15

Expected

▼Add Two Integers - LeetCode

↶↷🔍📄☆🌟👤⋮🗨️ Chat

🏠📑Problem List<>🔗

🚀🎮Submit📄🔍

📏🔧🔥0⌚👤🌟Premium

Description | **Accepted** | Editorial | Solutions | Submissions

← All Submissions🔗

Accepted262 / 262 testcases passed

🔍 Analysis📄 Solution

👤 Harini-910 submitted at Jun 28, 2026 21:24

🕒 Runtime0 ms | Beats 100.00%🌟

💾 Memory42.59 MB | Beats 5.47%

Runtime	Beats
0 ms	100.00%
1 ms	~0%
2 ms	~0%
3 ms	~0%
4 ms	~0%

Code | Java

```
1 class Solution {
2     public int sum(int num1, int num2) {
3         return num1+num2;
4     }
5 }
```

</> Code

Java ▼ 🔒 Auto

```
1 class Solution {
2     public int sum(int num1, int num2) {
3         return num1+num2;
4     }
5 }
```

SavedLn 1, Col 1

✅ Testcase | > Test Result

Case 1Case 2+

num1 =

12

num2 =

5

</> Source ?

Subtract the Product and Sum of Digits of an Integer

Harshad Number - LeetCode

Ask Gemini

Finish update

leetcode.com/problems/harshad-number/

Problem List

Submit

Premium

Description

Editorial

Solutions

Submissions

3099. Harshad Number

Easy

Topics

Companies

Hint

An integer divisible by the **sum** of its digits is said to be a **Harshad** number. You are given an integer `x`. Return the sum of the digits of `x` if `x` is a **Harshad** number, otherwise, return `-1`.

Example 1:

Input: `x = 18`

Output: `9`

Explanation:

The sum of digits of `x` is `9`. `18` is divisible by `9`. So `18` is a Harshad number and the answer is `9`.

Example 2:

Input: `x = 23`

Output: `-1`

Explanation:

The sum of digits of `x` is `5`. `23` is not divisible by `5`. So `23` is not a Harshad number and the answer is `-1`.

227

25

7 Online

</> Code

Java

Auto

```
1 class Solution {
2     public int sumOfTheDigitsOfHarshadNumber(int x) {
3         int div=1;
4         int sum=0;
5         while(div<=x){
6             int ld=x%(div*10)/div;
7             sum=sum+ld;
8             div=div*10;
9         }
10        if(x%sum==0){
11            return sum;
12        }
13        return -1;
14    }
15 }
16 }
```

Saved

Ln 1, Col 1

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

x =

18

Accepted 262 / 262 testcases passed

Ishwarya submitted at Jun 28, 2026 18:05

Analysis


Solution

Runtime

0 ms | Beats 100.00%

Memory

42.51 MB | Beats 5.47%



Code | Java

```
1 class Solution {
2     public int sum(int num1, int num2) {
3         return num1+num2;
4     }
5 }
```

Code

Java Auto

```
1 class Solution {
2     public int sum(int num1, int num2) {
3         return num1+num2;
4     }
5 }
```

Saved

Ln 3, Col 26

Testcase Test Result

Case 1

Case 2

Input

num1 =
12

num2 =
5

Output

17

Accepted 49 / 49 testcases passed

Ishwarya submitted at Jun 28, 2026 18:35

Analysis

Solution

Runtime

1 ms | Beats 86.98%

Memory

43.04 MB | Beats 8.46%



Code | Java

```
1 class Solution {
2     public int numIdenticalPairs(int[] nums) {
3         int count = 0;
4         for(int i = 0; i<nums.length; i++){
5             for(int j = i+1; j< nums.length; j++){
6                 if(nums[i] == nums[j]){
```

Code

Java | Auto

```
1 class Solution {
2     public int numIdenticalPairs(int[] nums) {
3         int count = 0;
4         for(int i = 0; i<nums.length; i++){
5             for(int j = i+1; j< nums.length; j++){
6                 if(nums[i] == nums[j]){
7                     count++;
8                 }
9             }
10        }
11        return count;
12    }
13 }
```

Saved

Ln 5, Col 26

Testcase | Test Result

Case 1

Case 2

Case 3

Input

nums =
[1,2,3,1,1,3]

Output

4

Accepted 56 / 56 testcases passed

Ishwarya submitted at Jun 28, 2026 18:40

Analysis


Solution

Runtime

0 ms | Beats 100.00%

Memory

41.86 MB | Beats 87.68%



Code | Java

```
1 class Solution {
2     public int countDigits(int num) {
3         int n = num;
4         int count = 0;
5         while(n>0){
6             int digit = n%10;
```

Code

Java Auto

```
1 class Solution {
2     public int countDigits(int num) {
3         int n = num;
4         int count = 0;
5         while(n>0){
6             int digit = n%10;
7             if(num%digit == 0){
8                 count++;
9             }
10            n /= 10;
11        }
12        return count;
13    }
14 }
```

Saved

Ln 12, Col 22

Testcase Test Result

Case 1

Case 2

Case 3

Input

num =

7

Output

1