

INDEX.HTML CODE

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
  <head>
```

```
    <title>MY portfolio</title>
```

```
    <link rel="stylesheet" href="style.css">
```

```
  </head>
```

```
  <body>
```

```
    <div class="main">
```

```
      <div class="navbar">
```

```
        
```

```
        <ul>
```

```
          <li><a href="#">HOME</a></li>
```

```
          <li><a href="#">ABOUT</a></li>
```

```
          <li><a href="skills.html">SKILLS</a></li>
```

```
          <li><a href="my works.html">MY WORKS</a></li>
```

```
          <li><a href="contact.html">CONTACT</a></li>
```

```
        </ul>
```

```
      </div>
```

```
    <div class="info">
```

```
      <h3>HI,I'm<span> Harini</span></h3>
```

```
      <h1><span>w</span>eb <span>D</span>eveloper</h1>
```

```
      <h3>I am an Electrical and Electronics Engineering (EEE) student with coding skills.</h3>
```

```
      <a href="#">Hire me</a>
```

```
      <a href="resume.html">download resume</a>
```

</div>

<div class="image">

</div>

<div class="icons">

<ion-icon name="logo-linkedin"></ion-icon>

<ion-icon name="mail-outline"></ion-icon>

<ion-icon name="call-outline"></ion-icon>

</div>

</div>

</div>

</section>

<script type="module"
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>

```
<script nomodule
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>

</body>

</html>
```

CONTACT.HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Contact Me</title>

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.2/css/all.min.css">

  <style>

    body {

      font-family: Arial, sans-serif;

      background: #4B0082;

      color: white;

      text-align: center;

      margin: 0;

      padding: 40px;

      overflow-x: hidden;

    }

    h1 {

      font-size: 2.5rem;

      margin-bottom: 20px;

      animation: fadeIn 1.5s ease-in-out;

    }

  </style>
```

```
.contact-container {  
    display: flex;  
    flex-direction: column;  
    align-items: center;  
    gap: 20px;  
}  
  
.contact-box {  
    background: #6A0DAD;  
    padding: 20px;  
    border-radius: 10px;  
    box-shadow: 0 4px 15px rgba(255, 255, 255, 0.2);  
    transition: transform 0.6s ease-in-out, box-shadow 0.6s ease-in-out, background 0.6s  
ease-in-out;  
    width: 300px;  
    text-align: center;  
    opacity: 0;  
    transform: translateY(50px);  
    animation: slideIn 1s ease-in-out forwards;  
}  
  
.contact-box:hover {  
    transform: scale(1.1);  
    box-shadow: 0 6px 20px rgba(255, 255, 255, 0.3);  
    background: #7B1FA2;  
}  
  
.contact-box i {  
    font-size: 2rem;  
    margin-bottom: 10px;  
    transition: transform 0.5s ease-in-out;
```

```

    }

    .contact-box:hover i {
        transform: rotateY(360deg);
    }

    .contact-box p {
        font-size: 1.2rem;
        transition: color 0.4s ease-in-out;
    }

    .contact-box:hover p {
        color: #FFD700;
    }

    @keyframes fadeIn {
        from { opacity: 0; }
        to { opacity: 1; }
    }

    @keyframes slideIn {
        from { opacity: 0; transform: translateY(50px); }
        to { opacity: 1; transform: translateY(0); }
    }
</style>
</head>
<body>
    <h1>Contact Me</h1>
    <div class="contact-container">
        <div class="contact-box">
            <i class="fas fa-phone" style="color: #FFD700;"></i>
            <p><strong>Phone</strong></p>
            <p>+91 9345882144</p>
        </div>
    </div>

```

```
</div>

<div class="contact-box">

  <i class="fas fa-envelope" style="color: #00BFFF;"></i>

  <p><strong>Email</strong></p>

  <p>umaharinilakshmanan4@gmail.com</p>

</div>

<div class="contact-box">

  <i class="fas fa-map-marker-alt" style="color: #FF4500;"></i>

  <p><strong>Location</strong></p>

  <p>TamilNadu, India</p>

</div>

</div>

</body>

</html>
```

MY WORKS.HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>My Projects</title>

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.2/css/all.min.css">

  <style>

    body {

      font-family: Arial, sans-serif;

      background: #4B0082;
```

```
color: white;

text-align: center;

margin: 0;

padding: 40px;

overflow-x: hidden;
}

h1 {

font-size: 2.5rem;

margin-bottom: 20px;

animation: fadeIn 1.5s ease-in-out;
}

.projects {

display: flex;

flex-direction: column;

align-items: center;

gap: 40px;
}

.project {

background: #6A0DAD;

padding: 30px;

border-radius: 10px;

box-shadow: 0 4px 20px rgba(255, 255, 255, 0.3);

transition: transform 0.6s ease-in-out, box-shadow 0.6s ease-in-out, background 0.6s
ease-in-out;

max-width: 800px;

width: 120%;

text-align: left;

opacity: 0;
```

```
    transform: translateX(-100vw);
    animation: slideIn 1s ease-in-out forwards;
}
.project:nth-child(even) {
    transform: translateX(100vw);
}
.project:hover {
    transform: translateY(-15px) scale(1.08) rotate(1deg);
    box-shadow: 0 8px 25px rgba(255, 255, 255, 0.4);
    background: #7B1FA2;
}
.project i {
    font-size: 3rem;
    margin-bottom: 10px;
    transition: transform 0.5s ease-in-out;
}
.project:hover i {
    transform: rotate(360deg) scale(1.2);
}
.project p {
    font-size: 1.2rem;
    transition: color 0.4s ease-in-out;
}
.project:hover p {
    color: #FFD700;
}
@keyframes fadeIn {
    from { opacity: 0; }
```



```

        to { opacity: 1; }
    }
    @keyframes slideIn {
        from { opacity: 0; }
        to { opacity: 1; transform: translateX(0); }
    }
</style>
</head>
<body>
    <h1>My Projects</h1>
    <div class="projects">
        <div class="project">
            <i class="fas fa-robot" style="color: #FFA500;"></i>
            <p><strong>Light Following Robot</strong></p>
            <p>Designed a Light Following Robot as a mini project.</p>
        </div>
        <div class="project">
            <i class="fas fa-traffic-light" style="color: #FF0000;"></i>
            <p><strong>Servo motor precision controller</strong></p>
            <p>Designed a Servo motor precision controller as a mini project using real-time
data.</p>
        </div>
        <div class="project">
            <i class="fas fa-laptop-code" style="color: #32CD32;"></i>
            <p><strong>Portfolio Website</strong></p>
            <p>A personal portfolio website showcasing skills, projects, and achievements with a
modern, responsive design.</p>
        </div>
    </div>

```

```
</body>
```

```
</html>
```

Skills.html code:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>My Skillset</title>
```

```
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css">
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      background: #4B0082;
```

```
      color: white;
```

```
      text-align: center;
```

```
      margin: 0;
```

```
      padding: 40px;
```

```
      overflow-x: hidden;
```

```
    }
```

```
    h1 {
```

```
      font-size: 2.5rem;
```

```
      margin-bottom: 20px;
```

```
      animation: fadeIn 1.5s ease-in-out;
```

```
    }
```

```
    .skills {
```

```
      display: flex;
```

```
    flex-wrap: wrap;

    justify-content: center;

    gap: 30px;
}

.skill {

    background: #6A0DAD;

    padding: 20px;

    border-radius: 10px;

    box-shadow: 0 4px 15px rgba(255, 255, 255, 0.2);

    transition: transform 0.6s ease-in-out, box-shadow 0.6s ease-in-out, background 0.6s
ease-in-out;

    width: 250px;

    text-align: center;

    opacity: 0;

    transform: scale(0.8);

    animation: popIn 1s ease-in-out forwards;
}

.skill:hover {

    transform: scale(1.1) rotate(3deg);

    box-shadow: 0 6px 20px rgba(255, 255, 255, 0.3);

    background: #7B1FA2;
}

.skill i {

    font-size: 3rem;

    margin-bottom: 10px;

    transition: transform 0.5s ease-in-out;
}

.skill:hover i {
```

```

        transform: rotateY(360deg);
    }

    .skill p {
        font-size: 1.2rem;
        transition: color 0.4s ease-in-out;
    }

    .skill:hover p {
        color: #FFD700;
    }

    @keyframes fadeIn {
        from { opacity: 0; }
        to { opacity: 1; }
    }

    @keyframes popIn {
        from { opacity: 0; transform: scale(0.8); }
        to { opacity: 1; transform: scale(1); }
    }
</style>
</head>
<body>
    <h1>My Skillset</h1>
    <div class="skills">
        <div class="skill">
            <i class="fas fa-code" style="color: #FFD700;"></i>
            <p><strong>Web Development</strong></p>
            <p>Expert in HTML, CSS, JavaScript, and modern frameworks.</p>
        </div>
        <div class="skill">

```

```
<i class="fas fa-drafting-compass" style="color: #32CD32;"></i>
<p><strong>AutoCAD</strong></p>
<p>Skilled in 2D and 3D drafting for engineering designs.</p>
</div>
<div class="skill">
  <i class="fas fa-microchip" style="color: #FF69B4;"></i>
  <p><strong>PCB Designing</strong></p>
  <p>Expert in designing printed circuit boards using modern tools.</p>
</div>
<div class="skill">
  <i class="fab fa-java" style="color: #F89820;"></i>
  <p><strong>Java Programming</strong></p>
  <p>Experienced in Java development, including OOP and backend systems.</p>
</div>
<div class="skill">
  <i class="fas fa-c" style="color: #6495ED;"></i>
  <p><strong>C Programming</strong></p>
  <p>Strong foundation in C programming for embedded systems and software
development.</p>
</div>
</div>
</body>
</html>
```

Resume.html code:

```
<!DOCTYPE html>
<head>
  <title>RESUME</title>
</head>
```

```
<body>

  <div style="background-color: bisque;style=width: 100%;height:660px">

    <embed style="width:100%;height: 110%"src="resume y.pdf"></embed>

  </div>

</body>
```

```
</html>
```

Style.css code:

```
*{

  margin: 0;

  padding:0;

}

.main{

  width: 100%;

  background:url(bg.jpg) ;

  background-position: center;

  background-size: cover;

  height: 100vh;

  position: relative;

  font-family: sans-serif;

}

.navbar{

  width: 86%;

  display: flex;

  margin:auto;

  padding: 16px 0;

  align-items: center;

  justify-content: space-between;
```

```
}
```

```
.navbar .logo{  
  width: 160px;  
  cursor: pointer;  
  margin-top: 3%;  
  margin-bottom: -2%;
```

```
}
```

```
ul{  
  margin-top: 4%;  
}
```

```
ul li{  
  list-style: none;  
  display: inline-block;  
  padding: 10px 16px;  
}
```

```
ul li a{  
  font-size: 16px;  
  font-weight: bold;  
  text-decoration: none;  
  color: rgb(3, 57, 39);  
  margin-top: -3%;  
  transition: .4s ease;
```

```
}
```

```
ul li a:hover{  
  color:rgb(236, 66, 18)
```

```
}
```

```
.info{
```

```
    margin-left: 7%;
```

```
    margin-top: 6%;
```

```
}
```

```
.info h1{
```

```
    font-size: 70px;
```

```
    color: rgb(12, 3, 1);
```

```
}
```

```
.info h3{
```

```
    font-size: 20px;
```

```
    letter-spacing: 1px;
```

```
    line-height: 24px;
```

```
}
```

```
.info span{
```

```
    color:rgb(236, 66, 18)
```

```
}
```

```
.info a{
```

```
    text-decoration: none;
```

```
    color: #fff;
```

```
    background: palevioletred;
```

```
    margin: 30px 0;
```



```
padding: 15px 18px;
border-radius: 15px;
display: inline-block;
transition: .4s ease;
}

.info a:hover{
    background: rgb(224, 3, 77);

}

.image{
    width: 30%;
    height: 90%;
    position: absolute;
    top: 20%;
    right: 10px;
    bottom: 0;
}

.image img{
    position: absolute;
    height: 100%;
    left: 40%;
    transform: translate(-55%);
    bottom: 0;
    transition: left 2s ease;
}
```

```
.image:hover .profile{
```

```
    left: 55%;
```

```
}
```

```
.icons a{
```

```
    text-decoration: none;
```

```
    color: #211e1e;
```

```
    margin-right: 50px;
```

```
    margin-left: 100px;
```

```
    font-size: 30px;
```

```
}
```

```
.icons icon-icon{
```

```
    margin-left: 7%;
```

```
    color: #fff;
```

```
    margin-right: 60px;
```

```
    font-size: 30px;
```

```
    transition: .4s ease-in-out;
```

```
}
```

```
.icons ion-icon:hover{
```

```
    color: rgb(24, 155, 231);
```

```
}
```