

E-COMMERCE SYSTEM

HARINI A 192011344

Use-case diagram:



Class diagram:



```
Code generation:
C++:
#include "billing.h"
// Constructors/Destructors
billing::billing () {
billing::~billing() { }
// Methods
// Accessor methods
// Other methods
#include "book.h"
// Constructors/Destructors
book::book(){
book::~book () { }
//
// Methods
// Accessor methods
//
// Other methods
//
```

```
#include "catalog.h"
// Constructors/Destructors
//
catalog::catalog() {
catalog::~catalog() { }
// Methods
// Accessor methods
// Other methods
#include "customer.h"
// Constructors/Destructors
//
customer::customer() {
}
customer::~customer()
//
// Methods
//
// Accessor methods
// Other methods
//
#include "order.h"
// Constructors/Destructors
//
order::order() {
```

```
}
order::~order() { }
//
// Methods
//
// Accessor methods
// Other methods
#include "shipping_cart.h"
// Constructors/Destructors
shipping_cart::shipping_cart () {
shipping_cart::~shipping_cart() { }
//
// Methods
//
// Accessor methods
// Other methods
//
#include "shipping_method.h"
// Constructors/Destructors
//
shipping_method::shipping_method () {
}
shipping_method::~shipping_method() { }
//
// Methods
```

,	
/.	
	/ Accessor methods
/.	
	Other methods
/.	<i>(</i>