

## CSA05 Database management system

Name: G.Harini

Reg no:192210149

```
MySQL 8.0 Command Line Client - Unicode
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 10
Server version: 8.0.33 MySQL Community Server - GPL

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use sse;
Database changed
mysql> create table details(name char(20),age int,dob int);
Query OK, 0 rows affected (0.02 sec)

mysql> desc details;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| name  | char(20) | YES |   | NULL |   |
| age   | int | YES |   | NULL |   |
| dob   | int | YES |   | NULL |   |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> insert into details values("harini",19,27-12-2004);
Query OK, 1 row affected (0.00 sec)

mysql> insert into details values("umair",20,10-08-2003);
Query OK, 1 row affected (0.03 sec)

mysql> insert into details values("madii",19,28-06-2004);
Query OK, 1 row affected (0.01 sec)

mysql> select*from details;
+-----+-----+-----+
| name | age | dob |
+-----+-----+-----+
| harini | 19 | -1989 |
| umair | 20 | -2001 |
| madii | 19 | -1982 |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
MySQL 8.0 Command Line Client - Unicode
+----+-----+-----+
| umair | 20 | -2001 |
| madii | 19 | -1982 |
+----+-----+-----+
3 rows in set (0.00 sec)

mysql> alter table details
-> drop column dob;
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select*from details;
+----+-----+
| name | age |
+----+-----+
| harini | 19 |
| umair | 20 |
| madii | 19 |
+----+-----+
3 rows in set (0.00 sec)

mysql> alter table details
-> add column gender;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 't line 2' at line 2

mysql> alter table details
-> add column gender char(3);
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select*from details;
+----+-----+-----+
| name | age | gender |
+----+-----+-----+
| harini | 19 | NULL |
| umair | 20 | NULL |
| madii | 19 | NULL |
+----+-----+-----+
3 rows in set (0.00 sec)

mysql> update details set gender="F" where age=19;
Query OK, 2 rows affected (0.03 sec)
Rows matched: 2 Changed: 2 Warnings: 0

mysql> update details set gender="M"where age=20;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
MySQL 8.0 Command Line Client - Unicode

mysql> update details set gender="M"where age=20;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select*from details;
+----+-----+-----+
| name | age | gender |
+----+-----+-----+
| harini | 19 | F |
| umair | 20 | M |
| madii | 19 | F |
+----+-----+-----+
3 rows in set (0.00 sec)

mysql> truncate table details;
Query OK, 0 rows affected (0.05 sec)

mysql> select*from details;
Empty set (0.00 sec)

mysql> desc details;
+----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+----+-----+-----+-----+-----+-----+
| name | char(20) | YES | | NULL | |
| age | int | YES | | NULL | |
| gender | char(3) | YES | | NULL | |
+----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> drop table details;
Query OK, 0 rows affected (0.01 sec)

mysql> select*from details;
ERROR 1146 (42S02): Table 'sse.details' doesn't exist
mysql> _
```