

PROJECT DOCUMENTATION

IMPLEMENT CLIENT SCRIPT & UI

POLICY

(INCIDENT)

TEAM ID: SWTID-2026-5622

TEAM MEMBERS

Harinipriya K — Team Leader

Fouziya J

FIRTHOUS S

ARI PRIYA B

TABLE OF CONTENTS

1. Introduction
2. Ideation Phase
 - 2.1 Problem Statement
 - 2.2 Empathy Map Canvas
 - 2.3 Brainstorming
3. Requirement Analysis
 - 3.1 Customer Journey Map
 - 3.2 Solution Requirements
 - 3.3 Data Flow Diagram
 - 3.4 Technology Stack
4. Project Design
 - 4.1 Problem-Solution Fit
 - 4.2 Proposed Solution
 - 4.3 Solution Architecture
 - 4.4 Configuration Summary
5. Project Planning & Scheduling
6. Functional and Performance Testing
7. Results
8. Advantages & Disadvantages
9. Conclusion
10. Future Scope
11. Appendix

1. INTRODUCTION

1.1 Project Overview

The project “Implement Client Script & UI Policy (Incident)” focuses on improving the consistency and validation of Incident records in ServiceNow. Incident records require complete and appropriate information for effective triage, routing, resolution, reporting, and SLA compliance.

The project applies a UI Policy and Client Scripts to control Incident form behavior dynamically. The implementation covers mandatory-field control, automatic value setting, read-only behavior, validation before saving, and prevention of selected changes through list editing.

The project demonstrates the use of three Client Script types—onChange, onSubmit, and onCellEdit—together with a UI Policy and UI Policy Actions.

1.2 Objective

- Make Assignment Group mandatory when Impact is 1 – High.
- Make Urgency read-only when Impact is 1 – High.
- Automatically set Urgency to 1 – High when Impact becomes High.
- Prevent saving a High Impact Incident when Assigned To is empty.
- Prevent State from being changed through Incident list editing.
- Allow the configured behavior to reverse when the Incident condition changes.

1.3 Project Scope

The implementation is applied to the ServiceNow Incident table. The scope includes the required UI Policy, UI Policy Actions, onChange Client Script, onSubmit Client Script, onCellEdit Client Script, and functional testing described in the project instructions.

2. IDEATION PHASE

2.1 Problem Statement

Incomplete or inconsistent Incident information can affect incident handling and routing. Manual entry may result in missing assignment information, inconsistent urgency values, or unwanted changes to Incident State.

The project addresses these issues through dynamic ServiceNow controls that respond to Incident conditions and user actions.

2.2 Empathy Map Canvas

Table 2.1: Empathy Map

Area	Project Context
Says	I need to create and update Incident records correctly.
Thinks	Important Incident information should not be missed.
Does	Creates Incidents and enters Impact, Assignment Group, Assigned To, Urgency and State.
Feels	Needs clear and controlled form behavior.
Pain Points	Missing required information, inconsistent values and unwanted list-edit changes.
Needs	Automatic field behavior, validation and controlled updates.

2.3 Brainstorming

1. Use a UI Policy to control fields when Impact is High.
2. Make Assignment Group mandatory for High Impact incidents.
3. Make Urgency read-only for High Impact incidents.
4. Use an onChange Client Script to set Urgency automatically.
5. Use an onSubmit Client Script to validate Assigned To.
6. Use an onCellEdit Client Script to prevent State changes through list editing.
7. Test the behavior under different Impact and assignment conditions.

3. REQUIREMENT ANALYSIS

3.1 Customer Journey Map

Table 3.1: Customer Journey Map

Stage	User Activity	System Behavior
Create Incident	Creates a new Incident.	Incident form is displayed.
Enter Impact	Selects Impact.	High Impact UI Policy is triggered.
Assignment	Enters Assignment Group and Assigned To.	Assignment Group becomes mandatory when Impact is High.
Urgency	Works with Urgency.	Urgency is controlled as specified for High Impact incidents.
Submit	Submits the Incident.	onSubmit validation checks Assigned To.
Edit State	Attempts a list edit.	onCellEdit prevents direct State change.
Form Update	Changes State through the form.	The specified form-based State change scenario is permitted.

3.2 Solution Requirements


Table 3.2: Functional Requirements

Type	Requirement
Functional	Detect Impact = 1 – High.
Functional	Make Assignment Group mandatory for High Impact.
Functional	Make Urgency read-only for High Impact.
Functional	Set Urgency to High when Impact changes to High.
Functional	Block save when High Impact and Assigned To is empty.
Functional	Display an error when the save is blocked.
Functional	Block State changes through list editing.
Functional	Allow the specified State change through the Incident form.

3.3 Data Flow Diagram

The proposed data flow is: User → ServiceNow Incident Form → UI Policy / Client Scripts → Validation and Field Control → Valid Data: Save Incident / Invalid Data: Display Error or Prevent Update.

DATA FLOW DIAGRAM



Valid data → save Incident | Invalid action → error or update prevented

Figure 3.1 – Data Flow Diagram

3.4 Technology Stack

Table 3.3: Technology Stack

Technology / Component	Purpose
ServiceNow	Platform used for Incident Management configuration.
Incident Table	Table on which the project is implemented.
UI Policy	Controls field behavior based on conditions.
UI Policy Action	Makes fields mandatory or read-only.
onChange Client Script	Automatically sets Urgency when Impact changes.
onSubmit Client Script	Validates Incident information before saving.
onCellEdit Client Script	Controls State changes through list editing.
JavaScript	Language used for Client Scripts.

4. PROJECT DESIGN

4.1 Problem-Solution Fit

The project connects Incident data-quality requirements with ServiceNow client-side controls. The UI Policy provides condition-based field behavior, while Client Scripts provide automatic value setting, submission validation, and list-edit control.

4.2 Proposed Solution

When an Incident has High Impact, Assignment Group becomes mandatory and Urgency becomes read-only. When Impact changes to High, the onChange Client Script sets Urgency to High. Before submission, the onSubmit Client Script checks Assigned To and prevents saving when it is empty. The onCellEdit Client Script prevents direct State changes from the Incident list.

4.3 Solution Architecture

Architecture flow: ServiceNow User → Incident Interface → UI Policy and UI Policy Actions → Client Scripts → Validation / Automatic Field Behavior → Incident Record.




Figure 4.1 – Solution Architecture

4.4 Configuration Summary

Table 4.1: ServiceNow Configuration Summary

Configuration	Key Settings
UI Policy: High Impact Control	Incident table; condition Impact = 1 – High; Reverse if false = True.
UI Policy Action: Assignment Group	Mandatory when High Impact.
UI Policy Action: Urgency	Read-only when High Impact.
onChange: Auto set urgency for high impact	Field = Impact; sets Urgency to High.
onSubmit: Prevent save if Assigned To missing	Blocks save for High Impact when Assigned To is empty.
onCellEdit: Prevent state change via list edit	Field = State; callback(false) prevents list update.

5. PROJECT PLANNING & SCHEDULING

5.1 Implementation Plan

Table 5.1: Implementation Plan

Phase	Activity	Output
1	Understand Incident requirements.	List of required behaviors.
2	Create High Impact UI Policy.	UI Policy configuration.
3	Create UI Policy Actions.	Mandatory and read-only field controls.
4	Create onChange Client Script.	Automatic Urgency behavior.
5	Create onSubmit Client Script.	Submission validation.
6	Create onCellEdit Client Script.	List-edit State restriction.
7	Perform functional tests.	Test evidence.
8	Prepare documentation.	Final project report.

5.2 Team Details

Table 5.2: Team Details

Role	Name
Team Leader	Harinipriya K
Team Member	Fouziya J
Team Member	FIRTHOUS S
Team Member	ARI PRIYA B

6. FUNCTIONAL AND PERFORMANCE TESTING

The project instructions specify five functional tests for validating the configured Incident behavior.

Table 6.1: Functional Test Cases

Test Case	Scenario	Expected Result
1	High Impact + Assigned To empty	Save should be blocked and an error should be displayed.
2	High Impact + Assigned To filled	Incident should save successfully.
3	Impact changed from High to Medium	Mandatory and read-only behavior should reverse.
4	State changed from Incident list	List edit should be blocked.
5	State changed from Incident form	Form change should be allowed.

6.1 Test Evidence

Test Case 1 – High Impact + Assigned To Empty

The screenshot displays the ServiceNow 'Incident - Create INC0010002' form. A red error banner at the top indicates that mandatory fields are missing: 'The following mandatory fields are not filled in: Short description, Assignment group, Caller'. The 'Caller' field is highlighted with a red border. Other fields include 'Number' (INC0010002), 'Channel' (None), 'State' (New), 'Impact' (1 - High), 'Urgency' (1 - High), 'Priority' (1 - Critical), 'Assignment group' (empty), and 'Assigned to' (empty). The 'Short description' field is also empty. The bottom of the form shows 'Related Search Results' and 'No results to display'.

Figure 6.1 – Test Case 1: High Impact with Required Assignment Details Missing

Test Case 2 – High Impact + Assigned To Filled

ServiceNow Incident - Create INC0010002

Service: [Search]
 Service offering: [Search]
 Configuration item: [Search]
 * Short description: testing UI policy
 Description: [Text Area]

Priority: 1 - Critical
 * Assignment group: Software
 Assigned to: Beth Anglin

Related Search: Q. testing UI policy Knowledge & Catalog (All)

Company policies: No description
 Whitelist IP: Need to whitelist an IP address? Order
 Firewall Rule Change: Cisco Firewall Appliance Order
 Workstation Security Standard: LaunchAgent installed at first image to verify Casper enrollment, and re-enroll as needed Regular policy repair Product version Primary update server ParentAddress r... Author: System Administrator Last modified: 2017-02-24 Rating: * * * * *
 Laptop Laptop: Short term, while computer is repaired/imaged, Waiting for computer order, special projects, etc. Training, special events, check-in process Order

Notes Related Records Resolution Information
 Watch list [Add] [Remove]
 Work notes list [Add] [Remove]
 Comments (Customer visible) [Text Area]
 Work notes [Text Area]

Figure 6.2 – Test Case 2: High Impact with Assignment Details Filled

Test Case 3 – Impact Changed from High to Medium

ServiceNow Incident - INC0010002

Number: INC0010002
 * Caller: Adela Cervantz
 Category: Inquiry / Help
 Subcategory: None
 Service: [Search]
 Service offering: [Search]
 Configuration item: [Search]
 * Short description: testing UI policy
 Description: [Text Area]

Channel: None
 State: In Progress
 Impact: 2 - Medium
 Urgency: 1 - High
 Priority: 2 - High
 Assignment group: Software
 Assigned to: Beth Anglin

Related Search: [Search] [Dropdown]

Notes Related Records Resolution Information
 Watch list [Add] [Remove]
 Work notes list [Add] [Remove]
 * Work notes: Work notes [Text Area]
 Comments (Customer visible) [Text Area]

Activities: 1 System Administrator Assigned to: Beth Anglin Impact: 1 - High Field changes: 2024-09-30 23:42:11

Figure 6.3 – Test Case 3: Impact Changed from High to Medium

Test Case 4 – State Changed from Incident List

INCIDENT - INC0010002

The following mandatory fields are not filled in: Work notes

Urgency set to High for High Impact Incident.

Number: INC0010002

* Caller: Adela Cervantsz

Category: Inquiry / Help

Subcategory: -- None --

Service:

Service offering:

Configuration item:

* Short description: testing UI policy

Description:

Channel: -- None --

State: New

Impact: 2 - Medium

Urgency: 1 - High

Priority: 2 - High

Assignment group: Software

Assigned to:

Related Search Results >

Notes | Related Records | Resolution Information

Watch list

Work notes list

* Work notes: Thank you

Comments (Customer visible):

Comments (Customer visible):

Figure 6.4 – Test Case 4: State Change Blocked from Incident List

Test Case 5 – State Changed from Incident Form

INCIDENT - INC0008111

Number: INC0008111

* Caller: System Administrator

Category: Inquiry / Help

Subcategory: -- None --

Service:

Service offering:

Configuration item:

* Short description: ATF : Test1

Description:

Channel: -- None --

State: In Progress

Impact: New

Urgency: In Progress

Priority: On Hold

Assignment group: Closed

Assigned to: Canceled

Related Search Results >

Notes | Related Records | Resolution Information

Watch list

Work notes list

Work notes: Work notes

Comments (Customer visible):

Post

Figure 6.5 – Test Case 5: State Changed to In Progress on the Incident Form

	Number	Opened	Short description	Caller	Priority	State	Category	Assignme
☐	INC0008111	2019-07-22 14:04:57	ATF : Test1	System Administrator	4 - Low	In Progress	Inquiry / Help	(empty)
☐	INC0010002	2026-09-30 23:37:32	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software
☐	INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Openspac
☐	INC0000049	2026-05-21 14:56:37	Network storage unavailable	Beth Anglin	2 - High	In Progress	Network	Hardware

Figure 6.6 – Test Case 5: Updated Incident Shown as In Progress in the Incident List

7. RESULTS

Result Evidence

This screenshot shows the 'Incident - Create INC0010001' form in ServiceNow. The form is configured with the following values: Number: INC0010001, Channel: -- None --, State: New, Category: Inquiry / Help, Subcategory: -- None --, Service: , Service offering: , Configuration item: , Short description: , Description: . On the right side, Impact is set to 1 - High, Urgency is 3 - Low, and Priority is 4 - Low. The 'Assignment group' and 'Assigned to' fields are empty. Below the form, there is a 'Related Search Results' section with a search bar and a dropdown menu set to 'Knowledge & Catalog (All)'. The bottom section shows 'Notes', 'Related Records', and 'Resolution Information' tabs, with a 'Watch list' and 'Work notes list' visible.

Figure 7.1 – High Impact Incident Form Behavior

This screenshot shows the 'Incident - INC0010002' form in ServiceNow. The form is configured with the following values: Number: INC0010002, Channel: -- None --, State: In Progress, Category: Inquiry / Help, Subcategory: -- None --, Service: , Service offering: , Configuration item: , Short description: testing UI policy, Description: . On the right side, Impact is set to 2 - Medium, Urgency is 1 - High, and Priority is 2 - High. The 'Assignment group' is set to Software and 'Assigned to' is Beth Anglin. Below the form, there is a 'Related Search Results' section with a search bar and a dropdown menu set to 'Knowledge & Catalog (All)'. The bottom section shows 'Notes', 'Related Records', and 'Resolution Information' tabs, with a 'Watch list' and 'Work notes list' visible. The 'Activities' section at the bottom shows a list of activities, including 'System Administrator' and 'Assigned to Beth Anglin'.

Figure 7.2 – Impact Changed from High to Medium

The screenshot displays the ServiceNow Incident form for INC0010002. At the top, a red error message states: "The following mandatory fields are not filled in: Work notes". Below this, a blue message indicates: "Urgency set to High for High Impact Incident." The form fields are as follows:

- Number:** INC0010002
- * Caller:** Adela Cervantsz
- Category:** Inquiry / Help
- Subcategory:** -- None --
- Service:** (empty)
- Service offering:** (empty)
- Configuration item:** (empty)
- * Short description:** testing UI policy
- Description:** (empty)
- Channel:** -- None --
- State:** New
- Impact:** 2 - Medium
- Urgency:** 1 - High
- Priority:** 2 - High
- Assignment group:** Software
- Assigned to:** (empty)

At the bottom, the "Notes" tab is active, showing a "Work notes list" with one entry: "Thank you". There are also fields for "Comments (Customer visible)".

Figure 7.3 – State List-edit Validation

The completed configuration provides condition-based Incident field behavior and validation in ServiceNow.

- High Impact incidents trigger the configured UI Policy behavior.
- Assignment Group is required when Impact is High.
- Urgency is controlled as specified for High Impact incidents.
- Urgency is automatically set to High when Impact changes to High.
- High Impact incidents cannot be saved when Assigned To is missing.
- Direct State list editing is prevented by the onCellEdit Client Script.

7.1 Screenshot Evidence




Figure 7.4 – High Impact Control UI Policy




Figure 7.5 – Assignment Group Mandatory UI Policy Action




Figure 7.6 – Urgency Read-only UI Policy Action




Figure 7.7 – onChange Client Script: Auto Set Urgency




Figure 7.8 – onSubmit Client Script: Prevent Save if Assigned To Missing




Figure 7.9 – onCellEdit Client Script: Prevent State Change

8. UI Policy – High Impact Control.
9. UI Policy Action – Assignment Group mandatory.
10. UI Policy Action – Urgency read-only.
11. onChange Client Script.
12. onSubmit Client Script.
13. onCellEdit Client Script.

14. Functional test results.

8. ADVANTAGES & DISADVANTAGES

8.1 Advantages

- Improves consistency of Incident information.
- Provides immediate client-side validation and feedback.
- Reduces missing assignment information for High Impact incidents.
- Automatically applies the required Urgency behavior.
- Controls State updates through list editing.

8.2 Disadvantages

- The implementation is specific to the configured Incident conditions and fields.
- Client-side controls depend on the configured Incident interface behavior.
- Additional organizational requirements may require further configuration and testing.

9. CONCLUSION

The “Implement Client Script & UI Policy (Incident)” project demonstrates how ServiceNow UI Policies and Client Scripts can be used to control Incident form behavior and improve data consistency.

The implementation covers mandatory field control, automatic value setting, read-only behavior, submission validation, and prevention of selected list-edit changes.

By combining a UI Policy with onChange, onSubmit, and onCellEdit Client Scripts, the project provides dynamic Incident validation and field control in accordance with the defined requirements.

10. FUTURE SCOPE

The completed project can be extended with additional Incident-management rules and validations according to organizational requirements.

- Additional field validation rules can be introduced.
- More Incident conditions can be controlled through UI Policies.
- Additional Client Scripts can be added for other user interactions.
- Further testing can be performed for different Incident scenarios and user roles.
- Additional reporting and workflow requirements can be incorporated when required.

11. APPENDIX

Appendix A – UI Policy Evidence

UI Policy screenshots are provided in Section 7.1 (Figures 7.4–7.6).







Appendix B – Client Script Evidence


Client Script screenshots are provided in Section 7.1 (Figures 7.7–7.9).

Appendix C – Test Evidence

The actual test screenshots are embedded in Section 6.1 under the corresponding test cases.

A compact evidence index is included below for reference.





Appendix D – Project Information

Project Title: Implement Client Script & UI Policy (Incident)

Team ID: SWTID-2026-5622

Team Leader: Harinipriya K

Team Members: Fouziya J, FIRTHOUS S, ARI PRIYA B