ForgeNet-X

AI Handwriting Imitation & Signature Forgery Analysis System

Visual Confirmation Report

Generated on: 05 April 2026 | 11:13:21

Confidential — For authorised use only

System	ForgeNet-X v1.0
Purpose	Handwriting imitation & signature forgery detection
Method	Image processing + Computer vision (OpenCV · scikit-image)
Libraries	Flask · OpenCV · NumPy · scikit-image · ReportLab
Report	Full pipeline visuals, segmentation atlas, forgery metrics

1. Handwriting Analysis

The original handwriting sample uploaded by the user (left) and the synthetically generated text rendered in the same writing style (right).

Original Handwriting Sample	Generated Handwriting Output
	

2. Image Preprocessing Pipeline

Every uploaded image passes through five sequential processing stages before characters are extracted. Each stage is shown below at full report width. The coloured banner on each image was added by ForgeNet-X to identify the stage name, description, and key pixel statistics.

Stage 1

BGR colour image loaded directly from disk.

No processing applied. Serves as the ground-truth reference.



Stage 2

Converted to single-channel luminance using cv2.COLOR_BGR2GRAY.

Eliminates colour variation so thresholding operates on intensity only.



Stage 3

Gaussian blur applied (kernel 3×3) to suppress high-frequency noise.

Smoothing prevents isolated pixels from becoming false ink detections.



Stage 4

Otsu's adaptive threshold + BINARY_INV: ink = white (255), background = black (0). Morphological opening removes remaining specks.

This is the primary working image for all downstream stages.



Stage 5

Binary image scaled to 1024 px wide (aspect-preserving).

Standardises input size for consistent contour detection.



3. Character Segmentation

3a — Segmentation Overview (Bounding Boxes)

The preprocessed binary image is scanned for external contours. Each contour that passes the size filter (width 5–200 px, height ≥ 8 px) is wrapped in a coloured bounding box. The tag above each box shows **#index / charset-label**, where the label is the character that would be assigned to that crop if the sheet follows a standard a–z practice layout.



3b — Character Atlas Sheet (Individual Crops)

Every extracted character crop is shown in the grid below. Each tile displays the ink pixels in the colour assigned to that crop's index. The dark strip beneath each tile shows the crop's **#index** (top-left) and its **assigned label** (centre). Labels are heuristic — they follow the left-to-right reading order of the source sheet mapped onto the charset: a–z → A–Z → 0–9 → punctuation.

3c — Charset Label Assignment Map

The table below shows exactly which label is assigned to each crop index. Index 0 → 'a', index 1 → 'b', … index 25 → 'z', index 26 → 'A', etc. If more crops are found than charset entries, they are marked '?'.

#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label	#	Label
0	"a"	1	"b"	2	"c"	3	"d"	4	"e"	5	"f"	6	"g"	7	"h"	8	"i"	9	"j"	10	"k"	11	"l"	12	"m"
13	"n"	14	"o"	15	"p"	16	"q"	17	"r"	18	"s"	19	"t"	20	"u"	21	"v"	22	"w"	23	"x"	24	"y"	25	"z"
26	"A"	27	"B"	28	"C"	29	"D"	30	"E"	31	"F"	32	"G"	33	"H"	34	"I"	35	"J"	36	"K"	37	"L"	38	"M"
39	"N"	40	"O"	41	"P"	42	"Q"	43	"R"	44	"S"	45	"T"	46	"U"	47	"V"	48	"W"	49	"X"	50	"Y"	51	"Z"
52	"0"	53	"1"	54	"2"	55	"3"	56	"4"	57	"5"	58	"6"	59	"7"	60	"8"	61	"9"	62	"."	63	","	64	"!"
65	"?"	66	";"	67	":"	68	"'"	69	"'"	70	"("	71	")"	72	"-"										

5. Conclusion

No analysis data available.

This report is generated automatically by ForgeNet-X and is intended for academic and research purposes only. All results must be reviewed by a qualified forensic document examiner before any legal, financial, or investigative action is taken.