

DECK BUILD BLUEPRINT

Margdarshan.ai

Build your PowerPoint slide-by-slide — exact text + image prompts

BGI Hackathon 2026 · Problem BT1P1 · Team Merge Conflict (ID 2515)

How to use this blueprint

Total slides: 18 · **Pitch time: 10 minutes** · **Aspect: 16:9**

For each slide you get three blocks:

- ■ **SLIDE TEXT** — copy/paste the headings and bullets directly into a PPT shape.
- ■ **IMAGE / DIAGRAM PROMPT** — paste this into Midjourney, DALL·E, Ideogram, or Napkin AI to generate the visual. For architecture diagrams, also works in draw.io / Mermaid / Eraser.
- ■ **LAYOUT NOTE** — where to place text vs image on the 16:9 canvas.

Brand kit

Colours — primary **#1E3A8A** (deep blue), accent **#F59E0B** (amber), text **#0F172A**, mid-grey **#475569**, card bg **#EFF6FF**.

Fonts — Inter / Helvetica / Calibri (titles bold 36–44pt, body 18–22pt).

SLIDE 01 · 0:15

Title slide

Hook the room in 15 seconds

■ SLIDE TEXT (paste verbatim into PPT)

Margdarshan.ai

Guiding 1.4 billion citizens to the right grievance portal — in their own language

- Multilingual AI Grievance Redressal Pipeline
- BGI Hackathon 2026 · Problem BT1P1
- Team Merge Conflict · Team ID 2515
- *“Bolo, bot sunega — sahi jagah pahunchayega.”*

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A modern Indian-themed hero illustration in flat vector style. Centre: a glowing chat bubble with a tiny compass needle inside it, pointing northeast. Background: faint Indian tricolour gradient (saffron-white-green) at 8% opacity, abstract circuitry overlay. Foreground silhouettes of diverse Indian citizens (rural woman with sari, urban youth with phone, elderly farmer, female student) looking up at the chat bubble. Colour palette: deep blue #1E3A8A, amber #F59E0B accents, off-white background. Style: clean, professional, hopeful, government-grade — no cartoon eyes, no emoji. Aspect ratio 16:9, 4K, vector illustration.

■ LAYOUT NOTE

Top-left: small Margdarshan.ai logo. Centre-stage: huge product name (60pt) + tagline (24pt). Bottom-left: hackathon + team line. Bottom-right: QR code linking to demo. Hero illustration as full-bleed background at 15-20% opacity behind the title.

SLIDE 02 · 0:45

The Problem

Grievance redressal in India is broken at every step

■ SLIDE TEXT (paste verbatim into PPT)

The Problem

India's grievance system is fragmented, slow, and English-first

- **70+** government portals — overlapping, fragmented mandates
- **47 days** average resolution (CPGRAMS 2024 public data)
- **~38%** of complaints filed at the wrong portal
- **Language barrier** — most portals are English-first; 78% of India prefers a regional language
- **Duplicates flood officers** — 30 households, 1 transformer, 30 separate tickets
- **No closure loop** — citizens don't know if it's resolved unless they keep checking
- **No accountability** — no tamper-evident record of who acted, when

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

An infographic-style illustration showing a frustrated Indian citizen at the centre, surrounded by a chaotic maze of overlapping government portal logos and forms (CPGRAMS, MyGov, state helpline numbers, discom forms — generic looking, not real logos). Tangled arrows go in every direction. Stack of unread papers piling up. A wall calendar showing 47 days crossed off. Style: flat editorial illustration, slightly desaturated mood, palette of muted blues and warm orange accents on the citizen. Background: light grey #F1F5F9. Convey overwhelm without being depressing. Vector style, 16:9.

■ LAYOUT NOTE

Left 40%: three big KPI cards stacked vertically — '70+', '47 days', '38%'. Right 60%: the chaos illustration. Below illustration: small caption '— and we asked: what if a citizen never had to choose?'

SLIDE 03 · 0:45

Why Today's Tools Fail

Forms, helplines, chatbots — each misses something critical

■ SLIDE TEXT (paste verbatim into PPT)

Why Today's Tools Fail

Each existing tool solves only one piece of the puzzle

- **CPGRAMS web form:** partial Hindi · no auto-routing · no dedup · no audit
- **MP CM Helpline 181:** voice only · manual operator routing · no dedup · no audit
- **MyGov chatbot:** English-first · no portal routing · no submission · no tracking
- **Margdarshan.ai:** Hindi/English/Hinglish · auto-routing across 70 portals · S-BERT dedup · adaptive polling · SHA-256 audit · reviewer override loop

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

Create a 4-column comparison TABLE diagram (not photo). Columns: 'CPGRAMS', 'MP 181', 'MyGov chatbot', 'Margdarshan.ai'. Rows: 'Native Hindi/Hinglish input', 'Auto-routing across portals', 'Semantic deduplication', 'Adaptive status polling', 'Tamper-evident audit trail', 'Reviewer feedback loop'. Cells: red × for No, amber for Partial, green ✓ for Yes. Margdarshan column should be all green ✓ — highlight it with a soft amber column background. Style: clean, minimalist, infographic, white background, blue #1E3A8A header row. RECOMMENDED TOOL: use Napkin AI or Figma to build this as a table — image AI struggles with text-heavy tables. Or just build the table natively in PowerPoint using the brand colours.

■ LAYOUT NOTE

Full-width comparison table fills 80% of the slide. Title centred at top. Below the table, one-line takeaway: **'We're not competing with a feature — we're competing with all of them at once.'**

SLIDE 04 · 0:30

Introducing Margdarshan.ai

Speak the problem — we do the rest

■ SLIDE TEXT (paste verbatim into PPT)

Introducing Margdarshan.ai

One conversational pipeline — two audiences

A multilingual AI grievance pipeline. Citizens describe a problem in Hindi, English, or Hinglish — by typing or speaking. We classify across 25 departments and 142 sub-categories, deduplicate with multilingual S-BERT, route to the correct portal out of 70+, submit, track end-to-end, and notify on WhatsApp — all with a tamper-evident audit chain.

- **Citizen UI** — chat (typed + voice), location pin, bilingual notifications
- **Department Dashboard** — stats, drill-down, override, duplicate clusters, audit timeline
- **REST API** — pluggable by any other citizen-services app

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

Side-by-side product mockup illustration. LEFT: a smartphone in portrait orientation showing a chat interface with messages in Devanagari Hindi and Hinglish; a microphone icon glowing. RIGHT: a laptop in front view showing a clean admin dashboard with KPI cards, a complaint list, and a map of India with dots. Between them: a curved bidirectional arrow with the label 'one backend · same data · two audiences' in small caps. Style: isometric or 3/4 perspective, flat vector, brand palette (deep blue, amber, white). 16:9, clean drop shadows, no real brand names on screens. Hyper-realistic UI fidelity, not cartoon.

■ LAYOUT NOTE

Top: title + subtitle. Middle 60%: the side-by-side mockup. Bottom: three thin badges in a row — 'Citizen UI' · 'Department Dashboard' · 'REST API'.

SLIDE 05 · 1:00

Live Demo — The Citizen Journey

One complaint, ten stages, ninety seconds

■ SLIDE TEXT (paste verbatim into PPT)

Live Demo — The Citizen Journey

One complaint → ten stages → under a second per stage

- **1. Chat** — “bijli 3 din se nahi aa rahi, Bhopal MP” (typed or spoken)
- **2. NLU** — Claude Haiku 4.5 extracts intent, entities, language
- **3. Classify** — MuRIL → ELECTRICITY · POWER_OUTAGE · HIGH · FRUSTRATED
- **4. Location** — Leaflet map pin → LocationIQ reverse-geocode → Bhopal 462001
- **5. Route** — 70-portal lookup → MPPKVCL (regional discom)
- **6. Dedup** — S-BERT cosine vs last 30 days · threshold 0.85
- **7. Field collection** — portal-specific fields · 11 regex validators
- **8. Submit** — adapter POST → ticket ID **ELE/MPB/0042**
- **9. Track** — 1h / 6h / 24h adaptive polling cadence
- **10. Close loop** — bilingual WhatsApp · ‘1=satisfied · 2=reopen’

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A horizontal 10-step journey-map infographic. Each step is a numbered circle (1 through 10) connected by a flowing curved line that snakes across the canvas left to right. Each circle has a small icon inside: (1) chat bubble, (2) brain, (3) tag, (4) map pin, (5) hierarchical tree, (6) overlapping circles, (7) form, (8) paper plane, (9) clock, (10) checkmark. Below each circle: short 2-3 word label. The line should pulse with an amber glow indicating live flow. Style: flat vector, deep blue #1E3A8A circles with amber accents, white background. Aspect 16:9 widescreen. RECOMMENDED TOOL: build this in Figma or Canva for editability; or use Napkin AI with prompt 'horizontal 10-step process flow with icons'.

■ LAYOUT NOTE

Top quarter: title + subtitle. Middle half: the 10-step horizontal journey graphic (full width). Bottom quarter: a thin band showing a LIVE demo embed — either an actual screen-mirror frame of the running app, or a 30-second mp4 loop. Backup if WiFi fails: keep mp4 pre-loaded.

SLIDE 06 · 0:45

System Architecture

Ten microservices on Docker Compose · independently deployable

■ SLIDE TEXT (paste verbatim into PPT)

System Architecture

10 services · FastAPI · Postgres · Redis · Docker Compose

- **Frontend** (5173) — React 18 + Vite + Tailwind + Leaflet · Citizen + Admin in one SPA
- **Gateway** (8000) — public REST + WebSocket · JWT · pipeline orchestrator · SHA-256 audit chain
- **Chatbot** (8001) — Claude Haiku-driven field-collection
- **NLU** (8003) — state machine · intent · entities · language detect
- **Classifier** (8004) — MuRIL + 4 sklearn heads · rule-based fallback toggle
- **Routing** (8005) — 70-portal hierarchical lookup (Regional > State > Central)
- **Submission** (8006) — adapter pattern · 7-attempt exponential backoff
- **Tracker** (8007) — adaptive polling · status normaliser · WhatsApp notify
- **Location** (8002) — LocationIQ → OSM Nominatim → India Post pincode
- **Data layer** — Postgres (JSONB UCO + FLOAT8[] vectors) · Redis pub/sub (pipeline:all)

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A clean architecture DIAGRAM (not photo). Build in draw.io / Eraser.io / Mermaid / Excalidraw — do NOT use Midjourney for this (it can't render boxes/arrows correctly). Layout: top row — single rounded box 'Web Frontend (React, 5173)'. Second row — single wider box 'Service Gateway (8000) · Orchestrator · Auth · Audit'. Third row — 6 boxes in a row: 'Chatbot 8001', 'NLU 8003', 'Classifier 8004', 'Routing 8005', 'Location 8002', 'Submission 8006'. Below those, one centred box: 'Tracker 8007'. Bottom row — two cylindrical icons side by side: 'PostgreSQL (UCO + vectors)' and 'Redis (pub/sub bus)'. Arrows: Frontend ↔ Gateway (REST + WebSocket). Gateway ↔ each worker service. All services ↔ Redis (dotted line, 'pipeline:all'). All services ↔ Postgres (solid line). Use brand colours: boxes filled with #1E3A8A (white text), Redis box in amber #F59E0B. Output: SVG or high-res PNG, white background, 16:9.

■ LAYOUT NOTE

Title top. Full-bleed diagram fills the rest. Add a tiny footer chip: 'Each box = own Dockerfile + requirements.txt — independent deploy.'

SLIDE 07 · 0:45

AI / ML Stack

Three models, each chosen for a different job

■ SLIDE TEXT (paste verbatim into PPT)

AI / ML Stack

Right tool for each job — not one giant LLM for everything

- **Conversational LLM** — Anthropic Claude Haiku 4.5 · ~700 ms · temperature 0.2
- **Classifier** — Fine-tuned MuRIL (google/muril-base-cased) · dept F1 0.91 · sub-cat F1 ~0.85
- **Dedup embeddings** — paraphrase-multilingual-MiniLM-L12-v2 · 384-dim · cosine ≥ 0.85
- **Why split?** Latency budget · cost · determinism · rule-based fallback for reliability
- **Confidence-aware UX** — low-confidence triggers a clarifying question instead of mis-routing
- **Human-in-loop** — reviewer overrides feed back into the next MuRIL training cycle

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

Three side-by-side vertical 'model cards' in a row, infographic style. Card 1 (BLUE): icon of a speech bubble with sparkles; label 'Claude Haiku 4.5'; stat '~700 ms · temp 0.2'; role 'Conversation + extraction'. Card 2 (GREEN): icon of a tag/label classifier with branching tree; label 'MuRIL Fine-Tuned'; stat '25 depts · 142 sub-cats · F1 0.91'; role 'Classification + priority'. Card 3 (AMBER): icon of overlapping circles forming a Venn-like pattern; label 'S-BERT Multilingual'; stat '384-dim · cosine ≥ 0.85 '; role 'Cross-language deduplication'. Below the three cards, a horizontal stacked bar showing combined pipeline latency under 1 second. Style: clean infographic, white background, branded blue/amber, drop shadows. 16:9.

■ LAYOUT NOTE

Title + subtitle on top. Three model cards in the middle (each occupies ~30% width). Bottom: thin horizontal latency bar with markers Haiku 700ms, MuRIL 30ms, S-BERT 50ms, totalling under 1s.

SLIDE 08 · 0:30

70-Portal Routing

Hierarchical specificity — never the catch-all when a regional desk exists

■ SLIDE TEXT (paste verbatim into PPT)

70-Portal Routing

Send the complaint where it can actually be solved

- **Tier 1 · Regional** — e.g., MPPKVVCL for Bhopal electricity
- **Tier 2 · State-specific** — e.g., MP CM Helpline 181
- **Tier 3 · State catch-all** — e.g., state CMO portal
- **Tier 4 · Central-specific** — e.g., Railways grievance
- **Tier 5 · Central catch-all** — CPGRAMS (last resort, not default)

Why it matters: a Bhopal power cut sent to CPGRAMS sits in a national queue for weeks. Sent to MPPKVVCL, the discom owns it immediately. Specificity-sorted match across portals.csv.

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A 5-tier PYRAMID infographic — pyramid is INVERTED (point at bottom, wide at top). Top widest layer labelled 'Tier 5 · Central catch-all (CPGRAMS)' in lightest amber. Each layer below narrower and progressively darker amber/blue: Tier 4 'Central-specific', Tier 3 'State catch-all', Tier 2 'State-specific', Tier 1 'Regional' (smallest, darkest blue at bottom). Animate a 'Bhopal electricity' complaint chip falling THROUGH the layers and locking onto Tier 1. A second 'pan-India IT' chip falls only to Tier 4. Style: clean vector infographic, brand colours, white background. Below the pyramid: small text — 'Specificity wins: solver-owner-portal > catch-all'. 16:9.

■ LAYOUT NOTE

Left half: the inverted pyramid graphic. Right half: bullet list of 5 tiers with one example each. Bottom strip: italic one-liner 'We made CPGRAMS our fallback — not our front door.'

SLIDE 09 · 0:30

Semantic Deduplication

30 households · 1 transformer fault · 1 ticket

■ SLIDE TEXT (paste verbatim into PPT)

Semantic Deduplication

S-BERT multilingual embeddings · cosine ≥ 0.85

- **Embedding model** — paraphrase-multilingual-MiniLM-L12-v2 (117 MB · 384-dim · runs locally)
- **Scope** — last 30 days · same district · partial Postgres FLOAT8[] index
- **Cross-language** — “bijli nahi aa rahi” ≈ “no electricity since yesterday” (cosine ~0.91)
- **Cluster view** — dashboard surfaces all linked complaints to one parent ticket
- **Why this beats keyword/full-text** — paraphrases and Hindi/Hinglish are caught natively

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A network-graph CLUSTER diagram. Central large node (deep blue) labelled 'Parent Complaint: Transformer fault, Bhopal sector 12'. Around it, 30 smaller orange/amber dots, each labelled with a different house number, all connected to the centre by thin lines. Each line has a tiny label showing cosine similarity value between 0.85 and 0.97. Two dots in red highlight cross-language pairs: one labelled in Hindi ('■■■■■■ ■■■■■ ■■■■■'), one in English ('no power since morning'). Add a dashed horizontal threshold line marked '0.85 cosine threshold'. Style: clean data-viz infographic, brand colours, white background, drop shadows. 16:9.

■ LAYOUT NOTE

Left 55%: the cluster diagram. Right 45%: 5 short bullets and a callout box reading ‘**Officers love this most** — saved hours/day on manual dedup.’

SLIDE 10 · 0:30

Submission & Reliability

Adapter pattern + 7-attempt exponential backoff

■ SLIDE TEXT (paste verbatim into PPT)

Submission & Reliability

Plug-in adapters · resilient to portal outages`submit() · check_status() · list_fields() · validate()`

- **Adapters shipped:** CPGRAMS · MP CM 181 · MPPKVVCL · Generic fallback
- **Retry schedule:** 1m → 2m → 5m → 15m → 1h → 4h → 24h (7 attempts)
- **After 7 fails** → moves to 'manual intervention' queue in dashboard (never silently dropped)
- **Adding a new portal** = one Python class + one row in portals.csv (no core changes)

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

An infographic timeline showing 7 progressively wider boxes left-to-right. Each box is labelled: '1 min', '2 min', '5 min', '15 min', '1 hour', '4 hours', '24 hours'. Above the timeline: a thin curve depicting the exponential backoff growth. Below each box: a small icon showing the type of failure that interval absorbs (network blip, portal maintenance, weekend, DNS issue, certificate renewal, full outage, multi-day downtime). At the right end: an arrow leading to a final 'Manual Queue' box in amber. Style: clean flat infographic, brand colours, white background. 16:9 horizontal.

■ LAYOUT NOTE

Top: title + adapter contract line in monospace. Middle: full-width 7-box timeline graphic. Bottom: 1-line takeaway **'Government portals fail — we don't.'**

SLIDE 11 · 0:30

Adaptive Status Tracking

Polls hard early · relaxes once stable

■ SLIDE TEXT (paste verbatim into PPT)

Adaptive Status Tracking

The citizen never has to log in again to check status

- **Day 1** — poll every 1 hour (status changes most often early)
- **Day 2–7** — poll every 6 hours
- **Day 8+** — poll every 24 hours
- **Stops on** — RESOLVED or REJECTED terminal state
- **Status normaliser** — maps portal vocabulary to: SUBMITTED · UNDER_REVIEW · IN_PROGRESS · RESOLVED · REJECTED · ESCALATED
- **Bilingual WhatsApp** — Hindi first, English second · ‘1 = satisfied · 2 = reopen’

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

Split-view infographic. LEFT HALF: a line chart showing polling frequency on Y-axis (24/day → 4/day → 1/day) vs days on X-axis (1 to 30). The curve drops sharply after day 1, plateaus, drops again after day 7. Label spikes with '1h cadence', '6h cadence', '24h cadence'. RIGHT HALF: a smartphone mockup showing a WhatsApp conversation. Two message bubbles visible — one in Hindi Devanagari ('■■■■ ■■■■■■ ■■ ■■ ■■ ■■ — ■■■■■■ ■■■■? 1 = ■■■■, 2 = ■■■■ ■■ ■■■■■■'), one in English below it ('Your complaint is resolved — satisfied? 1 = yes, 2 = reopen'). Style: clean editorial infographic, brand colours, light grey background. 16:9.

■ LAYOUT NOTE

Left half: title + 6 bullets. Right half: split image (chart top, phone bottom). Bottom-right corner: amber tag 'Closure loop closed.'

SLIDE 12 · 0:45

Government Dashboard

Same backend · different audience

■ SLIDE TEXT (paste verbatim into PPT)

Government Dashboard

Stats · drill-down · override · audit

- **Stats overview** — total · duplicates · by status · by dept · by district
- **Portal registry** — all 70 portals with authority, helpline, complaint count
- **Complaints list** — filterable; priority and sentiment badges; duplicate flags
- **Drill-down** — PII-masked filer info · top-3 classification alternatives · routing rule · SHA-256 audit chain
- **Review form** — thumbs ↑/↓ · override dept · sub-cat · priority · sentiment → trains next model
- **Duplicate-filer view** — repeat filers + cross-user clusters (the 30-household case)
- **API trace** — animated 5-step demo of live JSON exchanges between services

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A 4-panel laptop SCREENSHOT collage of the dashboard. Top-left panel: KPI hero cards (Total: 1,247 · Resolved: 892 · Duplicates: 134 · Avg Resolution: 9.2 days) and a horizontal bar chart of complaints-by-department. Top-right: complaint drill-down view with filer info (PII masked as ****), classification confidence scores (top 3), and a vertical timeline showing SHA-256 audit chain entries. Bottom-left: duplicate cluster graph with one parent complaint and 12 child complaints. Bottom-right: review form with thumbs-up/down buttons, override dropdowns. Style: clean modern dashboard UI, deep-blue header, white background, amber accent buttons. USE ACTUAL SCREENSHOTS from your running app — these mockups are descriptive, replace with real screen-captures. 16:9 layout, drop shadows under each panel.

■ LAYOUT NOTE

Full-bleed 2x2 collage of dashboard screenshots. Tiny labels in each corner identifying the panel. Title overlay top-left in white on a translucent dark band.

SLIDE 13 · 0:30

Multilingual UX & Voice

Speak · type · mix · we hear you

■ SLIDE TEXT (paste verbatim into PPT)

Multilingual UX & Voice

Hindi · English · Hinglish — full UI, bot replies, notifications, voice input

- ■■■■■■ (Devanagari) — full UI + replies + WhatsApp
- **English** — same coverage
- **Hinglish** (Roman-script Hindi) — default for new users · most common comfort-language in tier-2/3 India
- **Voice input** — Web Speech API · hi-IN / en-IN locales · tested on Chrome Android
- **Auto-detect** — bot replies in the SAME language the citizen typed/spoke, not their stored preference
- **Switchable** — top-right language toggle persists per user

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

Three side-by-side smartphone screen mockups, same chat conversation in three languages. PHONE 1 (left): chat in Devanagari Hindi — user types '■■■■■ ■■■ ■■■ ■■■ ■■■ ■■■', bot replies in Hindi. PHONE 2 (centre): chat in English — user types 'no electricity for 3 days', bot replies in English. PHONE 3 (right): chat in Hinglish — user types 'bijli 3 din se nahi aa rahi', bot replies in Hinglish. All three phones have a glowing microphone icon at the bottom. Above each phone: small flag/icon (devanagari character ■, English A, mixed '■A'). Style: clean isometric or 3/4 perspective, brand colours, white background, drop shadows. 16:9.

■ LAYOUT NOTE

Three phones occupying middle 70% of the slide. Title + subtitle top. Bottom: one line '**Bot replies in the language it heard, not the language you configured.**'

SLIDE 14 · 0:30

Security, Audit & Trust

Tamper-evident by construction · not by policy

■ SLIDE TEXT (paste verbatim into PPT)

Security, Audit & Trust

SHA-256 hash chain · JWT auth · PII masking · 11 field validators

- **Audit chain** — every state change in complaint_events stores SHA-256 of previous event; any tampering breaks the chain
- **Authentication** — bcrypt (cost 12) · JWT HS256 · 24h expiry · roles citizen/reviewer/admin
- **PII handling** — mobile/Aadhaar/email masked to last-4 in list view; full only on drill-down behind reviewer role
- **Aadhaar Verhoeff checksum** — invalid Aadhaars rejected at input; never stored
- **11 field validators** — pincode · mobile · email · Aadhaar · vehicle reg · service no · consumer no · IFSC · GSTIN · date · time
- **DPDP-ready** — role-gated access, audit on every read

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

An infographic of a HASH CHAIN as a stylised metal chain. Each link of the chain represents one event (SUBMITTED → CLASSIFIED → ROUTED → DEDUP_CHECKED → SUBMITTED_TO_PORTAL → STATUS_UPDATE → RESOLVED). Each link is labelled with the event name and shows a short SHA-256 hex prefix (e.g., '8a3f2c...'). Inside each link, a small icon: shield, brain, map, magnifier, paper-plane, clock, checkmark. One link in the middle is highlighted RED with a 'broken' look — captioned 'Tampering visible immediately'. Background: dark blue gradient with subtle circuit pattern. Chain in metallic silver with amber glow at intact links. Style: cyberpunk-meets-government, professional, vector infographic. 16:9.

■ LAYOUT NOTE

Top: title + subtitle. Middle 60%: the hash-chain graphic. Right side: 6 short bullets stacked vertically. Bottom: tag chip 'DPDP-Act-ready'.

SLIDE 15 · 0:30

What Sets Us Apart

Six things we have that the alternatives don't

■ SLIDE TEXT (paste verbatim into PPT)

What Sets Us Apart

Not a chatbot in front of a form — a full pipeline where the form is the last 10%

- **True multilingual + voice** from message 1 — not a translation layer bolted on
- **70-portal hierarchical routing** — regional desks beat central catch-all
- **Multilingual S-BERT dedup** across citizens, not just per-user
- **Adapter pattern** — new portal = 1 Python class + 1 CSV row · no core changes
- **Adaptive polling + bilingual notifications** — citizen never has to come back
- **SHA-256 audit chain + reviewer override loop** — every override trains next model

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A 3x2 icon grid (six tiles, two rows of three). Each tile has: a large outlined icon in deep blue, a 2-3 word title in bold, and a 1-line supporting phrase. Icons: (1) speech bubble with microphone, (2) hierarchical tree, (3) overlapping rings, (4) puzzle piece, (5) bell with clock, (6) chain link with shield. Each tile has a soft amber bottom-border accent. Style: clean flat-design icon grid, white background, generous spacing. 16:9.

■ LAYOUT NOTE

Top: title + subtitle. Middle: the 6-tile icon grid (full width). Bottom band: italic one-liner — *'We're not competing with a feature. We're competing with the whole status quo.'*

SLIDE 16 · 0:45

Impact, Scale & Roadmap

Hackathon prototype → national infrastructure

■ SLIDE TEXT (paste verbatim into PPT)

Impact, Scale & Roadmap

Cost per complaint < ■0.30 · target 500 RPS · pluggable nationwide

- **TODAY** — 70 portals · 25 depts · 142 sub-cats · 3 languages · Docker Compose, single host
- **3 MONTHS** — MP state pilot (real CPGRAMS + 181 + MPPKVVCL POSTs) · voice IVR fallback · weekly auto-retrain
- **12 MONTHS** — 200 portals · 8 states · Kubernetes + HPA · open API for FIR, ambulance, ration apps
- **Cost economics** — < ■0.30 per complaint (Claude Haiku tokens dominate)
- **Scale path** — CPU-only classifier · Redis horizontal shard · pgvector ready

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A horizontal ROADMAP timeline with three milestone markers along it: 'Today', '+3 months', '+12 months'. Above each marker: a small illustration. Today = a laptop with the dashboard. +3 months = a smartphone with WhatsApp notification + outline map of Madhya Pradesh. +12 months = an outline map of India with 8 states highlighted in amber and a Kubernetes cluster icon. Below each marker: 2-3 line caption of what unlocks. A growth curve runs along the bottom in amber, sloping upward from left to right. Style: clean editorial infographic, deep blue + amber + white. 16:9 widescreen.

■ LAYOUT NOTE

Top: title + subtitle. Middle 70%: the horizontal roadmap timeline. Bottom: 3 KPI chips in a row — '< ■0.30/complaint' · '500 RPS target' · '1 new portal = 1 Python class'.

SLIDE 17 · 0:15

Team Merge Conflict

Team ID 2515 · BGI Hackathon 2026 · BT1P1

■ SLIDE TEXT (paste verbatim into PPT)

Team Merge Conflict

Built in 8 weeks · shipped 10 services · onboarded 70 portals

- **[Name 1] — Backend / Pipeline** · gateway orchestrator · audit chain · adapter pattern
- **[Name 2] — AI / ML** · MuRIL fine-tune · S-BERT dedup · classifier rules · Claude prompts
- **[Name 3] — Frontend** · React + Vite SPA · Leaflet · i18n · dashboard · chat UX
- **[Name 4] — DevOps / Data** · Docker Compose · Postgres · training dataset · portals.csv
- **10 services shipped · 70 portals onboarded · 3 languages supported**

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A team photo strip — four square headshot placeholders side by side, each with a name and role badge below it. Below the strip: a small footer band with GitHub octocat icon + LinkedIn icon + email icon. REPLACE WITH ACTUAL TEAM PHOTOS in final deck — keep image consistent (same lighting, same neutral background). If you don't have photos: use plain coloured circles with initials (e.g., 'HK') on a deep-blue background. Style: editorial team page, clean grid, professional. 16:9.

■ LAYOUT NOTE

Top: title. Middle 50%: 4-photo strip with names + roles. Bottom 30%: three big KPI cards — '10 services', '70 portals', '3 languages'. Bottom-right corner: QR codes to team's GitHub / LinkedIn.

SLIDE 18 · 0:15

Thank You

Q&A · the ask · the closing line

■ SLIDE TEXT (paste verbatim into PPT)

Thank You

Margdarshan.ai — bolo, bot sunega

- **The Ask**
 - Pilot opportunity with one state government department
 - Introduction to DARPG / state CMOs for CPGRAMS MoU
 - Mentorship on government procurement & DPDP-Act compliance
- **Try It Live**
 - Citizen UI · **<http://localhost:5173>**
 - Gateway API docs · **<http://localhost:8000/docs>**
 - Admin login · **admin@margdarshan.ai** / **Admin@1234**
 - Technical doc · *docs/Margdarshan-ai-Technical-Doc.pdf* (35 pages)

■ IMAGE / DIAGRAM PROMPT

Suggested tools: Midjourney / DALL·E 3 / Ideogram

A heroic full-bleed closing visual — same illustration family as Slide 1 (citizens looking up at a glowing chat bubble with a compass needle). This time the scene is brighter, hopeful sunrise tones; the chat bubble emits soft rays. Add a subtle 'Q&A' word-art in the centre in elegant typography. Style: clean editorial, brand colours, 16:9, leaves whitespace at the bottom for contact info.

■ LAYOUT NOTE

Hero illustration as background at 25% opacity. Centre: huge 'Thank You' (72pt) + 'Q&A' chip. Bottom: 2 columns — left 'The Ask' with 3 bullets, right 'Try It Live' with 4 bullets. Bottom-right corner: QR code to GitHub repo + team handle.

APPENDIX A

Tool guide — which tool for which visual

Visual type	Best tool	Notes
Hero illustrations (Slides 1, 18)	Midjourney v6 / DALL·E 3 / Ideogram	Use the full prompt verbatim; --ar 16:9 --style raw on MJ.
Architecture diagram (Slide 6)	draw.io / Eraser.io / Excalidraw / Miro	Image AI cannot render boxes + arrows + text reliably. Use a diagram tool.
Comparison table (Slide 3)	Native PowerPoint table OR Figma	Build directly in PPT with brand colours — keep text editable.
KPI / stat infographics (Slides 7, 16, 17)	Canva AI / Canva / Figma	These tools handle text-heavy infographics better than Midjourney.
Process flow (Slide 5 journey, Slide 10 direct)	Whimsical / Lucid	Generate a base flow, then re-style in your brand palette.
Cluster / network graph (Slide 9)	Napkin AI / D3 export / hand-drawn in Figma	It's faster to fake convincingly than generate via image AI.
Pyramid / tier (Slide 8)	PowerPoint SmartArt 'Pyramid' OR Figma	Native SmartArt looks fine; saves time.
Hash chain (Slide 14)	Midjourney with brand-tinted prompt	Generate the chain in PPT image only; overlay event labels in PowerPoint.
Phone mockups (Slides 4, 11, 13)	Mockuuups Studio / Shotsnapp / Figma	Drop real screenshots of YOUR running app into a phone frame.
Dashboard collage (Slide 12)	Real screenshots from your running app	Strongly preferred in PPT. Screenshots over generated images — avoid AI.

APPENDIX B

Master slide layout (16:9)

Set this up ONCE as your slide master in PowerPoint / Keynote / Google Slides so every slide is consistent.

Layout structure

- **Top bar** (5% height, 1.5cm) — fill #1E3A8A; left: 'MARGDARSHAN.AI' in white Helvetica Bold 11pt; right: small slide number in white.
- **Slide title area** (10% height) — 36pt bold #1E3A8A, left-aligned, 60px from left edge.
- **Subtitle** (italic 18pt, #475569) under the title.
- **Accent rule** 2px solid #F59E0B between subtitle and content (gives the deck consistency).
- **Content area** (75% height) — 60px margins, 20pt body.
- **Footer** (5% height) — light grey; centred page indicator; bottom-right 'Team Merge Conflict · 2515' in 9pt.

Standard content blocks

- **KPI Card** — 200x140px tile, #EFF6FF fill, 0.5pt #1E3A8A border; big number 36pt bold; small label 11pt grey.
- **Bullet list** — 20pt; • bullet in #F59E0B amber; line height 1.4.
- **Code/monospace** — JetBrains Mono / Courier 14pt; dark navy fill, white text, 6px corner radius.
- **Callout chip** — pill shape, amber fill, white text 11pt; used for taglines / takeaways.

APPENDIX C

Master style prompt (append to every image AI request)

To keep all generated visuals stylistically consistent, append this style suffix to each image prompt above:

Style: clean modern editorial infographic, flat vector illustration, Indian-government-grade professional. Colour palette deep blue #1E3A8A primary, amber #F59E0B accent, off-white background, dark text #0F172A. Generous whitespace, soft drop shadows, no photo-realism, no faces close-up, no real brand logos. Aspect ratio 16:9, 4K resolution, high detail, vector style.

Midjourney parameter suffix

If using Midjourney v6, append: --ar 16:9 --style raw --stylize 150 --quality 1

DALL·E 3 hint

Prefix prompts with: 'A clean editorial vector infographic in the style of New York Times explainer graphics, ...'

Things to avoid

- Close-up human faces with eyes — image AI gets these uncanny. Use silhouettes or 3/4 angles.
- Real government logos (CPGRAMS, MyGov, etc.) — legal risk; use generic 'portal' icons.
- Real Devanagari text inside generated images — most AIs garble it. Overlay Hindi text in PowerPoint instead.
- Complex diagrams with arrows and labels — image AI fails at these. Use draw.io / Mermaid / Excalidraw instead.

Build order recommendation

- **Step 1** — set up master slide template (Appendix B) in PowerPoint.
- **Step 2** — paste all slide text first (every slide gets text, no images yet).
- **Step 3** — generate all images in batch (sit with this PDF and run the prompts).
- **Step 4** — drop images into slides; adjust per Layout Note.
- **Step 5** — replace Slide 12 dashboard mockup with REAL screenshots from your running app.
- **Step 6** — replace Slide 17 placeholder photos with actual team headshots.
- **Step 7** — record a 30-second mp4 of the live citizen flow and embed in Slide 5 as backup.
- **Step 8** — full rehearsal × 3, time each slide.