

login start failure

Docker Hub

login.docker.com/

Dashboard [Jenkins]

Personal access token

KavinRaj612004/

Docker Hub

(no subject) - kavin

localhost:8080

Jenkins

Search

kavinraj

log out

Dashboard

New Item

Build History

Project Relationship

Check File Fingerprint

Manage Jenkins

My Views

Build Queue

No builds in the queue.

Build Executor Status

0 of 2 executors busy

All

S	W	Name	Last Success	Last Failure	Last Duration
✓	☁	Docker Pipeline	13 min #3	26 min #2	2 min 8 sec
✓	☁	Freestyle Project	22 hr #4	22 hr #2	1.8 sec

Icons: S M L

Add description

REST API Jenkins 2.492.2

localhost:8080/view/all/newJob

Jenkins

Search

kavinraj

log out

Dashboard

All

New Item

New Item

Enter an item name

docker-build-pipeline

Select an item type

Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



Multibranch Pipeline

Creates a set of Pipeline projects according to detected branches in one SCM repository.

Organization Folder

Creates a set of multibranch project subfolders by scanning for repositories.

If you want to create a new item from other existing, you can use this option:




Dashboard > Manage Jenkins > Credentials > System > Global credentials (unrestricted) >

Global credentials (unrestricted)

+ Add Credentials

Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description
 docker-jenkins-pipeline	kavinraj/***** (Docker Hub credentials?)	Username with password	Docker Hub credentials?

Icon: S M L

New credentials

Kind
Username with password

Scope
Global (Jenkins, nodes, items, all child items, etc)

Username
kavinraj

☐ Treat username as secret

Password

ID
docker-jenkins-pipeline

Description
Docker Hub credentials"

Create

Activities Google Chrome

Mar 10 22:10

localhost:8080/job/Docker%20Pipeline/3/console



Jenkins

Dashboard > Docker Pipeline > #3

Console Output

Download Copy View as plain text

```
Started by user kavinraj
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/Docker Pipeline
[Pipeline] {
[Pipeline] withCredentials
Masking supported pattern matches of $DOCKERHUB_CREDENTIALS or $DOCKERHUB_CREDENTIALS_PSW
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Clone Repository)
[Pipeline] git
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/Docker Pipeline/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/KavinRaj612004/docker-jenkins-demo.git # timeout=10
Fetching upstream changes from https://github.com/KavinRaj612004/docker-jenkins-demo.git
> git --version # timeout=10
> git --version # 'git version 2.34.1'
> git fetch --tags --force --progress -- https://github.com/KavinRaj612004/docker-jenkins-demo.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main [commit] # timeout=10
Checking out Revision 6ec464aaf51fec661356f964698ca556668189e0 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 6ec464aaf51fec661356f964698ca556668189e0 # timeout=10
> git branch -a -v --no-abbrev # timeout=10
> git branch -D main # timeout=10
> git checkout -b main 6ec464aaf51fec661356f964698ca556668189e0 # timeout=10
Commit message: "Update sonar-project.properties"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
```



login.docker.com /

Docker Pipeline Co

Personal access to

KavinRaj612004/d

Docker Hub

(no subject) - kavin

hub.docker.com/repository/docker/kavinraj/pipeline-app/general

Introducing our new CEO Don Johnson - Read More →

Search Docker Hub

Using 0 of 1 private repositories. [Get more](#)

kavinraj

Docker Personal

Repositories

Settings

Default privacy

Notifications

Billing

Usage

Pulls

Storage

Repositories / pipeline-app / General

kavinraj/pipeline-app

Last pushed 5 minutes ago

Add a description

Add a category

General

Tags

Image Management

Collaborators

Webhooks

Settings

Tags

This repository contains 1 tag(s).

Tag	OS	Type	Pulled	Pushed
3		Image	less than 1 day	5 minutes

See all

Docker commands

To push a new tag to this repository:

docker push kavinraj/pipeline-app:tagname

Public view

buildcloud

Build with Docker Build Cloud

Accelerate image build times with access to cloud-based builders and shared cache.

Docker Build Cloud executes builds on optimally-dimensioned cloud infrastructure with dedicated per-organization isolation.

Get faster builds through shared caching across your team, native multi-platform support, and encrypted data transfer - all without managing infrastructure.

Go to Docker Build Cloud

Repository overview

An overview describes what your image does and how to run it. It displays in the public view of your repository once you have pushed some content.

Add overview

