

```

import numpy as np
from sklearn.ensemble import AdaBoostClassifier
from sklearn.tree import DecisionTreeClassifier
from sklearn.preprocessing import LabelEncoder

# Step 1: Start

data = [
    [">=9", "Yes", "Good", "Good", "Yes"],
    ["<9", "No", "Good", "Moderate", "Yes"],
    [">=9", "No", "Average", "Moderate", "No"],
    ["<9", "No", "Average", "Good", "No"],
    [">=9", "Yes", "Good", "Moderate", "Yes"],
    [">=9", "Yes", "Good", "Moderate", "Yes"]
]

data = np.array(data)

X = data[:, :-1]
y = data[:, -1]

# Encoding
for i in range(X.shape[1]):
    le = LabelEncoder()
    X[:, i] = le.fit_transform(X[:, i])

le_y = LabelEncoder()
y = le_y.fit_transform(y)

X = X.astype(int)

# Decision stump
stump = DecisionTreeClassifier(max_depth=1)

# FIXED LINE
model = AdaBoostClassifier(estimator=stump, n_estimators=4)

model.fit(X, y)

pred = model.predict(X)

print("Predictions:", pred)
print("Actual:", y)

# Step 10: Stop

Predictions: [1 1 0 0 1 1]
Actual: [1 1 0 0 1 1]

```