Rajalakshmi Engineering College

Name: Haripreeth CJ

Email: 241501065@rajalakshmi.edu.in

Roll no: 241501065 Phone: 9445359004

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 5_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

John, a computer science student, is learning about binary search trees (BST) and their properties. He decides to write a program to create a BST, display it in post-order traversal, and find the minimum value present in the tree.

Help him by implementing the program.

Input Format

The first line of input consists of an integer N, representing the number of elements to insert into the BST.

The second line consists of N space-separated integers data, which is the data to be inserted into the BST.

The first line of output prints the space-separated elements of the BST in post-order traversal. order traversal.

The second line prints the minimum value found in the BST.

Refer to the sample output for formatting specifications.

```
Sample Test Case
Input: 3
```

```
5 10 15
Output: 15 10 5
The minimum value in the BST is: 5
```

```
Answer
#include <stdio.h>
#include <stdlib.h>
struct Node {
   int data:
   struct Node* left;
   struct Node* right;
struct Node* createNode(int data) {
  struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
   newNode->data = data;
  newNode->left = newNode->right = NULL;
   return newNode;
}
// You are using GCC
struct Node* insert(struct Node* root, int data) {
  //Type your code here
   if(!root){
     root = (struct Node*)malloc(sizeof(struct Node));
    root->data=data;
     root->left=root->right=NULL;
   } else if(data<root->data){
```

```
241501065
        root->left = insert(root->left,data);
   } else{
         root->right=insert(root->right,data);
      return root;
    void displayTreePostOrder(struct Node* root) {
      //Type your code here
      if(!root) return;
      displayTreePostOrder(root->left);
    displayTreePostOrder(root->right);
      printf("%d ",root->data);
    int findMinValue(struct Node* root) {
      //Type your code here
      while(root && root->left) root= root->left;
      return root->data:
    }
    int main() {
      struct Node* root = NULL;
      int n. data:
      scanf("%d", &n);
      for (int i = 0; i < n; i++) {
         scanf("%d", &data);
        root = insert(root, data);
      displayTreePostOrder(root);
      printf("\n");
      int minValue = findMinValue(root);
      printf("The minimum value in the BST is: %d", minValue);
      return 0;
Status : Correct
```

247501065

241501065

Marks : 10/10