

Smytten E-Commerce Database Management System

CHAPTER – 8

PAYMENT DETAILS MANAGEMENT


1.Database Design:

1.1 Payment Table

Attributes of Payment Table

Attribute	Description
PAYMENT_ID	Unique identification number of the payment
ORDER_ID	Identifies the order associated with the payment
PAYMENT_METHOD	Mode used for making the payment
PAYMENT_STATUS	Status of the payment transaction
PAYMENT_DATE	Date on which the payment was made
AMOUNT	Amount paid for the order

2. Table Relationships



3. Table Creation

3.1 Create Payment Table

```
SQL> CREATE TABLE PAYMENT (  
2     PAYMENT_ID NUMBER PRIMARY KEY,  
3     ORDER_ID NUMBER NOT NULL,  
4     PAYMENT_METHOD VARCHAR2(30) NOT NULL,  
5     PAYMENT_STATUS VARCHAR2(30) NOT NULL,  
6     PAYMENT_DATE DATE DEFAULT SYSDATE,  
7     AMOUNT NUMBER(10,2) NOT NULL  
8 );
```

Table created.

4. Payment Data Insertion

```
SQL> INSERT INTO PAYMENT VALUES (401,201,'UPI','Success',TO_DATE('10-09-2026','DD-MM-YYYY'),899);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (402,202,'Credit Card','Success',TO_DATE('11-09-2026','DD-MM-YYYY'),1299);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (403,203,'Debit Card','Success',TO_DATE('12-09-2026','DD-MM-YYYY'),599);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (404,204,'UPI','Pending',TO_DATE('13-09-2026','DD-MM-YYYY'),1499);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (405,205,'Cash on Delivery','Pending',TO_DATE('14-09-2026','DD-MM-YYYY'),799);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (406,206,'UPI','Success',TO_DATE('15-09-2026','DD-MM-YYYY'),1099);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (407,207,'Credit Card','Failed',TO_DATE('16-09-2026','DD-MM-YYYY'),699);  
1 row created.  
  
SQL> INSERT INTO PAYMENT VALUES (408,208,'Debit Card','Success',TO_DATE('17-09-2026','DD-MM-YYYY'),1599);  
1 row created.
```

5. Manage Payment Transactions

5.1 Display Successful Payments

```
SQL> SELECT * FROM PAYMENT WHERE PAYMENT_ID=404;
```

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_D	AMOUNT
404	204	UPI	13-SEP-26	1499

5.2 Display Failed Payments

```
SQL> SELECT
  2     PAYMENT_ID,
  3     ORDER_ID,
  4     PAYMENT_METHOD,
  5     PAYMENT_DATE,
  6     AMOUNT,
  7     PAYMENT_STATUS
  8 FROM PAYMENT
  9 WHERE PAYMENT_STATUS = 'Failed';
```

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_D	AMOUNT

PAYMENT_STATUS				

407	207	Credit Card	16-SEP-26	699
Failed				

6. Modify Payment Status

```
SQL> SELECT PAYMENT_METHOD, COUNT(*) AS TOTAL_TRANSACTIONS
  2 FROM PAYMENT
  3 GROUP BY PAYMENT_METHOD;
```

PAYMENT_METHOD	TOTAL_TRANSACTIONS

UPI	4
Credit Card	2
Debit Card	2
Cash on Delivery	2

7. Analyze Payment Methods

```
SQL> SELECT
  2     PAYMENT_METHOD,
  3     COUNT(*) AS TOTAL_TRANSACTIONS,
  4     SUM(AMOUNT) AS TOTAL_AMOUNT
  5 FROM PAYMENT
  6 GROUP BY PAYMENT_METHOD
  7 ORDER BY TOTAL_TRANSACTIONS DESC;
```

PAYMENT_METHOD	TOTAL_TRANSACTIONS	TOTAL_AMOUNT

UPI	4	4496
Debit Card	2	2198
Cash on Delivery	2	1548
Credit Card	2	1998

8. Payment Transaction Report

```
SQL> SELECT
  2     PAYMENT_ID,
  3     ORDER_ID,
  4     PAYMENT_METHOD,
  5     PAYMENT_STATUS,
  6     PAYMENT_DATE,
  7     AMOUNT
  8 FROM PAYMENT
  9 ORDER BY PAYMENT_DATE;
```

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
401	201	UPI	Success	10-SEP-26	899
402	202	Credit Card	Success	11-SEP-26	1299
403	203	Debit Card	Success	12-SEP-26	599

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
404	204	UPI	Success	13-SEP-26	1499
405	205	Cash on Delivery	Pending	14-SEP-26	799
406	206	UPI	Success	15-SEP-26	1099

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
407	207	Credit Card	Failed	16-SEP-26	699
408	208	Debit Card	Success	17-SEP-26	1599
409	209	UPI	Success	18-SEP-26	999

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
410	210	Cash on Delivery			