

DEMO, ARCHITECTURE AND CODEBASE IMPLEMENTATION PLAN

XELOR Demo Upgrade Technical Blueprint

A repository-grounded plan for ONYX operational authority, XELOR decision intelligence, supplier sourcing, phone-first factory visibility and evidence-backed human control.

TAKE	SOURCE	RUN	SEE	GOVERN
Customer order	Qualified supply	Factory work	Phone visibility	Evidence and approval

IMPLEMENTATION CONTRACT | VERSION 2.0 | 31 AUGUST 2026
Prepared for AIKYANTRA - ONYX and XELOR



1. Executive implementation decision

Upgrade the demo around one governed order-to-supply-to-factory story, while keeping ONYX authoritative and XELOR evidence-led.

Recommended product boundary

ONYX records what the factory does. XELOR explains what is happening, what may happen next, and which bounded review should begin. Pocket makes that truth usable on a phone.

ONYX	XELOR	Pocket
ERP, sourcing documents, stock, production, quality, maintenance, schedules, accounting and final posting.	Evidence, OEE, findings, comparisons, recommendations, missions, approvals and outcome verification.	Role-specific mobile visibility and draft capture through the same APIs and permissions.

The proof loop



Best implementation sequence

- **D0:** fix demo truth, contracts, ports and real-stack Factory Intelligence proof.
- **D1:** build an invite-only RFQ, quote revision, comparison and award loop in ONYX.
- **D2:** ship Pocket as a read-first PWA; add offline drafts only after online paths are proven.
- **D3:** connect two or three pilot machines in shadow mode and measure data quality.
- **D4:** send approval-backed planning review requests; keep physical machine control out of scope.

Evidence: [XE-1], [XE-2], [DS-1]. Repository and external sources are in Appendix C.

2. Contents and status language

The document separates what exists, what is configured for the demo, what is proposed and what remains a gap.

1. Executive implementation decision

The proof loop

Best implementation sequence

2. Contents and status language

3. Current GitHub baseline

What changed in product capability

4. Current capability truth

5. IndiaMART, Vyapar and Datastride lessons

Combined differentiation

6. Demo purpose and non-claims

What the audience should understand

Mandatory disclosure

7. Workflow A: customer order to governed mission

8. Workflow B: factory evidence to controlled recovery

9. Twelve-minute demonstration storyboard

10. Target architecture and trust boundary

11. Contracts, APIs and write-back

Initial read and command surface

12. Invite-only supplier and RFQ loop

13. Pocket: factory visibility from the phone

14. Data model and event flow

Events that close the loop

15. Permissions, security and participant isolation

New permission families

16. Codebase ownership map

Current anchors retained

17. Implementation workstreams19

18. Demo fixtures, flags and reset20

Preflight20

19. Verification and acceptance matrix21

Current focused test evidence21

20. Delivery phases and exit gates22

21. Principal risks and controls23

22. First 90 days24

Team focus24

23. Final recommendation25

The product in one sentence25

Why this is the best change path25

Appendix A. API, event and permission inventory26

Read projections and command requests26

Core events26

Permission families26

Appendix B. Current file and test traceability27

Appendix C. Evidence and source register28

Repository snapshot28

Status	Meaning	Presenter rule
LIVE CURRENT	Persistent UI, API and database path	May be demonstrated as working
DEMO CURRENT	Implemented with fixture or simulator evidence	Badge it and explain the source
PROPOSED	Designed and mapped to code ownership	Show only as roadmap
GAP	Required before pilot or production	Never imply it exists

3. Current GitHub baseline

The latest update adds real Factory Intelligence and order-to-mission behavior, plus a much larger shared architecture workspace.

Ref	Product	Important change
8b687f0	XELOR	Factory Intelligence, new-order mission start, rebrand, permission fix and delivery-date fix
216238c	Shared	Product split, governance blueprints, architecture briefs and competitor research
9946091	Local only	Windows compatibility deletion for illegal UI:UX.md path
bd57cd2	ONYX	Factory Operations POC, OEE evidence, assignments, breakdown and alternate proposal

What changed in product capability

- XELOR now consumes a versioned ONYX factory projection over HTTP.
- OEE is recomputed from raw values with formulas, freshness, warnings and data-quality confidence.
- A breakdown preview validates ONYX's explicit alternate rather than inventing one.
- A customer PO can create a confirmed Sales order and start the existing 13-stage mission.
- Multi-permission routes now require all permissions instead of silently enforcing only one.

Repository health warning

Current checkout: **xelor-phase-2** at **99460918171f**. origin/main still contains an NTFS-illegal UI:UX.md path, the local compatibility commit is not pushed, and startup documentation mixes ONYX ports 3000/3001 with XELOR ports 3100/3101.

4. Current capability truth

The new slice is strong governance code, but it is still a configured 3S proof rather than a generic live-factory product.

Capability	State	Truth
Create order and mission	LIVE CURRENT	Confirmed order, idempotency and 13 mission stages
BOM and stock shortage	LIVE CURRENT	Reads governed ERP records; missing evidence blocks
Supplier comparison	DEMO CURRENT	Seeded or uploaded terms; no supplier outreach
Factory projection	DEMO CURRENT	factory-operations.v1 for fixed 3S simulator
OEE	DEMO CURRENT	Deterministic arithmetic, not predictive AI
Recovery	DEMO CURRENT	Validates an ONYX proposal and creates a review request
Unified Blueprint	DEMO CURRENT	Public-demo-only walkthrough; live reads and invented values are labelled
RFQ marketplace	PROPOSED	No RFQ, invitation, quote portal or award module today
Pocket offline PWA	PROPOSED	Responsive web only; no service worker or offline queue
Live edge telemetry	GAP	No pilot OPC-UA/MQTT adapter proven

Architecture debt

Factory Intelligence proves the intended HTTP boundary. Fulfilment still imports local ERP schema and Agent OS still composes ERP modules, so the README's full ONYX/XELOR separation is a target state, not current platform-wide truth.

5. IndiaMART, Vyapar and Datastride lessons

Use each product for the mechanism it proves, then apply factory-grade evidence, permissions and transaction ownership.

Source	Take	Improve for XELOR	Do not copy
IndiaMART	Search, supplier reach, location and RFQ simplicity	Technical schemas, revisions, qualification, confidentiality and outcome evidence	Scraped supplier data or pay-to-rank trust
Vyapar	Fast daily work, mobile access, readable documents and sharing	Plant roles, approvals, quality, audit and safe offline drafts	A desktop ERP squeezed into a phone
Datastride	Conversational analysis, live KPIs, anomaly/forecast workflows	Tie every finding to ONYX records, freshness, confidence and guarded action	Analytics presented as ERP/MES or machine control

Combined differentiation

One industrial loop

IndiaMART helps find possible supply. Vyapar simplifies business administration. Datastride helps interpret data. ONYX and XELOR should connect customer demand, qualified supply, factory execution, evidence and controlled action without losing the system of record.

- Supplier breadth begins from a real MRP or customer-order requirement.
- Phone simplicity reads the same governed records as desktop.
- Factory intelligence exposes source rows, age, formula or model version and confidence.
- Supplier trust improves from actual delivery and inspection outcomes rather than marketing claims.

Evidence: [IM-1], [VY-1], [DS-1], [DS-2].

6. Demo purpose and non-claims

The presentation proves one governed decision loop. It does not pretend to be a live multi-factory deployment.

Demo statement

A customer commitment can become a governed supply and factory decision, visible from a phone, with source evidence and human control.

What the audience should understand


Operational truth	Decision truth	Human truth
ONYX remains authoritative for orders, stock, production, quality, schedules and money.	XELOR exposes evidence, risk, options, approval and eventual outcome.	A material commitment or recovery request is attributable and approval-controlled.

Mandatory disclosure

- Factory data is configured simulator evidence, not a live PLC or MES feed.
- OEE is deterministic arithmetic; confidence measures data quality, not failure probability.
- Supplier terms are seeded or uploaded; no real RFQ message is sent today.
- Phone support is responsive web, not an offline PWA or native app.
- Recovery approval creates a planning review only; no schedule is published.
- No predictive-maintenance accuracy, autonomous purchasing or machine control is claimed.

7. Workflow A: customer order to governed mission

Start with a new customer PO so the audience sees a persistent business commitment, not a pre-recorded row.




Stage	Current implementation	Proof and boundary
Intake	GET /fulfilment/orderable; POST /fulfilment/orders	sales.order.create AND agentos.run.operate; idempotent replay
Engineering	Released BOM lookup	Missing build sheet stops planning
Materials	Stock and reservations	BOM explosion links shortage to order line
Sourcing	Seeded/uploaded supplier terms	Label as available terms, not supplier outreach
Strategy	Deterministic candidate comparison	Price, date and autonomy policy remain visible
Authorize	Human approval digest	Reject creates nothing; approve continues once
Execute	Narrow Purchase and Production writers	Draft documents are re-read as postconditions

Required migration

Replace direct fulfilment database reads with ONYX fulfilment-context and command clients. Keep the current in-process ports only as a demo compatibility adapter until contract-tested HTTP paths are ready.

8. Workflow B: factory evidence to controlled recovery

The strongest current upgrade is a fail-closed, evidence-preserving breakdown analysis with no autonomous schedule or machine action.



Responsibility	ONYX	XELOR
Evidence	Machine, job, operator, counters and qualification	Validate links, freshness, provenance and contract
OEE	Supplies raw values and source labels	Recomputes formula and keeps warnings
Recovery option	Names the configured qualified alternate	Validates it; never invents a target
Schedule	Owns baseline and any authoritative publication	Calculates a non-authoritative candidate comparison
Action	Accepts a bounded planning review request	Creates one request only after approval

Fail-closed rules
No proposal, stale target evidence, unqualified alternate, ambiguous operation identity or invalid governance blocks the recovery.
Approval never changes a schedule and never contacts a physical controller.

9. Twelve-minute demonstration storyboard

One resettable 3S story shows customer demand, supply evidence, factory risk, phone visibility and controlled action.


Minute	Presenter move	Expected proof	Status
0:00	Run preflight and show simulator badge	Known reset state and healthy services	LIVE
0:45	Enter customer PO, item, quantity and due date	Confirmed order and one mission	LIVE
2:00	Open BOM, stock and shortage evidence	Source-linked demand; missing data blocks	LIVE
3:15	Show available supplier terms	Comparable inputs; no supplier message	DEMO
4:15	Approve the fulfilment plan	Attributable decision and draft documents	LIVE
5:30	Switch to 390 x 844 Factory Intelligence	Phone-readable jobs, OEE, risk and freshness	DEMO
6:45	Inspect the faulted lathe and at-risk job	Raw evidence and deterministic OEE	DEMO
8:00	Compare baseline and qualified alternate	Reproducible delta and warnings	DEMO
9:15	Approve or reject recovery review	One review request or zero	DEMO
10:30	Open approval and audit evidence	Actor, note, source refs and action reconcile	LIVE
11:30	Open /blueprint/loop, Source, Flow and Pocket	Current versus proposed remains explicit	PROPOSED

Evidence: [XE-3], [XE-4], [XE-5].

10. Target architecture and trust boundary

Use two separately deployed products and databases with one generated contract source, not shared table access.

Shared identity, contracts, permissions, audit, correlation and observability span both deployments.



11. Contracts, APIs and write-back

Generate producer validation and consumer clients from one contract package so branch drift becomes a CI failure.


Contract	Purpose	Required fields
factory-operations.v2	Generic site, window, assignments, OEE inputs and proposals	schema, source, observedAt, watermark, evidenceRefs, ETag
fulfilment-context.v1	Order, lines, BOM, stock, reservations and promise	version, tenant, order refs, evidence and freshness
sourcing.v1	Requirement, invited suppliers, quote revisions and award	participant scope, revisions, validity and evidence
commands.v1	Draft/review requests from XELOR to ONYX	idempotency, expectedVersion, actor, reason and digest
domain events	Projection and outcome updates	eventId, occurredAt, correlation, causation and schema

Initial read and command surface

- GET /api/v1/projections/factory/sites/:siteCode/operations
- GET /api/v1/projections/fulfilment/orders/:orderId
- GET /api/v1/sourcing/requirements/:id and /rfqs/:id/quotes
- POST /api/v1/sourcing/rfqs and /awards/:id/recommend
- POST /api/v1/planning/replan-reviews
- POST /api/v1/purchase/grns/drafts; final /post remains online-only and ONYX-owned

12. Invite-only supplier and RFQ loop

Build the smallest credible IndiaMART-inspired slice: a real requirement, consented suppliers, comparable quote revisions and one governed award.




Domain object	Owner	Integrity rule
sourcing_requirement	ONYX Planning/Sourcing	Pegged to item, quantity, need date and source demand
rfq and invitation	ONYX Sourcing	Only active qualified suppliers; confidential revision snapshot
supplier_quote revision	Supplier participant	Immutable history; competitor isolation
comparison snapshot	XELOR analysis	Normalization, evidence, score version and freshness
sourcing_award	ONYX Sourcing	Recommender cannot approve; one award creates one draft PO
supplier performance	ONYX evidence	Delivery and inspection outcomes, not paid ranking

Data acquisition rule

Start with invited known suppliers and consented field onboarding. Do not scrape, copy or republish IndiaMART's database.

13. Pocket: factory visibility from the phone

Build a task-first PWA, not a smaller desktop ERP. Phase 1 is read-first and online; Phase 2 adds controlled offline drafts.



Concept screens. Production values must come from authorized records and display source, freshness and fixture mode.

Offline boundary

Queue drafts with a stable idempotency key and source version. Never queue approvals, stock posting, quality release, payment, schedule publication or machine commands.

14. Data model and event flow

Keep transactional tables in ONYX and intelligence memory in XELOR. Store identifiers and evidence snapshots, not duplicate masters.

Zone	New records	Owner
Sourcing	requirement, RFQ, invitation, quote revision, award, capability, performance	ONYX
Factory operations	shift, assignment, qualification, counter aggregate, projection checkpoint	ONYX
Accounts payable	supplier invoice revision, match result and exception	ONYX, after demo loop
Intelligence	projection cache, finding, recommendation, model version and evaluation	XELOR
Mobile	device session, draft outbox, sync result and push receipt	Client plus owning API

Events that close the loop

- planning.requisition.raised.v1 -> sourcing.rfq.published.v1 -> sourcing.quote.submitted.v1
- sourcing.award.approved.v1 -> purchase.po.approved.v1 -> purchase.grn.posted.v1
- production.operation.blocked.v1 -> factory.asset-state.changed.v1
- factory.shift-kpi.closed.v1 -> quality.inspection.completed.v1
- maintenance.downtime.started.v1 -> maintenance.downtime.ended.v1
- planning.schedule.published.v1 closes the recovery outcome only after ONYX acts

Eventing rule

Consumers deduplicate by event ID and preserve correlation/causation. Stock and ledger correctness stays synchronous inside ONYX transactions.

15. Permissions, security and participant isolation

Mobile and supplier channels reuse the same authority model; they never create a second permission system.

Control	Requirement	Acceptance proof
Multi-permission routes	Use variadic RequirePermission with AND semantics	Metadata and guard tests
Award SoD	Requester/recommender cannot approve own award	Role and workflow integration test
Supplier scope	Tenant plus supplier account, like CSP account scope	Invited/uninvited/competitor leak probe
Mobile privacy	Plant/role field masks; no cost for operator	390 x 844 role screenshot and API test
Authentication	Service identity for ONYX/XELOR; BFF/HttpOnly cookie before production Pocket	Token audience and revoked-session tests
Evidence	No secrets or unnecessary PII; reasoned access is logged	Evidence-pack and log scan
Production flags	Refuse simulator, fixture and public-demo modes	Startup configuration tests

New permission families

sourcing.requirement.* | sourcing.rfq.* | sourcing.quote.* | sourcing.award.* | purchase.invoice.* | factory.operations.read | factory.assignment.write | intelligence.factory.read | intelligence.sourcing.run | intelligence.finding.acknowledge

16. Codebase ownership map

The implementation contract names exact owners and paths so architecture is testable rather than aspirational.

Change set	ONYX paths	XELOR/shared paths
Contracts	Producer adapters and OpenAPI implementation	packages/contracts, generated clients and consumer fixtures
Sourcing	db/schema/sourcing; api/modules/sourcing; web/modules/sourcing	api/intelligence/sourcing and comparison UI
Factory v2	integration factory projection; explicit assignment schema	integrations/onyx client; intelligence/factory
Fulfilment boundary	fulfilment-context read and document command APIs	replace mission.service direct DB reads
Pocket	aggregated role APIs and authoritative draft endpoints	web/modules/pocket; service worker; offline policy
Events	transactional outbox and signed delivery	event receiver, dedupe and projection cache

Current anchors retained

factory-intelligence.service.ts; onyx-factory-intelligence.http-adapter.ts; factory-intelligence/oeo.ts; factory-intelligence/replan.ts; factory-intelligence.tsx; new-order-form.tsx; mission.service.ts. Public-demo walkthrough: modules/blueprint and modules/registry.ts.

Architecture enforcement

Add CI that forbids new XELOR imports of ONYX database schema or ERP services. Contract changes merge first, then ONYX producer, then XELOR consumer behind flags.

17. Implementation workstreams

The machine-readable manifest is checked in CI and connects phase, ownership, status, paths, APIs, events, permissions, tests and acceptance.

ID	Workstream	Owner	State	Paths	First acceptance gate
D0-REPOSITORY	Repository and demo truth	HEXA	GAP	2	XELOR and ONYX ports and databases are stated consistently.
D0-CONTRACTS	Generated ONYX and XELOR contracts	HEXA	PROPOSED	7	One schema generates producer and consumer validation.
D0-FACTORY-V2	Generic Factory Intelligence v2	AXLE	DEMO CURRENT	3	Service accepts tenant, site and time window rather than hardcoded 3S identifiers.
D1-SOURCING	Invite-only sourcing loop	SPAR	PROPOSED	8	Only active qualified suppliers are invited.
D1-SUPPLIER-CONNECT	Supplier participant experience	MICA	PROPOSED	3	Supplier identity is attributable and participant-scoped.
D2-POCKET	Read-first Pocket PWA	HEXA	PROPOSED	8	Every KPI shows source and freshness.
D3-PILOT-TELEMETRY	Pilot edge telemetry	KILN	PROPOSED	3	One adapter supports two to three machines in shadow mode.
D4-CONTROLLED-RECOVERY	Approval-controlled recovery	ONYX	PROPOSED	2	Review request is bounded, attributable and idempotent.

Repository contract

Run **pnpm demo-upgrade-check**. It verifies current anchors, unique workstream ownership, API/event/permission naming and mandatory demo disclosures.

18. Demo fixtures, flags and reset

A reliable demo uses explicit fixture adapters and refuses to let demo configuration enter production unnoticed.

Flag	Demo value	Production requirement
SUPPLIER_DIRECTORY_MODE	fixture	live; consented provider only
FACTORY_EVIDENCE_MODE	simulator	edge or governed mixed
FACTORY_OPERATIONS_CONTRACT	v1 compatibility, then v2	v2 supported and observed
XELOR_POCKET_ENABLED	read-only	role-tested PWA
XELOR_POCKET_OFFLINE_DRAFTS	false	true only after conflict tests
SOURCING_RFQ_ENABLED	fixture cohort	invite-only live
AI_PROVIDER	stub	approved local or hosted provider
NEXT_PUBLIC_PUBLIC_DEMO	true	false; walkthrough omitted from registry

Preflight

- Run `pnpm demo:rebuild` from a database containing only approved demo tenants.
- Run `pnpm demo:verify` and record the result before opening the presentation.
- Confirm web, API, Keycloak and ONYX projection health.
- Confirm the pending approval has not been consumed by rehearsal.
- Show fixture/simulator labels on every relevant screen.

Production startup

Refuse fixture, simulator and public-demo modes. Do not silently fall back to them when service identity, contracts or edge connections fail.

19. Verification and acceptance matrix

A polished demo is not enough. Each claim needs a deterministic test at the boundary where it could become false.

Area	Required gate
Contracts	Provider and consumer tests; unsupported version fails closed; idempotent replay
RFQ	Qualified invite; participant isolation; immutable revisions; one award to one draft PO
Mobile	390 x 844, 768 x 1024 and 1440 x 900; field masks; offline conflict and purge
OEE	Zero, missing, invalid and contradictory inputs never become plausible KPIs
Replan	No/stale/unqualified proposal blocks; deterministic delta; approval mandatory
Audit	Reject dispatches zero; approve dispatches one; actor, note, digest and hashes reconcile
Cross-service	Real ONYX projection -> XELOR -> approval -> ONYX review -> outcome evidence
Architecture	CI forbids new XELOR imports of ONYX DB schema and ERP services

Current focused test evidence

31 platform tests OEE validation, freshness, confidence, proposal validation and deterministic replanning.	21 API tests HTTP contract, credentials, schema, evidence, freshness and permission behavior.	5 web tests Grouped permissions and light/dark/chrome palette contrast.
--	---	---

Remaining proof

The current Factory Intelligence browser spec mocks the API. Add one real-stack ONYX-to-XELOR recovery test before calling the slice pilot-ready.

20. Delivery phases and exit gates

Productionize one complete proof slice before expanding marketplace breadth, offline mutation or predictive models.

Phase	Duration	Deliverable	Exit gate
D0 Demo integrity	1 sprint	Contracts, truth labels, generic factory v2 and real-stack E2E	Repeatable clean demo; no architecture contradiction
D1 Sourcing loop	2-3 sprints	8-12 suppliers, RFQ, quotes, comparison, approval and draft PO	Isolation and one-effect award tests pass
D2 Pocket	1-2 sprints	Read-first owner, supervisor, buyer and receiving PWA	Mobile role/freshness tests pass
D3 Pilot telemetry	2-4 sprints/site	One adapter, 2-3 machines, shadow OEE and reconciliation	Measured data-quality SLA
D4 Controlled recovery	After pilot evidence	Approval-backed ONYX planning review and outcome verification	Rollback and authority proven

Sequence rule

Do not start anomaly or forecast ML until the system has labelled events, stable telemetry, baselines and measured false-positive handling.

21. Principal risks and controls

Most risk comes from overstating demo evidence, crossing authority boundaries or allowing product branches to drift.

Risk	Failure mode	Control
Demo becomes product claim	Simulator appears live	Persistent mode badge, presenter disclosure and production flag refusal
Product branch drift	Contracts and docs disagree	Generated contract package, paired PRs and combined compatibility CI
Supplier leak	Quote visible to competitor	Participant-scoped immutable packages and RLS leak probes
Mobile duplicate	Reconnect posts twice	Stable idempotency key, expected version and one-effect test
Stale factory evidence	Unsafe alternate appears valid	Freshness thresholds, exact evidence refs and fail-closed validation
Black-box intelligence	Manager cannot defend action	Formula/model version, evidence, confidence and human approval
Scope explosion	Marketplace, ERP, PWA and ML stall together	D0-D4 gates and one proof slice
Machine safety	General UI becomes control path	No PLC/safety command surface; explicit non-goal

22. First 90 days

Use the first quarter to make the demo truthful, complete one sourcing loop and put governed factory visibility on a phone.

Window	Product and field work	Engineering output	Decision gate
Days 1-15	Lock demo story; select pilot cluster and supplier categories	Repo truth fixes, contract package and generic factory v2	Demo integrity
Days 16-30	Onboard 8-12 consented suppliers; validate RFQ fields	Requirement/RFQ/quote schemas and participant security	Comparable quote proof
Days 31-60	Run invited RFQs; test owner/supervisor/buyer phone jobs	Award workflow, draft PO conversion and read-first Pocket	Sourcing loop complete
Days 61-90	Select one pilot site and 2-3 machines	Edge adapter spike, shadow OEE, reconciliation and cross-service E2E	Pilot go/no-go

Team focus

One product/field owner; one platform/contracts engineer; two ONYX domain engineers; two XELOR intelligence engineers; two web/mobile engineers; one QA/automation owner; shared security and data support.

23. Final recommendation

Fund the shortest complete industrial proof: customer order, governed sourcing, factory evidence, phone visibility and one approval-backed recovery review.

Proceed

Complete D0 first. Then build D1 sourcing and D2 read-first Pocket in parallel behind contracts and flags. Delay live telemetry scale, offline mutation and predictive models until pilot evidence exists.

The product in one sentence

ONYX runs the factory and records the truth. XELOR turns that truth into evidence-backed decisions, visible on a phone and governed by the people responsible.

Why this is the best change path

- It uses the strongest code that already exists instead of restarting the platform.
- It corrects the ONYX/XELOR boundary before more direct database coupling spreads.
- It combines marketplace reach, mobile simplicity and decision intelligence around real factory records.
- It gives the demo one believable story while preserving honest limitations.
- It converts the PDF into a checked repository contract with owners, paths, APIs, events and tests.



Appendix A. API, event and permission inventory

This inventory is a planning contract. Proposed names become binding only when their owning implementation and migration merge.

Read projections and command requests

Type	Contract
Read	GET /projections/factory/sites/siteCode/operations
Read	GET /projections/fulfilment/orders/orderId
Read	GET /sourcing/requirements/:id and /rfqs/:id/quotes
Command	POST /sourcing/requirements and /rfqs
Command	POST /sourcing/awards/:id/recommend and /decide
Command	POST /planning/replan-reviews
Command	POST /purchase/grns/drafts and online-only /:id/post

Core events

planning.requisition.raised.v1; sourcing.rfq.published.v1; sourcing.quote.submitted.v1; sourcing.award.approved.v1; purchase.po.approved.v1; purchase.grn.posted.v1; production.operation.blocked.v1; factory.asset-state.changed.v1; factory.shift-kpi.closed.v1; quality.inspection.completed.v1; maintenance.downtime.started.v1; maintenance.downtime.ended.v1; planning.schedule.published.v1.

Permission families

sourcing.requirement.*; sourcing.rfq.*; sourcing.quote.*; sourcing.award.*; purchase.invoice.*; factory.operations.read; factory.assignment.write; intelligence.factory.read; intelligence.sourcing.run; intelligence.finding.acknowledge.

Appendix B. Current file and test traceability

These symbols are the evidence behind current capability claims and the starting points for the change set.

Capability	Implementation anchor	Verification
Factory HTTP endpoint	apps/api/src/agent-os/factory-intelligence.controller.ts	controller and permission tests
Factory orchestration	apps/api/src/agent-os/factory-intelligence.service.ts	factory-intelligence.service.test.ts
ONYX adapter	apps/api/src/agent-os/onyx-factory-intelligence.http-adapter.ts	adapter contract/auth tests
Shared transport shape	apps/api/src/ports/onyx-factory-intelligence.port.ts	factory-operations.v1 validation
OEE	packages/platform/src/factory-intelligence/oeo.ts	oeo.test.ts
Recovery preview	packages/platform/src/factory-intelligence/replan.ts	replan.test.ts
Factory screen	apps/web/src/modules/agentos/screens/factory-intelligence.tsx	factory-intelligence.spec.ts
New order	apps/web/src/modules/fulfilment/new-order-form.tsx	new-order-first-step.spec.ts
Mission engine	apps/api/src/fulfilment/mission.service.ts	mission correctness and scenario tests
Permission AND	apps/api/src/common/permission.guard.ts	permission-guard-metadata.test.ts
Palette	apps/web/src/app/globals.css	palette-contrast.test.ts
Upgrade contract	workspace/docs/07-execution/03-demo-upgrade-codebase-manifest.json	check-demo-upgrade-manifest.mjs

Line-number policy

The PDF cites stable file and symbol ownership rather than fragile line numbers. The header records the exact branch and commit snapshot.

Appendix C. Evidence and source register

External product sources support design inspiration. Repository claims are tied to the snapshot below.

Code	Source	Type
IM-1	IndiaMART marketplace	Official vendor source
IM-2	IndiaMART investor information	Official vendor source
VY-1	Vyapar product homepage	Official vendor source
VY-2	Vyapar manufacturing page	Official vendor source
DS-1	Datastride Sia product page	Official vendor source
DS-2	Datastride company and manufacturing overview	Official vendor source

Repository snapshot

Field	Value
Branch	xelor-phase-2
Commit	99460918171f53e4d03d57bffdcf5fb094303d6b
Remote XELOR baseline	origin/main 216238c
ONYX baseline	onyx-phase-1 bd57cd2
Canonical blueprint	workspace\docs\07-execution\02-xelor-demo-upgrade-implementation-blueprint.md
Codebase manifest SHA-256	0a7685e392b3566c70 added34bf4d25c02e35485ea3fee509e7dab9df586562f90

Interpretation

IndiaMART, Vyapar and Datastride are used as design references. This document does not imply permission to copy their data, branding, implementation or customer relationships. Vendor claims are not independent proof.