

The XELOR agent system

A plain-language master guide to the seven agents, their product groupings, and the controlled way they coordinate to turn business questions into evidence-backed work.

Includes: agent map, architecture blocks, mission flow, collaboration examples, human-control model and current runtime boundary.
Companion set: one detailed guide for each agent.


MASTER

What XELOR is

A manufacturing operating system with a controlled multi-agent coordination layer

The simple explanation

XELOR connects customer commitments, material, plans, plant execution, quality, maintenance, money, people and governance. Its agents do not replace these modules; they help a user ask one cross-functional question and receive one traceable, controlled answer.



Seven agents, one coordinated system

Each summary is intentionally brief; the companion PDFs hold the detail

ONYX · Supervisor

Turns a business goal into a controlled plan, assigns the right specialists, joins their evidence and presents one understandable result.

Grouping: ONYX Copilot, Agent OS, AI Operations

HEXA · Governance

Protects identity, permissions, policy, budgets, approvals and audit evidence so every mission stays inside the user's authority.

Grouping: Organisation, Administration, Integration

MICA · Commercial

Explains what customers ordered, what was promised, what has shipped and what service or warranty obligation remains.

Grouping: Sales, Service / CSP

SPAR · Supply

Explains what stock exists, what has been ordered from suppliers and where material shortages threaten a plan or promise.

Grouping: Purchase, Inventory

AXLE · Planning

Connects what the product needs with what demand requires, then explains what to make, what to buy and which dates or capacities are at risk.

Grouping: Engineering, Planning

KILN · Operations & Quality

Explains what the plant is making, whether it passes quality controls and whether machines can keep the schedule running.

Grouping: Production, QMS & Audit, Maintenance

RASP · Finance & Working Capital

Explains the accounting truth, cash pressure, collections, expenditure and payroll consequences behind an operating decision.

Grouping: Accounts, Working Capital, Employee Spend, People / HRM

The shape of the team

ONYX is the only delegating supervisor. HEXA is the shared control layer. MICA, SPAR, AXLE, KILN and RASP are business specialists. A specialist cannot quietly recruit another agent or widen its own role.

How a question reaches trusted business data

Every block narrows authority and preserves evidence




Experience layer	Copilot, dashboard and Decision Commander
Coordination layer	Graph catalogue, runtime, nodes, joins and checkpoints
Governance layer	Identity, tenant, RBAC, approval, budget, kill switch and audit
Capability layer	Closed registry of read, analyse, simulate, draft and execute operations
Business layer	Sales, stock, planning, production, quality, finance and other domain services
Data layer	Tenant-fenced PostgreSQL, append-only ledgers and durable run records

No direct database agent

An agent cannot compose arbitrary SQL. It receives a named capability, the runtime checks authority, and the capability calls an existing business service whose rules remain in force.

How the agents coordinate from goal to outcome

Independent work runs together; dependent work waits for evidence



Runtime behaviour

Ready nodes run in parallel waves. After each wave, XELOR stores a checkpoint. Failed nodes, timeouts or deadlocks stop the run safely; interrupted nodes can be recovered without pretending they completed.

What happens when a mission needs follow-up work

The demo has approval-bound dispatch, not silent autonomous ERP writes

1

Read. The six live business reads gather company, order, stock, planned-order, production, inspection and finance evidence where required.

2

Assess. Specialists explain their own area. ONYX combines the evidence into a proposed cross-functional action plan.

3

Preflight. HEXA checks the user, tenant, permission, graph context and proposed action before any approval request.

4

Approve. The graph pauses for a human. Approval belongs to that exact waiting node and mission context.

5

Dispatch. Approved specialist assignments are appended as governed work items; retries do not duplicate them.

6

Verify. HEXA verifies records and audit evidence; ONYX reports the observed outcome and any remaining limits.

Investor-demo wording

Say “the system has created approved, traceable work for the responsible teams.” Do not say “the agents changed every ERP record automatically,” because that is deliberately outside the current runtime.

How the groupings make one business answer

The value comes from joined evidence, not seven isolated chat windows

Delivery promise

MICA supplies the customer date; SPAR the material; AXLE the plan; KILN execution and quality; RASP the cash effect; HEXA the controls; ONYX gives one readiness answer.

Quality and audit readiness

KILN gathers inspections and drafts evidence/CAPA/audit packs. SPAR traces incoming material, AXLE the product/plan context, HEXA the approvals, and ONYX the readiness gaps.

Working-capital review

RASP leads cash, vouchers, scenarios and collections. MICA adds receivables context, SPAR purchasing/inventory pressure, AXLE planned demand, KILN operating impact, and HEXA control evidence.

Full command review

ONYX runs a broad operational view, keeps specialist facts separate, highlights conflicts and publishes a prioritised evidence-backed summary.

Five registered graph recipes

- Foundation cross-functional readiness
- Full command review
- Controlled action mission
- Finance working-capital review
- Quality QMS/audit readiness

Why the user remains in control

Five boundaries apply to every mission

1 · Identity

Verified token determines the user and tenant

2 · Authority

Agent allow-list AND the user's permission must pass

3 · Action

Side effects need an approved ancestor node

4 · Business rules

The normal domain service remains in charge

5 · Evidence

Runs, nodes, events, checkpoints, approvals and audit persist

Failure is explicit

The graph records a failed node, timeout or deadlock and stops. It does not fabricate a successful answer to keep the presentation smooth.

Recovery is durable

Stored checkpoints let a run recover interrupted work with idempotent capability rules and visible history.

AI is governed

A closed feature registry, provider router, opt-out, budget, kill switch, evaluation gate and hash-chained log surround AI use.

Code and humans decide

Deterministic code applies accounting, quality, tax, stock and workflow rules. A person controls approval-bound action.

What the MVP honestly demonstrates

A strong demo is clear about the boundary between live, controlled and future

Live now

- Seven registered agent identities and prefixes
- Sixteen allow-listed capabilities
- Five versioned mission graphs
- Parallel nodes, joins, checkpoints and recovery
- RBAC, tenant fencing, approval waits and audit
- Read, analyse, simulate and draft tools
- Approval-bound, idempotent work-item dispatch
- Decision Commander evidence joins and outcome attribution

Not claimed

- No external model API is active
- No external connector is active
- Language reasoning is deterministic
- No general-purpose direct SQL tool
- No agent can widen the user's permission
- No automatic customer message, payment or posting
- No dispatched work item is described as completed business work
- No simulation or draft is labelled as fact

The one-line disclosure

Orchestration, ERP reads, approval gates and governed action dispatch are live. Language reasoning is deterministic; no external model API or connector is active.

Where to go for detail

The master stays short; each agent has its own complete handbook

ONYX guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

HEXA guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

MICA guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

SPAR guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

AXLE guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

KILN guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

RASP guide

Role, grouped modules, runtime contract, exact callable tools, handoffs, worked example, safety controls and implementation limits.

Shared glossary

Agent	A named specialist with an allow-listed tool surface.
Capability	One registered operation with mode, owner and required user permission.
Mission graph	A versioned recipe for steps, parallel work, joins and approval gates.
Checkpoint	A durable progress snapshot for explanation and recovery.
Governed work item	An approved, append-only assignment—not a direct mutation of the business record.
Verified value	An observed result with method and supported/partial attribution; distinct from an estimate.

Research basis: runtime types, capability registry, graph catalogue and runtime, action dispatch, Decision Commander, AI spine, module services, schema migrations, tests and product documentation in this repository. Snapshot: 1 August 2026.