

ONYX Supervisor

The mission coordinator. Turns a business goal into a controlled plan, assigns the right specialists, joins their evidence and presents one understandable result.

Made for: product, engineering, operations and business teams.
Reading time: about 12 minutes.
Truth standard: describes the repository as implemented on 1 August 2026.

ONYX

What ONYX is here to do

A role, not an all-powerful chatbot

In one sentence

Turns a business goal into a controlled plan, assigns the right specialists, joins their evidence and presents one understandable result.

3

product areas grouped here

1

registered callable tools

3

allowed capability prefixes

6

agents it may delegate to

Receives

A user goal · Signals from dashboards or Decision Commander ·
Evidence returned by all specialists · Approval and verification status

Produces

A scoped mission · A joined evidence pack · A prioritised plan · A final
outcome with limits and next steps

Allowed capability families

agent.*

workflow.*

general.*

The key distinction

The product-area grouping below shows where ONYX contributes across XELOR. The callable-tool table later shows the smaller, exact surface Agent OS can invoke today. Product ownership does not automatically create runtime authority.

The business areas under ONYX

Business ownership is broader than today's Agent OS tools

ONYX Copilot

The user-facing place to ask a cross-business question and follow the answer.

Agent OS

The run engine, mission graphs, checkpoints, approval waits and recovery records.

AI Operations

The shared AI feature catalogue, providers, evaluations, costs, reviews, incidents and kill switch.

How to read this grouping


ONYX is the named specialist when a mission needs facts or analysis from these areas. Each module still owns its own rules, records and write paths. The agent coordinates through registered services; it does not become the database owner.

What remains true underneath

- Each module keeps its own business rules and permissions.
- Cross-module work passes through narrow ports or registered capabilities.
- Tenant isolation, audit and workflow apply regardless of which agent is speaking.
- A readable agent answer never replaces the source record.

How ONYX participates in a mission

The mission engine controls order, parallel work and recovery



1 · Scope

ONYX turns the goal into a versioned graph run with a fixed tenant, user, limits and expected outputs.

2 · Authorise

The capability registry checks that ONYX is allowed to call the named tool; RBAC repeats the user permission check.

3 · Execute safely

The registered domain service performs the operation. The agent never receives a general SQL doorway.

4 · Preserve evidence

Inputs, outputs, node events and checkpoints are stored so the mission can be explained or recovered.

Delegation

ONYX may delegate only to: HEXA, MICA, SPAR, AXLE, KILN, RASP.

What ONYX can call today

Every row is explicitly registered and permission-checked

Capability key	Mode	Result	User permission	Approval?
general.companies.read	Read	Company master	general.company.read	No

What “dispatch” means

If listed, `agent.action.dispatch` appends a governed work item for a named specialist. It does not directly change a sales order, stock balance, production order, journal, payment or customer message.

Read / analyse / simulate

Returns evidence or a reproducible view. No business record is changed.

Draft

Creates reviewable proposed content. A draft is never labelled as an approved or completed business outcome.

Execute

Effectful at the Agent OS level and therefore requires an approved ancestor node.

Permission

The agent's allow-list and the signed-in user's RBAC must both allow the call.

Who ONYX works with

Specialists exchange evidence through ONYX, not hidden side conversations

HEXA	Checks whether the mission is allowed and whether approval evidence is valid.
All specialists	Sends only the work relevant to each agent and waits for their evidence.
Human approver	Explains the proposed action before anything effectful can proceed.

A complete controlled mission



Why this structure matters

Each agent stays accountable for its own facts. ONYX combines them, HEXA checks control evidence, and a person controls the decision boundary. This prevents one fluent answer from quietly becoming authority over the whole company.

Can we safely promise the urgent pump order?

A realistic presentation path from question to controlled outcome

1

ONYX frames the question and asks MICA for the customer commitment, SPAR for supply, AXLE for the plan, KILN for production/quality, RASP for money impact and HEXA for control status.

2

The engine runs independent reads together, stores a checkpoint, then ONYX joins the facts into one readiness view.

3

If work must be assigned, HEXA checks the action plan, a person approves it, and each specialist receives a governed work item. ONYX reports what actually happened.

What the presenter should say

“ONYX contributes verified domain evidence, with source references and limitations. It does not claim that a proposed or dispatched action is complete until the controlled system records and verifies the outcome.”

Useful questions to ask during the demo

- Which source records support ONYX's answer?
- What permission was checked?
- Is this a fact, a simulation, a draft or a completed result?
- Would this step wait for human approval?
- What happens if a node times out or the service restarts?

How ONYX stays trustworthy

Controls are enforced in the runtime and modules, not left to prompt wording

Control 1

Cannot grant itself or another agent extra permission

Control 2

Cannot bypass the human approval node

Control 3

Cannot write directly to a business table

Control 4

Every run, node, event and checkpoint is retained

Identity boundary

Verified user + tenant

Authority boundary

Agent allow-list + user RBAC

Action boundary

Approval ancestry for side effects

Data boundary

Domain service + tenant-fenced database

Evidence boundary

Append-only run, event and audit records

What is live—and what is not

This page prevents the demo from overclaiming

Live in the repository

- Registered mission graphs
- Parallel evidence collection
- Durable checkpoints and recovery
- Cross-functional synthesis
- Approval-bound action dispatch

Deliberate current limits

- Reasoning is deterministic today
- No external model API is active
- No external connector is active
- Dispatched actions are governed work items, not direct ERP mutations

Runtime disclosure

Orchestration, ERP reads, approval gates and governed action dispatch are live. Language reasoning is deterministic; no external model API or connector is active.

Primary implementation references

`packages/platform/src/agent-os/types.ts`

`apps/api/src/agent-os/agent-graph.engine.ts`

`apps/api/src/agent-os/graph-registry.service.ts`

This guide is a plain-language operating map, not an API contract. The code, migrations and automated tests remain the binding technical source.

ONYX in one page

Use this page when explaining the agent to a new team member

Job

Turns a business goal into a controlled plan, assigns the right specialists, joins their evidence and presents one understandable result.

Owns

ONYX Copilot, Agent OS, AI Operations

Receives

A user goal · Signals from dashboards or Decision Commander · Evidence returned by all specialists · Approval and verification status

Returns

A scoped mission · A joined evidence pack · A prioritised plan · A final outcome with limits and next steps

Can call

general.companies.read

Cannot do

Reasoning is deterministic today · No external model API is active · No external connector is active · Dispatched actions are governed work items, not direct ERP mutations

Plain-language glossary

Agent

A named specialist role with an allow-listed set of tools—not a free-roaming process.

Capability

One registered operation with an input, output, owner, mode and required permission.

Graph

A versioned mission recipe showing order, parallel steps, joins and approvals.

Checkpoint

A stored progress snapshot used for explanation and safe recovery.

Governed work item

An append-only assignment created after approval; it is not the final business mutation.