


EXP 2(i)


HOME
PLOTS
APPS
LIVE EDITOR
INSERT
VIEW
Search (Ctrl+Shift+Space)
Hariram
MATLAB Drive
Editor
ss3.m *
/MATLAB Drive/ss3.m
clc; clear; close all;
TotalSlots = 8;
AllocatedSlots = 6;
FreeSlots = TotalSlots - AllocatedSlots;
Utilization = (AllocatedSlots/TotalSlots)*100;
disp('Frame Utilization (%)')
disp(Utilization)
figure
% Graph 1: Simple Line Plot (SAFE - no bar function)
subplot(2,1,1)
plot([1 2],[AllocatedSlots FreeSlots],'-o','LineWidth',2)
title('GSM Frame Utilization (Allocated vs Free)')
xlabel('Slot Type Index (1=Allocated, 2=Free)')
ylabel('Number of Slots')
grid on
% Graph 2: Pie Chart (SAFE)
subplot(2,1,2)
pie([AllocatedSlots FreeSlots])
title('Slot Distribution in GSM Frame')
legend('Allocated','Free')
Frame Utilization (%)
75
GSM Frame Utilization (Allocated vs Free)
Number of Slots
Slot Type Index (1=Allocated, 2=Free)
Slot Distribution in GSM Frame
25%
Allocated
Free
75%
Copilot Chat
Copilot
Hello! Copilot is here to answer your questions, help write and explain code, and even identify code issues. Learn more about Copilot.
Copilot sometimes produces output that seems accurate but is not. Validate generated output before use. Share feedback on the output to help improve the responses.
Shuffle Example Prompts
Roll two six-sided dice 1000 times and plot the sum of each roll
Solve the linear equations with coefficients A = [2, 4; 1, 3] and constants B = [8; 5] and display the results
Create a 3D bar graph of data from magic function
ss3.m
Ask Copilot
Validate generated output before use.

(ii)


HOME
PLOTS
APPS
LIVE EDITOR
INSERT
VIEW
Search (Ctrl+Shift+Space)
Hariram
MATLAB Drive
Editor
ss3.m *
/MATLAB Drive/ss3.m
clc; clear; close all;
FrameTime = 4.615; Slots = 8;
SlotDuration = FrameTime/Slots;
t = 0:SlotDuration:FrameTime;
figure
subplot(2,1,1)
stem(t,ones(size(t)),'filled')
title('TDMA Time Slot Structure')
xlabel('Time (ms)')
ylabel('Slot Level')
grid on
subplot(2,1,2)
plot(t,ones(size(t)),'-o','LineWidth',1.5)
title('Continuous View of Slot Allocation')
xlabel('Time (ms)')
ylabel('Slot Presence')
grid on
TDMA Time Slot Structure
Slot Level
Time (ms)
Continuous View of Slot Allocation
Slot Presence
Time (ms)
Copilot Chat
Copilot
Hello! Copilot is here to answer your questions, help write and explain code, and even identify code issues. Learn more about Copilot.
Copilot sometimes produces output that seems accurate but is not. Validate generated output before use. Share feedback on the output to help improve the responses.
Shuffle Example Prompts
Read "peppers.png" and display as grayscale
Plot a sine wave and add a vertical line using
ss3.m
Ask Copilot
Validate generated output before use.

(iii)


HOME
PLOTS
APPS
LIVE EDITOR
INSERT
VIEW
Search (Ctrl+Shift+Space)
Hariram
New
Open
Save
Export
Compare
Go To
Find
Bookmark
Text
Code
Control
Task
Copilot
Refactor
Code Issues
Debugger
Generate Test
Find Tests
Run Section
Section Break
Run and Advance
Run to End
Run
Step
Stop
FILE
NAVIGATE
TEXT
CODE
ANALYZE
TEST
SECTION
RUN
MATLAB Drive
Editor
ss3.m
/MATLAB Drive/ss3.m
Alloc(1:TotalSlots) = 1; % Assign slots to first users
Blocked = 1 - Alloc; % Remaining users blocked
disp('User Wise Slot Allocation')
disp(table(Users',Alloc','VariableNames',{'User','Status(1=Allocated,0
figure
% Graph 1: Allocation per user
subplot(2,1,1)
stem(Users,Alloc,'filled','LineWidth',2)
title('TDMA Slot Allocation per User')
xlabel('User Index')
ylabel('Slot Status (1=Allocated, 0=Blocked)')
ylim([-0.2 1.2])
grid on
% Graph 2: System view (safe alternative to bar)
subplot(2,1,2)
plot(Users,Alloc,'-o','LineWidth',2)
hold on
plot(Users,Blocked,'-s','LineWidth',2)
title('TDMA Slot Utilization Analysis')
xlabel('User Index')
ylabel('Status')
legend('Allocated','Blocked')
grid on
User Wise Slot Allocation
User Status(1=Allocated,0=Blocked)
1 1
2 1
3 1
4 1
5 1
6 0
7 0
8 0
TDMA Slot Allocation per User
Slot Status (1=Allocated, 0=Blo
User Index
TDMA Slot Utilization Analysis
Status
Allocated
Blocked
Copilot Chat
Copilot
Hello! Copilot is here to answer your questions, help write and explain code, and even identify code issues. Learn more about Copilot.
Copilot sometimes produces output that seems accurate but is not. Validate generated output before use. Share feedback on the output to help improve the responses.
Shuffle Example Prompts
Create a 3D bar graph of data from magic function
Generate noisy data from a cubic polynomial, preprocess the data, and plot the results
Read "peppers.png" and display as grayscale
ss3.m
Ask Copilot
Validate generated output before use.