3D Object Detection

Setup of Code

The URL of all the code and associated document (Including this one) is:

https://github.com/HarisAshraf/Project 2

The repository includes the following structure:

- **├ [**]loop_over_dataset.py
- **⊢** □ student
- **│ ├ □** objdet_detect.py
- I ► ☐ objdet_eval.py
- I ► ☐ objdet_pcl.py

The analysis will follow the following steps (It is assumed that classroom workspace is provided)

Section 1 : Compute Lidar Point-Cloud from Range Image

Visualize range image channels (ID_S1_EX1).

The Range Image (truncated for ±90°) is given in Figure 1. The intensity image in Figure 2, and the Stacked Image in Figure 3. All images are converted to 8bits.



Figure 1: Range Image, ±90° view



Figure 2: Intensity Image, ±90° view



Figure 3: Stacked Image

Visualize lidar point-cloud (ID_S1_EX2)

The Point Cloud of a representative image is shown in Figure 4. The arrows point to the vehicles that can be identified.




Figure 4: Point cloud visualization

By rotating the point cloud, some features that can be identifies are: type of vehicle (truck, cars and a semi); side view mirrors can be seen from most cars. Form side view, tires can also be identified.

Section 2 : Create Birds-Eye View from Lidar PCL

A BEV map of a point cloud is given in Figure 5.




Figure 5: Visualization into BEV map coordinates

Compute intensity layer of the BEV map (ID_S2_EX2)

Intensity layer of a BEV map is shown in Figure 6.




Figure 6: Intensity layer from the BEV map

Compute height layer of the BEV map

Height layer of a BEV map is shown in Figure 7.




Figure 7:height layer from the BEV map

Section 3 : Model-based Object Detection in BEV Image



Figure 8: Bounding Boxes added to images

Section 4 : Performance Evaluation for Object Detection

Precision and recall of the first image in data set is given in Fig 9:

```
processing frame #100
computing point-cloud from lidar range image
computing birds-eye view from lidar pointcloud
student task ID_S2_EX1
student task ID_S2_EX2
student task ID S2 EX3
detecting objects in lidar pointcloud
student task ID S3 EX2
validating object labels
measuring detection performance
student task ID S4 EX1
student task ID S4 EX1
student task ID S4 EX1
student task ID S4 EX2
student task ID S4 EX3
precision = 0.9423076923076923, recall = 0.9040590405904059
```

Figure 9:Precision and Recall

Histograms are shown in Fig 10




Figure 10: Histograms of error, precision and recall