

Frequencies

Notes

Output Created		24-MAY-2026 18:45:05
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	267
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=analiza_cv_name Biased analiza_bias_type analiza_view_number analiza_total_participations .
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Statistics

		analiza_cv_name	Biased	analiza_bias_type	analiza_view_number	analiza_total_participations
N	Valid	267	267	267	267	267
	Missing	0	0	0	0	0

Frequency Table

analiza_cv_name

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Amira Baši	45	16,9	16,9	16,9
	Enver Bajrami	44	16,5	16,5	33,3
	Janez Novak	48	18,0	18,0	51,3
	Maja Nikoli	47	17,6	17,6	68,9
	Marko Prevc	41	15,4	15,4	84,3
	Živa Kopitar	42	15,7	15,7	100,0
	Total	267	100,0	100,0	

Biased

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	180	67,4	67,4	67,4
	1	87	32,6	32,6	100,0
	Total	267	100,0	100,0	

analiza_bias_type

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		180	67,4	67,4	67,4
	negativni_bias_nacionalnost	45	16,9	16,9	84,3
	pozitivni_bias_nacionalnost	42	15,7	15,7	100,0
	Total	267	100,0	100,0	

analiza_view_number

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	82	30,7	30,7	30,7
	2	72	27,0	27,0	57,7
	3	62	23,2	23,2	80,9
	4	39	14,6	14,6	95,5
	5	10	3,7	3,7	99,3
	6	2	,7	,7	100,0
	Total	267	100,0	100,0	

analiza_total_participations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	3,7	3,7	3,7
	2	20	7,5	7,5	11,2
	3	69	25,8	25,8	37,1
	4	116	43,4	43,4	80,5
	5	40	15,0	15,0	95,5
	6	12	4,5	4,5	100,0
	Total	267	100,0	100,0	

Descriptives

Notes

Output Created		24-MAY-2026 18:45:05
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES= analiza_faktor_nezaupanje_mean analiza_faktor_zaupanje_mean analiza_skupna_ocena_zaupanja_mean analiza_zadovoljstvo_mean analiza_mm_total_correct_share /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
analiza_faktor_nezaupanje_mean	212	3,0	7,0	4,794	,8064
analiza_faktor_zaupanje_mean	212	1,000000000	7,000000000	4.0552560647	1.3696121398
analiza_skupna_ocena_zaupanja_mean	212	1,833333333	6,750000000	4.3632075472	.92320935794
analiza_zadovoljstvo_mean	237	1,400000000	5,000000000	3.7751896603	.72269830496
analiza_mm_total_correct_share	237	,000000000	,727272727	,37360951297	.16240200400
Valid N (listwise)	212				

Descriptives

Notes

Output Created		24-MAY-2026 18:45:05
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=analiza_actionability_mean /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01


Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
analiza_actionability_mean	237	1,57	5,00	3,5407	,74103
Valid N (listwise)	237				

Graph

Notes


Output Created		24-MAY-2026 18:45:05
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Syntax		GRAPH /BAR(SIMPLE)=MEAN (analiza_skupna_ocena_zaupanja_mean) BY analiza_view_number.
Resources	Processor Time	00:00:00.16
	Elapsed Time	00:00:00.12



Graph

Notes


Output Created		24-MAY-2026 18:45:05
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Syntax		GRAPH /BAR(SIMPLE)=MEAN (analiza_zadovoljstvo_mean) BY analiza_view_number.
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.15



Graph

Notes


Output Created		24-MAY-2026 18:45:06
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Syntax		GRAPH /BAR(SIMPLE)=MEAN (analiza_actionability_mean) BY analiza_view_number.
Resources	Processor Time	00:00:00.20
	Elapsed Time	00:00:00.15



Graph

Notes

Output Created		24-MAY-2026 18:45:06
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Syntax		GRAPH /BAR(SIMPLE)=MEAN (analiza_mm_total_correct_share) BY analiza_view_number.
Resources	Processor Time	00:00:00.16
	Elapsed Time	00:00:00.14



Explore

Notes

Output Created		24-MAY-2026 18:45:06
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=analiza_skup na_ocena_zaupanja_mean BY Biased /PLOT=BOXPLOT /STATISTICS=DESCRIPTI VES /MISSING=LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.11

Biased

Case Processing Summary

				Cases		
		Valid		Missing		Total
	Biased	N	Percent	N	Percent	N
analiza_skupna_ocena_zaup	0	144	90,0%	16	10,0%	160
anja_mean	1	68	88,3%	9	11,7%	77

Case Processing Summary

		Cases
		Total
	Biased	Percent
analiza_skupna_ocena_zaup	0	100,0%
anja_mean	1	100,0%


Descriptives

Biased		Statistic
analiza_skupna_ocena_zaup anja_mean	0	Mean
	95% Confidence Interval for Mean	Lower Bound
		Upper Bound
	5% Trimmed Mean	
	Median	
	Variance	
	Std. Deviation	
	Minimum	
	Maximum	
	Range	
	Interquartile Range	
	Skewness	
	Kurtosis	
	1	Mean
	95% Confidence Interval for Mean	Lower Bound
		Upper Bound
	5% Trimmed Mean	
	Median	
	Variance	
	Std. Deviation	
	Minimum	
	Maximum	
	Range	
	Interquartile Range	
	Skewness	
	Kurtosis	

Descriptives

Biased		Std. Error	
analiza_skupna_ocena_zaupanja_mean	0	Mean	.07834747143
		95% Confidence Interval for Mean	Lower Bound
			Upper Bound
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	
		Skewness	,202
		Kurtosis	,401
	1	Mean	.10818710195
		95% Confidence Interval for Mean	Lower Bound
			Upper Bound
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	
		Skewness	,291
		Kurtosis	,574

analiza_skupna_ocena_zaupanja_mean



Explore

Notes

Output Created		24-MAY-2026 18:45:06
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.

Notes

Syntax		EXAMINE VARIABLES=analiza_zado voljstvo_mean BY Biased /PLOT=BOXPLOT /STATISTICS=DESCRIPTI VES /MISSING=LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00.27
	Elapsed Time	00:00:00.15

Biased

Case Processing Summary

				Cases		
		Valid		Missing		Total
	Biased	N	Percent	N	Percent	N
analiza_zadovoljstvo_mean	0	160	100,0%	0	0,0%	160
	1	77	100,0%	0	0,0%	77

Case Processing Summary

		Cases Total Percent
	Biased	
analiza_zadovoljstvo_mean	0	100,0%
	1	100,0%


Descriptives

	Biased		Statistic
analiza_zadovoljstvo_mean	0	Mean	3.8023565843
		95% Confidence Interval for Mean	Lower Bound
			Upper Bound
		5% Trimmed Mean	3.8449121287
		Median	4.0000000000
		Variance	,475
		Std. Deviation	.68888713409
		Minimum	1,400000000
		Maximum	5,000000000
		Range	3,600000000
		Interquartile Range	,741666667
		Skewness	-1,068
		Kurtosis	1,214
	1	Mean	3.7187389090
		95% Confidence Interval for Mean	Lower Bound
			Upper Bound
		5% Trimmed Mean	3.7497176865
		Median	3.8571428570
		Variance	,624
		Std. Deviation	.79008441216
		Minimum	1,733333333
		Maximum	5,000000000
		Range	3,266666667
		Interquartile Range	,789393940
		Skewness	-,774
		Kurtosis	-,080

Descriptives

		Biased	Std. Error
analiza_zadovoljstvo_mean	0	Mean	.05446130986
		95% Confidence Interval for Mean	
		Lower Bound	
		Upper Bound	
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	
		Skewness	,192
		Kurtosis	,381
	1	Mean	.09003847506
		95% Confidence Interval for Mean	
		Lower Bound	
		Upper Bound	
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	
		Skewness	,274
		Kurtosis	,541

analiza_zadovoljstvo_mean



Explore

Notes

Output Created		24-MAY-2026 18:45:06
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.

Notes

Syntax	EXAMINE VARIABLES=analiza_mm_ total_correct_share BY Biased /PLOT=BOXPLOT /STATISTICS=DESCRIPTI VES /MISSING=LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.25
	Elapsed Time	00:00:00.22

Biased

Case Processing Summary

		Cases				
		Valid		Missing		Total
	Biased	N	Percent	N	Percent	N
analiza_mm_total_correct_s	0	160	100,0%	0	0,0%	160
hare	1	77	100,0%	0	0,0%	77

Case Processing Summary

		Cases
		Total
	Biased	Percent
analiza_mm_total_correct_s	0	100,0%
hare	1	100,0%


Descriptives

	Biased		Statistic
analiza_mm_total_correct_s hare	0	Mean	,35284090925
		95% Confidence Interval for Mean	Lower Bound ,32841744248
			Upper Bound ,37726437602
		5% Trimmed Mean	,35164141433
		Median	,36363636400
		Variance	,024
		Std. Deviation	,15642315228
		Minimum	,000000000
		Maximum	,727272727
		Range	,727272727
		Interquartile Range	,272727273
		Skewness	,036
		Kurtosis	-,793
	1	Mean	,41676505318
		95% Confidence Interval for Mean	Lower Bound ,37884341072
			Upper Bound ,45468669564
		5% Trimmed Mean	,41892955536
		Median	,45454545500
		Variance	,028
		Std. Deviation	,16707618537
		Minimum	,090909091
		Maximum	,727272727
		Range	,636363636
		Interquartile Range	,272727272
		Skewness	-,105
		Kurtosis	-1,019

Descriptives

	Biased		Std. Error
analiza_mm_total_correct_share	0	Mean	.01236633600
		95% Confidence Interval for Mean	Lower Bound
			Upper Bound
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	
		Skewness	,192
		Kurtosis	,381
	1	Mean	.01904009840
		95% Confidence Interval for Mean	Lower Bound
			Upper Bound
		5% Trimmed Mean	
		Median	
		Variance	
		Std. Deviation	
		Minimum	
		Maximum	
		Range	
		Interquartile Range	
		Skewness	,274
		Kurtosis	,541

analiza_mm_total_correct_share



NPar Tests

Notes

Output Created		24-MAY-2026 18:45:07
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable (s) used in that test.

Notes

Syntax	NPAR TESTS /M- W=analiza_skupna_ocena_zaupanja_mean analiza_zadovoljstvo_mean analiza_actionability_mean analiza_mm_total_correct_share BY Biased(0 1) /MISSING ANALYSIS.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed ^a	314572

a. Based on availability of workspace memory.

Mann-Whitney Test

Ranks

	Biased	N	Mean Rank	Sum of Ranks
analiza_skupna_ocena_zaupanja_mean	0	144	107,53	15484,50
	1	68	104,32	7093,50
	Total	212		
analiza_zadovoljstvo_mean	0	160	120,83	19332,50
	1	77	115,20	8870,50
	Total	237		
analiza_actionability_mean	0	160	123,00	19680,50
	1	77	110,68	8522,50
	Total	237		
analiza_mm_total_correct_share	0	160	110,73	17717,00
	1	77	136,18	10486,00
	Total	237		

Test Statistics^a

	analiza_skupna_ocena_zaupanja_mean	analiza_zadovoljstvo_mean	analiza_actionability_mean	analiza_mm_total_correct_share
Mann-Whitney U	4747,500	5867,500	5519,500	4837,000
Wilcoxon W	7093,500	8870,500	8522,500	17717,000
Z	-,356	-,592	-1,299	-2,710
Asymp. Sig. (2-tailed)	,722	,554	,194	,007

a. Grouping Variable: Biased

Nonparametric Correlations

Notes

Output Created		24-MAY-2026 18:45:07
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES= analiza_faktor_nezaupanje_mean analiza_faktor_zaupanje_mean analiza_skupna_ocena_zaupanja_mean analiza_zadovoljstvo_mean analiza_actionability_mean analiza_mm_total_correct_share /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	349525 cases ^a

a. Based on availability of workspace memory

Correlations

			analiza_faktor_n ezaupanje_me n	analiza_faktor_z aupanje_mean
Spearman's rho	analiza_faktor_nezaupanje_ mean	Correlation Coefficient	1,000	,132
		Sig. (2-tailed)	.	,056
		N	212	212
	analiza_faktor_zaupanje_me an	Correlation Coefficient	,132	1,000
		Sig. (2-tailed)	,056	.
		N	212	212
	analiza_skupna_ocena_zaup anja_mean	Correlation Coefficient	,388 ^{***}	,951 ^{***}
		Sig. (2-tailed)	<.001	<.001
		N	212	212
	analiza_zadovoljstvo_mean	Correlation Coefficient	-,060	,484 ^{***}
		Sig. (2-tailed)	,383	<.001
		N	212	212
	analiza_actionability_mean	Correlation Coefficient	-,059	,451 ^{***}
		Sig. (2-tailed)	,396	<.001
		N	212	212
	analiza_mm_total_correct_s hare	Correlation Coefficient	,071	-,072
		Sig. (2-tailed)	,304	,297
		N	212	212

Correlations

			analiza_skupna _ocena_zaupanja_mean	analiza_zadovoljstvo_mean
Spearman's rho	analiza_faktor_nezaupanje_mean	Correlation Coefficient	,388 ^{***}	-,060
		Sig. (2-tailed)	<.001	,383
		N	212	212
	analiza_faktor_zaupanje_mean	Correlation Coefficient	,951 ^{***}	,484 ^{***}
		Sig. (2-tailed)	<.001	<.001
		N	212	212
	analiza_skupna_ocena_zaupanja_mean	Correlation Coefficient	1,000	,429 ^{***}
		Sig. (2-tailed)	.	<.001
		N	212	212
	analiza_zadovoljstvo_mean	Correlation Coefficient	,429 ^{***}	1,000
		Sig. (2-tailed)	<.001	.
		N	212	237
	analiza_actionability_mean	Correlation Coefficient	,404 ^{***}	,914 ^{***}
		Sig. (2-tailed)	<.001	<.001
		N	212	237
	analiza_mm_total_correct_share	Correlation Coefficient	-,042	,045
		Sig. (2-tailed)	,541	,487
		N	212	237

Correlations

			analiza_actionability_mean	analiza_mm_total_correct_share
Spearman's rho	analiza_faktor_nezaupanje_mean	Correlation Coefficient	-,059	,071
		Sig. (2-tailed)	,396	,304
		N	212	212
	analiza_faktor_zaupanje_mean	Correlation Coefficient	,451***	-,072
		Sig. (2-tailed)	<.001	,297
		N	212	212
	analiza_skupna_ocena_zaupanja_mean	Correlation Coefficient	,404***	-,042
		Sig. (2-tailed)	<.001	,541
		N	212	212
	analiza_zadovoljstvo_mean	Correlation Coefficient	,914***	,045
		Sig. (2-tailed)	<.001	,487
		N	237	237
	analiza_actionability_mean	Correlation Coefficient	1,000	,057
		Sig. (2-tailed)	.	,384
		N	237	237
	analiza_mm_total_correct_share	Correlation Coefficient	,057	1,000
		Sig. (2-tailed)	,384	.
		N	237	237

***. Correlation is significant at the 0.001 level (2-tailed).

Spearman's rho Correlations

Highly Positive : (analiza_faktor_zaupanje_mean <---> analiza_skupna_ocena_zaupanja_mean), (analiza_zadovoljstvo_mean <---> analiza_actionability_mean)

Positive : (analiza_faktor_nezaupanje_mean <---> analiza_faktor_zaupanje_mean), (analiza_faktor_nezaupanje_mean <---> analiza_skupna_ocena_zaupanja_mean), (analiza_faktor_nezaupanje_mean <---> analiza_mm_total_correct_share), (analiza_faktor_zaupanje_mean <---> analiza_zadovoljstvo_mean), (analiza_faktor_zaupanje_mean <---> analiza_actionability_mean), (analiza_skupna_ocena_zaupanja_mean <---> analiza_zadovoljstvo_mean), (analiza_skupna_ocena_zaupanja_mean <---> analiza_actionability_mean), (analiza_zadovoljstvo_mean <---> analiza_mm_total_correct_share), (analiza_actionability_mean <---> analiza_mm_total_correct_share)

No Linear Correlation : (None)

Negative : (analiza_faktor_nezaupanje_mean <---> analiza_zadovoljstvo_mean),
 (analiza_faktor_nezaupanje_mean <---> analiza_actionability_mean),
 (analiza_faktor_zaupanje_mean <---> analiza_mm_total_correct_share),
 (analiza_skupna_ocena_zaupanja_mean <---> analiza_mm_total_correct_share)

Highly Negative : (None)

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Frequencies

Notes		
Output Created		24-MAY-2026 18:45:07
Comments		
Input	Active Dataset	DataSet1
	Filter	include_3plus
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	237
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES= analiza_cv_name Biased analiza_bias_type analiza_view_number analiza_total_participations analiza_label_q3b2.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Statistics						
		analiza_cv_name	Biased	analiza_bias_type	analiza_view_number	analiza_total_participations
N	Valid	237	237	237	237	237
	Missing	0	0	0	0	0

Statistics		
		analiza_label_q3b2
N	Valid	237
	Missing	0

Frequency Table

analiza_cv_name					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Amira Baši	39	16,5	16,5	16,5
	Enver Bajrami	41	17,3	17,3	33,8
	Janez Novak	42	17,7	17,7	51,5
	Maja Nikoli	40	16,9	16,9	68,4
	Marko Prevc	37	15,6	15,6	84,0
	Živa Kopitar	38	16,0	16,0	100,0
	Total	237	100,0	100,0	

Biased					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	160	67,5	67,5	67,5
	1	77	32,5	32,5	100,0
	Total	237	100,0	100,0	

analiza_bias_type					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		160	67,5	67,5	67,5
	negativni_bias_nacionalnost	39	16,5	16,5	84,0
	pozitivni_bias_nacionalnost	38	16,0	16,0	100,0
	Total	237	100,0	100,0	

analiza_view_number

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	62	26,2	26,2	26,2
	2	62	26,2	26,2	52,3
	3	62	26,2	26,2	78,5
	4	39	16,5	16,5	94,9
	5	10	4,2	4,2	99,2
	6	2	,8	,8	100,0
	Total	237	100,0	100,0	

analiza_total_participations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	69	29,1	29,1	29,1
	4	116	48,9	48,9	78,1
	5	40	16,9	16,9	94,9
	6	12	5,1	5,1	100,0
	Total	237	100,0	100,0	

analiza_label_q3b2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Da, zdi se smiselna.	17	7,2	7,2	7,2
	Delno smiselna.	87	36,7	36,7	43,9
	Ne razumem razlage.	7	3,0	3,0	46,8
	Ne, ne zdi se smiselna.	126	53,2	53,2	100,0
	Total	237	100,0	100,0	