# Project Design Phase-I - Solution Fit

Date	20 October 2022
Team ID	PNT2022TMID35094
Project Name	Project - Personal Assistant for
	senior people who are self-reliant
Maximum Marks	2 Marks

### 1. CUSTOMER SEGMENT

Citizens who are in need of external support to take care of themselves for medical assistance.

## 6. CUSTOMER

## **CONSTRAINTS**



Accurate measuring for the time. Limited usage for only pill and capsules drug dosage. Control of energy saving devices.

## 5. AVAILABLE SOLUTIONS



The solution of this sophistication is supplemented by the development of an advanced technology supported pill dispenser called the GSM based automatic call dispenser .

BE

## 2. JOBS-TO-BE-DONE / PROBLEMS

This Application helps the patient to remind medicine through voice assistance. It helps the user to do their daily routine without seeking help from other people. RC

# PROBLEM ROOT CAUSE 7. BEHAVIOUR

J&P 9.

Side-effects affecting thinking The balance. Sedatives and information about tranquilizers, which are often medication prescribed for sleep or for application anxiety. Examples include zolpidem and lorazepam (brand names Ambien and Ativan , respectively). These drugs can increase fall risk, or can provoke confusion. Geriatricians commonly recommending stopping or reducing the dosage of these drugs. For more information about four types of medication that affect memory.

patient need to update the and their

, life routines to the

## 10. YOUR SOLUTION



## 8.CHANNELS of BEHAVIOUR





3. TRIGGERS

People simply forget, skip or stop taking their medications ... which leads to non adherence. Trigger helps people to integrate healthy behavior by using technology in a very simple way technology in a very simple way

Building a reliable technology that can address all the customer needs while being reliable and secure ensuring efficient functioning.

The data stored in the Application can be access with the help of internet.

### 4.EMOTIONS



Despite effective treatments, depression may often un recognize and untreated. 2,3 many persons in the community with depression see a general physician. so primary care setting is pivotal when considering how to optimize the treatment for depression and others forms of emotional distress in the community