
```
CREATE DATABASE ATM;
USE ATM;
CREATE TABLE ACCOUNT(
ID INT PRIMARY KEY,
ATM PIN INT,
BANK NAME VARCHAR(30)
);
INSERT INTO ACCOUNT
VALUES(1001,1788,"INDIAN OVERSEAS
BANK");
INSERT INTO ACCOUNT
VALUES(1002,0095,"IDBI BANK");
INSERT INTO ACCOUNT
VALUES(1003,8001,"UNION BANK");
SELECT * FROM ACCOUNT;
DROP DATABASE ATM;
```



```
package haris;
import java.sql.*;
class BASE{
public Statement s;
BASE() throws ClassNotFoundException,
SQLException{
Class.forName("com.mysql.cj.jdbc.Driver");
Connection con =
DriverManager.getConnection("jdbc:mysql://l
ocalhost:3306/ATM","root","Haris@1403");
s = con.createStatement();
public void insert(String query) throws
SQLException{
s.executeUpdate(query);
```

```
public void select(String query) throws
SQLException{
ResultSet result = s.executeQuery(query);
while(result.next()){
System.out.println(result.getString(1) + "\t" +
result.getString(2) + "\t" + result.getString(3));
public class Main{
public static void main(String[] args) throws
ClassNotFoundException,
SQLException {
BASE show = new BASE();
show.select("SELECT * FROM
ACCOUNT");
```

