CREATE DATABASE BOOKSOG; USE BOOKSOG;

```
DROP TABLE IF EXISTS BOOKS;
CREATE TABLE BOOKS(
ID INT PRIMARY KEY,
TITLE VARCHAR(20),
AUTHOR VARCHAR(30),
GENRE VARCHAR(20),
PUBLICATIONYEAR INT,
PRICE DECIMAL(8,2)
```

## INSERT INTO BOOKS VALUES

- (1, 'THE ALCHEMIST', 'PAULO COELHO', 'SELF IMPROVEMENT', 1988, 600),
- (2, 'MAN\'S SEARCH FOR MEANING', 'VIKTOR FRANKL', 'SELF IMPROVEMENT', 1946, 500),
- (3, 'THE POWER OF POSITIVE THINKING', 'NORMAN VINCENT PEALE', 'SELF IMPROVEMENT', 1952, 1000),
- (4, 'THE 4-HOUR WORKWEEK', 'TIMOTHY FERRISS', 'SELF IMPROVEMENT', 2007, 780),
- (5, 'DARING GREATLY', 'BRENE BROWN', 'SELF IMPROVEMENT', 2012, 1052);

**SELECT \* FROM BOOKS:** 


SELECT \* FROM BOOKS WHERE T-TLE = 'THE ALCHEMIST';


UPDATE BOOKS SET PRICE = 1000 WHERE TITLE = 'THE ALCHEMIST';


**SELECT \* FROM BOOKS:** 

DELETE FROM BOOKS WHERE TITLE = 'THE POWER OF POSITIVE THINKING';

## SELECT \* FROM BOO







KS;