

RAJALAKSHMI ENGINEERING COLLEGE

RAJALAKSHMI NAGAR , THANDALAM – 602 105



**RAJALAKSHMI
ENGINEERING COLLEGE**

CS23333

OBJECT ORIENTED PROGRAMMING USING JAVA

Laboratory Observation Note Book

Name : HARISH KUMAR V.

Year / Branch / Section : II YEAR / AIML / A

Register No. : 231501057

Semester : ... III SEMESTER

Academic Year : 2024-2025

INDEX

REG. NO : 231501057

NAME : HARISH KUMAR V


YEAR : II YEAR

BRANCH: AIML SEC: A

S. NO.	DATE	TITLE	PAGE NO.	TEACHER'S SIGNATURE
JAVA ARCHITECTURE, LANGUAGE BASICS				
1.1	16/08/24	PROBLEM 1	-	-
1.2	16/08/24	PROBLEM 2	-	-
1.3	16/08/24	PROBLEM 3	-	-
FLOW CONTROL STATEMENTS				
2.1	23/08/24	PROBLEM 1	-	-
2.2	23/08/24	PROBLEM 2	-	-
2.3	23/08/24	PROBLEM 3	-	-
ARRAYS				
3.1	30/08/24	PROBLEM 1	-	-
3.2	30/08/24	PROBLEM 2	-	-
3.3	30/08/24	PROBLEM 3	-	-
CLASSES AND OBJECTS				
4.1	06/09/24	PROBLEM 1	-	-
4.2	06/09/24	PROBLEM 2	-	-
4.3	06/09/24	PROBLEM 3	-	-
INHERITANCE				
5.1	13/09/24	PROBLEM 1	-	-

5.2	13/09/24	PROBLEM 2	-	-
5.3	13/09/24	PROBLEM 3	-	-
STRING, STRINGBUFFER				
6.1	20/09/24	PROBLEM 1	-	-
6.2	20/09/24	PROBLEM 2	-	-
6.3	20/09/24	PROBLEM 3	-	-
INTERFACES				
7.1	27/09/24	PROBLEM 1	-	-
7.2	27/09/24	PROBLEM 2	-	-
POLYMORPHISM, ABSTRACT CLASSES, FINAL KEYWORD				
8.1	04/10/24	PROBLEM 1	-	-
8.2	04/10/24	PROBLEM 2	-	-
8.3	04/10/24	PROBLEM 3	-	-
EXCEPTION HANDLING				
9.1	11/10/24	PROBLEM 1	-	-
9.2	11/10/24	PROBLEM 2	-	-
9.3	11/10/24	PROBLEM 3	-	-
COLLECTION- LIST				
10.1	18/10/24	PROBLEM 1	-	-
10.2	18/10/24	PROBLEM 2	-	-
10.3	18/10/24	PROBLEM 3	-	-
SET, MAP				
11.1	25/10/24	PROBLEM 1	-	-
11.2	25/10/24	PROBLEM 2	-	-
11.3	25/10/24	PROBLEM 3	-	-
INTRODUCTION TO I/O, I/O OPERATIONS, OBJECT SERIALIZATION				
12.1	08/11/24	PROBLEM 1	-	-
12.2	08/11/24	PROBLEM 2	-	-

12.3	08/11/24	PROBLEM 3	-	-
12.3	08/11/24	PROBLEM 3	-	-



01 - JAVA ARCHITECTURE, LANGUAGE BASICS

EXPERIMENT NO : 1.1

DATE : 16/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

ODD OR EVEN

WRITE A PROGRAM TO FIND WHETHER THE GIVEN INPUT NUMBER IS ODD.
IF THE GIVEN NUMBER IS ODD, THE PROGRAM SHOULD RETURN 2 ELSE IT SHOULD RETURN 1.

NOTE: THE NUMBER PASSED TO THE PROGRAM CAN EITHER BE NEGATIVE. POSITIVE OR ZERO. ZERO SHOULD NOT BE TREATED AS ODD.

FOR EXAMPLE:

Input	Result
123	2
456	1

PROGRAM:

```
import java.util.Scanner;

public class Odd{

    public static void main(String[]
        args){ int n;
        Scanner in = new
        Scanner(System.in);n=in.nextInt();
        if(n<0)
            n=n*-1;
        if(n%2==0
        )
            System.out.println("1");
        else
            System.out.println("2");
        }
```

OUTPUT:

	Input	Expected	Got	
✓	123	2	2	✓
✓	456	1	1	✓

Passed all tests! ✓

EXPERIMENT NO : 1.2

DATE : 16/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

RETURN LAST NUMBER OF DIGIT

WRITE A PROGRAM THAT RETURNS THE LAST DIGIT OF THE GIVEN NUMBER. LAST DIGIT IS BEINGREFERRED TO THE LEAST SIGNIFICANT DIGIT I.E. THE DIGIT IN THE ONES (UNITS) PLACE IN THE GIVEN NUMBER.

THE LAST DIGIT SHOULD BE RETURNED AS A POSITIVE NUMBER.FOR EXAMPLE,
IF THE GIVEN NUMBER IS 197, THE
LAST DIGIT IS 7 IF THE GIVEN
NUMBER IS -197, THE LAST DIGIT IS 7

FOR EXAMPLE:

Input	Result
197	7
-197	7

PROGRAM:

```
import java.util.Scanner;

public class LastDig{

    public static void main(String[]
        args){ int n,ld;
        Scanner in= new
        Scanner(System.in);n=in.nextInt();
        if(n<0)
            n=n*-1;
        ld=n% 10;
        System.out.println(ld);
    }
```

OUTPUT:

	Input	Expected	Got	
✓	197	7	7	✓
✓	-197	7	7	✓

Passed all tests! ✓

EXPERIMENT NO : 1.3

DATE : 16/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

ADD LAST 2 DIGITS

ROHIT WANTS TO ADD THE LAST DIGITS OF TWO GIVEN NUMBERS. FOR EXAMPLE, IF THE GIVEN NUMBERS ARE 267 AND 154, THE

OUTPUT SHOULD BE 11.

BELOW IS THE EXPLANATION:

LAST DIGIT OF THE

267 IS 7 LAST DIGIT

OF THE 154 IS 4 SUM

OF 7 AND 4 = 11

WRITE A PROGRAM TO HELP ROHIT ACHIEVE THIS FOR ANY GIVEN TWO NUMBERS. NOTE: THE SIGN OF THE INPUT NUMBERS SHOULD BE IGNORED.

I.E.

IF THE INPUT NUMBERS ARE 267 AND 154, THE SUM OF LAST TWO DIGITS SHOULD BE 11 IF THE INPUT NUMBERS ARE 267 AND -154, THE SUM OF LAST TWO DIGITS SHOULD BE 11 IF THE INPUT NUMBERS ARE -267 AND 154, THE SUM OF LAST TWO DIGITS SHOULD BE 11 IF THE INPUT NUMBERS ARE -267 AND -154, THE SUM OF LAST TWO DIGITS SHOULD BE 11

PROGRAM:

```
{  
    public static void main(String[] args)  
    {  
        int n1,n2,ldsum;  
        Scanner in= new  
        Scanner(System.in);n1=in.nextInt();  
        n2=in.nextInt();  
        if(n1<0)  
            n1=n1*-1;  
        if(n2<0)  
            n2=n2*-1;  
        ldsum=(n1%10)+(n2%10);  
        System.out.println(ldsum);  
    }  
}
```

Output:

	Input	Expected	Got	
✓	267 154	11	11	✓
✓	267 -154	11	11	✓
✓	-267 154	11	11	✓
✓	-267 -154	11	11	✓

Passed all tests! ✓

02- FLOW CONTROL STATEMENTS

EXPERIMENT NO : 2.1

DATE : 23/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 1

CONSIDER THE FOLLOWING

SEQUENCE: 1ST TERM: 1

2ND TERM: 1 2 1

3RD TERM: 1 2 1 3 1 2 1

4TH TERM: 1 2 1 3 1 2 1 4 1 2 1 3 1 2 1

AND SO ON. WRITE A PROGRAM THAT TAKES AS PARAMETER AN INTEGER N AND PRINTS THE NTH TERMS OF THIS SEQUENCE.

EXAMPLE INPUT:

1

OUTPUT:

1

EXAMPLE INPUT:

4

OUTPUT:

1 2 1 3 1 2 1 4 1 2 1 3 1 2 1

FOR EXAMPLE:

Input	Result
1	1
2	1 2 1
3	1 2 1 3 1 2 1
4	1 2 1 3 1 2 1 4 1 2 1 3 1 2 1

PROGRAM:

```
import java.util.*;
public class Sequence{
    public static void main(String[]
        args){int n,i;
        String pattern="";
        Scanner in = new
        Scanner(System.in);n=in.nextInt();
        for(i=1;i<=n;i++)
        {
            pattern+=i+" "+pattern;
        }
        System.out.println(pattern);
    }
}
```

OUTPUT:

	Input	Expected	Got	
✓	1	1	1	✓
✓	2	1 2 1	1 2 1	✓
✓	3	1 2 1 3 1 2 1	1 2 1 3 1 2 1	✓
✓	4	1 2 1 3 1 2 1 4 1 2 1 3 1 2 1	1 2 1 3 1 2 1 4 1 2 1 3 1 2 1	✓
Passed all tests! ✓				

EXPERIMENT NO : 2.2

DATE : 23/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

PROBLEM - 2

WRITE A PROGRAM THAT TAKES AS PARAMETER AN INTEGER N.

YOU HAVE TO PRINT THE NUMBER OF ZEROS AT THE END OF THE FACTORIAL OF N.

FOR EXAMPLE, $3! = 6$. THE NUMBER OF ZEROS ARE 0. $5! = 120$. THE NUMBER OF ZEROS AT THE END ARE 1.

NOTE:

$N! < 10^5$

EXAMPLE

INPUT: 3

OUTPUT:

0

EXAMPLE

INPUT: 60

OUTPUT:

14

EXAMPLE

INPUT: 100

OUTPUT:

24

EXAMPLE

INPUT:1024

OUTPUT

253

PROGRAM:

```
// Java program to count trailing 0s in n!
import java.io.*;
import java.util.Scanner;
class prog {
    // Function to return trailing
    // 0s in factorial of n
    static int findTrailingZeros(int n)
    {
        if (n < 0) // Negative Number Edge
            Casereturn -1;
        // Initialize result
        int count=0;
        // Keep dividing n by powers
        // of 5 and update count for
        (int i = 5; n / i >= 1;i=i*5)
            count += n / i;
        return count;
    }

    // Driver Code
    public static void main(String[] args)
    {
        int n ;
        Scanner sc= new Scanner(System.in);
        n=sc.nextInt();
        System.out.println(findTrailingZeros(n))
        ;
    }
}
```

}

}

OUTPUT:

	Input	Expected	Got	
✓	3	0	0	✓
✓	60	14	14	✓
✓	100	24	24	✓
✓	1024	253	253	✓

Passed all tests! ✓

EXPERIMENT NO : 2.3

DATE : 23/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 3

YOU HAVE RECENTLY SEEN A MOTIVATIONAL SPORTS MOVIE AND WANT TO START EXERCISING REGULARLY. YOUR COACH TELLS YOU THAT IT IS IMPORTANT TO GET UP EARLY IN THE MORNING TO EXERCISE. SHE SETS UP A SCHEDULE FOR YOU:

ON WEEKDAYS (MONDAY - FRIDAY), YOU HAVE TO GET UP AT 5:00.
ON WEEKENDS (SATURDAY & SUNDAY), YOU CAN WAKE UP AT 6:00.
HOWEVER, IF YOU ARE ON VACATION, THEN YOU CAN GET UP AT 7:00 ON WEEKDAYS AND 9:00 ON WEEKENDS.

WRITE A PROGRAM TO PRINT THE TIME YOU
SHOULD GET UP. INPUT FORMAT

INPUT CONTAINING AN INTEGER AND A BOOLEAN VALUE.

THE INTEGER TELLS YOU THE DAY IT IS (1-SUNDAY, 2-MONDAY, 3-TUESDAY, 4-WEDNESDAY, 5-THURSDAY, 6-FRIDAY, 7-SATURDAY).
THE BOOLEAN IS TRUE IF YOU ARE ON VACATION AND FALSE IF YOU'RE NOT ON VACATION.

YOU HAVE TO PRINT THE TIME YOU
SHOULD GET UP.

EXAMPLE INPUT:

1
FALSE

OUTPUT

6:00

EXAMPLE

INPUT:

5
FALSE

OUTPUT

5:00

EXAMPLE

INPUT:

1

TRUE

OUTPUT

9:00

FOR EXAMPLE:

Input	Result
1 false	6:00
5 false	5:00
1 true	9:00

PROGRAM:

```
import java.util.*;
public class Schedule
{
    public static void main(String[] args)
    {
        int day;
        boolean vacay;
        Scanner in = new
        Scanner(System.in);day=in.nextInt();
        vacay=in.nextBoolean();
        if(day==2 || day==3 || day==4 || day==5 || day==6)
        {
```

```

    if(vacay==true)
    {
        System.out.println("7:00");
    }
    else if(vacay==false)
    {
        System.out.println("5:00");
    }
}
{
    if(vacay==true)
    {
        System.out.println("9:00");
    }
    else if(vacay==false)
    {
        System.out.println("6:00");
    }
}
}
}

```

OUTPUT:

	Input	Expected	Got	
✓	1 false	6:00	6:00	✓
✓	5 false	5:00	5:00	✓
✓	1 true	9:00	9:00	✓

Passed all tests! ✓

03 - ARRAYS

EXPERIMENT NO : 3.1

DATE : 30/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 1

GIVEN AN ARRAY OF NUMBERS, YOU ARE EXPECTED TO RETURN THE SUM OF THE LONGEST SEQUENCE OF POSITIVE NUMBERS IN THE ARRAY.

IF THERE ARE NO POSITIVE NUMBERS IN THE ARRAY, YOU ARE EXPECTED TO RETURN -1. IN THIS QUESTION'S SCOPE, THE NUMBER 0 SHOULD BE CONSIDERED AS POSITIVE.

NOTE:

IF THERE ARE MORE THAN ONE GROUP OF ELEMENTS IN THE ARRAY HAVING THE LONGEST SEQUENCE OF POSITIVE NUMBERS, YOU ARE EXPECTED TO RETURN THE TOTAL SUM OF ALL THOSE POSITIVE NUMBERS (SEE EXAMPLE 3 BELOW).

INPUT1

REPRESENTS THE NUMBER OF ELEMENTS IN THE ARRAY. INPUT2 REPRESENTS THE ARRAY OF INTEGERS.

EXAMPLE 1:

INPUT1 = 16

INPUT2 = {-12, -16, 12, 18, 18, 14, -4, -12, -13, 32, 34, -5, 66, 78, 78, -79}

EXPECTED

OUTPUT = 62

EXPLANATION:

THE INPUT ARRAY CONTAINS FOUR SEQUENCES OF POSITIVE NUMBERS, I.E. "12, 18, 18, 14", "12", "32, 34", AND "66, 78, 78". THE FIRST SEQUENCE "12, 18, 18, 14" IS THE LONGEST OF THE FOUR AS IT

CONTAINS 4 ELEMENTS.

THEREFORE, THE EXPECTED OUTPUT = SUM
OF THE LONGEST SEQUENCE OF POSITIVE NUMBERS = $12 + 18 + 18 + 14$
= 63.

EXAMPLE 2:

INPUT1 = 11

INPUT2 = {-22, -24, 16, -1, -17, -19, -37, -25, -19, -93, -61}

EXPECTED

OUTPUT = -1

EXPLANATION:

THERE ARE NO POSITIVE NUMBERS IN THE INPUT ARRAY. THEREFORE,
THE EXPECTED OUTPUT FOR SUCH CASES = -1.

EXAMPLE 3:

INPUT1 = 16

INPUT2 = {-58, 32, 26, 92, -10, -4, 12, 0, 12, -2, 4, 32, -9, -7, 78, -79}

EXPECTED

OUTPUT = 174

EXPLANATION:

THE INPUT ARRAY CONTAINS FOUR SEQUENCES OF POSITIVE
NUMBERS, I.E. "32, 26, 92", "12, 0, 12", "4, 32", AND "78". THE FIRST AND
SECOND SEQUENCES "32, 26, 92" AND "12, 0, 12" ARE THE LONGEST OF
THE FOUR AS THEY CONTAIN 4 ELEMENTS EACH. THEREFORE, THE
EXPECTED OUTPUT = SUM OF THE LONGEST SEQUENCE OF POSITIVE
NUMBERS = $(32 + 26 + 92) + (12 + 0 + 12) = 174$.

FOR EXAMPLE:

Input	Result
16 -12 -16 12 18 18 14 -4 -12 -13 32 34 -5 66 78 78 -79	62
11 -22 -24 -16 -1 -17 -19 -37 -25 -19 -93 -61	-1
16 -58 32 26 92 -10 -4 12 0 12 -2 4 32 -9 -7 78 -79	174

PROGRAM:

```
import java.util.*;

public class
PArray{

    public static void main(String[] args){

        int n,input,Psum=0,PsumMax=0,i;

        Scanner in = new
        Scanner(System.in);n=in.nextInt();

        int[] arr = new int[n];

        for(i=0;i<n;i++){

            arr[i]=in.nextInt();

        }

        int currcount=0,maxcount=0;

        for(i=0;i<n;i++

        ){

            if(arr[i]>=0){

                Psum+=arr[i];
```

```

        currcount+=1;
    }
    else{
        if(currcount>maxcount)
        {
            maxcount=currcount;
            PsumMax=Psum;
        }
        else
            if(currcount==maxcount){
                PsumMax+=Psum;
            }
        currcount=0;
        Psum=0;
    }
}
if(currcount>maxcount)
    PsumMax=Psum;
if(PsumMax>0)
    System.out.println(PsumMax);
else
    System.out.println("-1");
}
}

```

OUTPUT:

	Input	Expected	Got	
✓	16 -12 -16 12 18 18 14 -4 -12 -13 32 34 -5 66 78 78 -79	62	62	✓
✓	11 -22 -24 -16 -1 -17 -19 -37 -25 -19 -93 -61	-1	-1	✓
✓	16 -58 32 26 92 -10 -4 12 0 12 -2 4 32 -9 -7 78 -79	174	174	✓
Passed all tests! ✓				

EXPERIMENT NO : 3.2

DATE : 30/08/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 2

GIVEN AN INTEGER ARRAY AS INPUT, PERFORM THE FOLLOWING OPERATIONS ON THE ARRAY, IN THE BELOW SPECIFIED SEQUENCE.

1. FIND THE MAXIMUM NUMBER IN THE ARRAY.
2. SUBTRACT THE MAXIMUM NUMBER FROM EACH ELEMENT OF THE ARRAY.
3. MULTIPLY THE MAXIMUM NUMBER (FOUND IN STEP 1) TO EACH ELEMENT OF THE RESULTANT ARRAY.

AFTER THE OPERATIONS ARE DONE, RETURN THE RESULTANT ARRAY.

EXAMPLE 1:

INPUT1 = 4 (REPRESENTS THE NUMBER OF ELEMENTS IN THE INPUT1 ARRAY)

INPUT2 = {1, 5, 6, 9}

EXPECTED OUTPUT = {-72, -36, 27, 0}

EXPLANATION:

STEP 1: THE MAXIMUM NUMBER IN THE GIVEN ARRAY IS 9.

STEP 2: SUBTRACTING THE MAXIMUM NUMBER 9 FROM EACH ELEMENT OF THE ARRAY:

$\{(1 - 9), (5 - 9), (6 - 9), (9 - 9)\} = \{-8, -4, -3, 0\}$

STEP 3: MULTIPLYING THE MAXIMUM NUMBER 9 TO EACH OF THE RESULTANT ARRAY:

$\{(-8 \times 9), (-4 \times 9), (-3 \times 9), (0 \times 9)\} = \{-72, -36, -27, 0\}$

SO, THE EXPECTED OUTPUT IS THE RESULTANT ARRAY {-72, -36, -27, 0}.

EXAMPLE 2:

INPUT1 = 5 (REPRESENTS THE NUMBER OF ELEMENTS IN

THE INPUT1 ARRAY)INPUT2 = {10, 87, 63, 42, 2}

EXPECTED OUTPUT = {-6699, 0, -2088, -3915, -7395}

EXPLANATION:

STEP 1: THE MAXIMUM NUMBER IN THE GIVEN ARRAY IS 87.

STEP 2: SUBTRACTING THE MAXIMUM NUMBER 87 FROM EACH ELEMENT OF THE ARRAY:

$$\{(10 - 87), (87 - 87), (63 - 87), (42 - 87), (2 - 87)\} = \{-77, 0, -24, -45, -85\}$$

STEP 3: MULTIPLYING THE MAXIMUM NUMBER 87 TO EACH OF THE RESULTANT ARRAY:

$$\{(-77 \times 87), (0 \times 87), (-24 \times 87), (-45 \times 87), (-85 \times 87)\} = \{-6699, 0, -2088, -3915, -7395\}$$

SO, THE EXPECTED OUTPUT IS THE RESULTANT ARRAY {-6699, 0, -2088, -3915, -7395}.

EXAMPLE 3:

INPUT1 = 2 (REPRESENTS THE NUMBER OF ELEMENTS IN

THE INPUT1 ARRAY)INPUT2 = {-9, 9}

EXPECTED OUTPUT = {-

162, 0}.

EXPLANATION:

STEP 1: THE MAXIMUM NUMBER IN THE GIVEN ARRAY IS 9.

STEP 2: SUBTRACTING THE MAXIMUM NUMBER 9 FROM EACH ELEMENT OF THE ARRAY:

$$\{(-9 - 9), (9 - 9)\} = \{-18, 0\}$$

STEP 3: MULTIPLYING THE MAXIMUM NUMBER 9 TO EACH OF THE RESULTANT ARRAY:

$$\{(-18 \times 9), (0 \times 9)\} = \{-162, 0\}$$

SO, THE EXPECTED OUTPUT IS THE RESULTANT ARRAY {-162, 0}.

NOTE: THE INPUT ARRAY WILL CONTAIN NOT MORE THAN 100 ELEMENTS.

FOR EXAMPLE:

Input	Result
4 1 5 6 9	-72 -36 -27 0
5 10 87 63 42 2	-6699 0 -2088 -3915 -7395

PROGRAM:

```
import java.util.*;

public class RArray{

    public static void main(String[]
        args){int n,i,max;
        Scanner in = new
        Scanner(System.in);n=in.nextInt();
        int[] arr = new int[n];
        for(i=0;i<n;i++){
            arr[i]=in.nextInt();
        }
        max=arr[0];
        for(i=1;i<n;i+
        +)
        {
            if(max<arr[i]
            )
            max=arr[i]
            ;
        }
```

```

for(i=0;i<n;i++){
    arr[i]=arr[i]-
    max;

}
for(i=0;i<n;i++){
    arr[i]=arr[i]*max
    ;
}
for(i=0;i<n;i++)
    System.out.print(arr[i]+" ");
}

```

OUTPUT:

	Input	Expected	Got	
✓	4 1 5 6 9	-72 -36 -27 0	-72 -36 -27 0	✓
✓	5 10 87 63 42 2	-6699 0 -2088 -3915 -7395	-6699 0 -2088 -3915 -7395	✓
✓	2 -9 9	-162 0	-162 0	✓

Passed all tests! ✓

EXPERIMENT NO : 3.3

DATE : 06/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 3

YOU ARE PROVIDED WITH A SET OF NUMBERS (ARRAY OF NUMBERS).
YOU HAVE TO GENERATE THE SUM OF SPECIFIC NUMBERS BASED ON
ITS POSITION IN THE ARRAYSET PROVIDED TO YOU.

THIS IS EXPLAINED BELOW:

EXAMPLE 1:

LET US ASSUME THE ENCODED SET OF NUMBERS
GIVEN TO YOU IS: INPUT1:5 AND INPUT2: {1, 51, 436,
7860, 41236}

STEP 1:

STARTING FROM THE 0TH INDEX OF THE ARRAY PICK UP
DIGITS AS PER BELOW: 0TH INDEX – PICK UP THE UNITS
VALUE OF THE NUMBER (IN THIS CASE IS 1). 1ST INDEX -
PICK UP THE TENS VALUE OF THE NUMBER (IN THIS
CASE IT IS 5).

2ND INDEX - PICK UP THE HUNDREDS VALUE OF THE NUMBER
(IN THIS CASE IT IS 4). 3RD INDEX - PICK UP THE THOUSANDS
VALUE OF THE NUMBER (IN THIS CASE IT IS 7).

4TH INDEX - PICK UP THE TEN THOUSANDS VALUE OF THE
NUMBER (IN THIS CASE IT IS 4).(CONTINUE THIS FOR ALL THE
ELEMENTS OF THE INPUT ARRAY).

THE ARRAY GENERATED FROM STEP 1 WILL THEN BE – {1, 5, 4, 7, 4}.

STEP 2:

SQUARE EACH NUMBER PRESENT IN THE ARRAY GENERATED IN STEP 1.
{1, 25, 16, 49, 16}

STEP 3:

CALCULATE THE SUM OF ALL ELEMENTS OF THE ARRAY GENERATED IN STEP 2 TO GET THE FINAL RESULT. THE RESULT WILL BE = 107.

NOTE:

1) WHILE PICKING UP A NUMBER IN STEP1, IF YOU OBSERVE THAT THE NUMBER IS SMALLER THAN THE REQUIRED POSITION THEN USE 0.

2) IN THE GIVEN FUNCTION, INPUT1[] IS THE ARRAY OF NUMBERS AND INPUT2 REPRESENTS THE NUMBER OF ELEMENTS IN INPUT1.

EXAMPLE 2:

INPUT1: 5 AND INPUT1: {1, 5, 423, 310, 61540}

STEP 1:

GENERATING THE NEW ARRAY BASED ON POSITION, WE GET THE BELOW ARRAY:

{1, 0, 4, 0, 6}

IN THIS CASE, THE VALUE IN INPUT1 AT INDEX 1 AND 3 IS LESS THAN THE VALUE REQUIRED TO BE PICKED UP BASED ON POSITION, SO WE USE A 0.

STEP 2:

{1, 0, 16, 0, 36}

STEP 3:

THE FINAL RESULT = 53.

FOR EXAMPLE:

Input	Result
5 1 51 436 7860 41236	107
5 1 5 423 310 61540	53

PROGRAM:

```
import java.util.*;

public class Encoded{

    public static void main(String[]
        args){ int n,input,i,j=10,sum=0;

        Scanner in = new
        Scanner(System.in);n=in.nextInt();

        int[] arr = new int[n];
        for(i=0;i<n;i++){

            input=in.nextInt();
            arr[i]=input;
        }
        for(i=0;i<n;i++){
            if (i==0)
                arr[i]=arr[i]%j
            ;else if(i==1)
                arr[i]=arr[i]/j;
            else{
                j=j*10;
                arr[i]=arr[i]/j;
            }
            sum+=arr[i]*arr[i];
        }
        System.out.println(sum);
    }
}
```

OUTPUT:

	Input	Expected	Got	
✓	5 1 51 436 7860 41236	107	107	✓
✓	5 1 5 423 310 61540	53	53	✓
Passed all tests! ✓				

04 – CLASSES AND OBJECTS

EXPERIMENT NO : 4.1

DATE : 06/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 1

CREATE A CLASS CALLED "CIRCLE" WITH A RADIUS ATTRIBUTE. YOU CAN ACCESS AND MODIFY THIS ATTRIBUTE USING GETTER AND SETTER METHODS. CALCULATE THE AREA AND CIRCUMFERENCE OF THE CIRCLE.

AREA OF CIRCLE

$$\pi R^2$$

CIRCUMFERENCE

$$2\pi R$$

INPUT

2

OUTPUT

AREA = 12.57

CIRCUMFERENCE

= 12.57

FOR EXAMPLE:

Test	Input	Result
1	4	Area = 50.27 Circumference = 25.13

PROGRAM:

```
import java.io.*;
import java.util.*;
class Circle
{
    private double radius;
    public Circle(double
radius){
        // set the instance variable radius
        this.radius=radius;
    }
    public void setRadius(double radius){
        // set the radius
        this.radius=radius;
    }
    public double getRadius() {
        // return the radius
        return radius;
    }
    public double calculateArea() { // complete the below statement
        return (Math.PI*radius*radius);
    }
    public double calculateCircumference() {
        // complete the statement
        return (2*Math.PI*radius);
    }
}
class prog{
    public static void main(String[] args) {
        int r;
        Scanner sc= new
```

```

Scanner(System.in);r=sc.nextInt();

Circle c= new Circle(r);

System.out.println("Area = "+String.format("%.2f", c.calculateArea()));

// invoke the calculatecircumference method

System.out.println("Circumference = "+String.format("%.2f",
c.calculateCircumference()));

}
}

```

OUTPUT:

	Test	Input	Expected	Got	
✓	1	4	Area = 50.27 Circumference = 25.13	Area = 50.27 Circumference = 25.13	✓
✓	2	6	Area = 113.10 Circumference = 37.70	Area = 113.10 Circumference = 37.70	✓
✓	3	2	Area = 12.57 Circumference = 12.57	Area = 12.57 Circumference = 12.57	✓

Passed all tests! ✓

EXPERIMENT NO : 4.2

DATE : 06/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 2

CREATE A CLASS MOBILE WITH THE ATTRIBUTES LISTED BELOW,PRIVATE STRING MANUFACTURER;

PRIVATE STRING OPERATING_SYSTEM;
PUBLIC STRING COLOR;
PRIVATE INT COST;

DEFINE A PARAMETERIZED CONSTRUCTOR TO INITIALIZE THE ABOVE INSTANCE VARIABLES.

DEFINE GETTER AND SETTER METHODS FOR THE ATTRIBUTES ABOVE.

FOR EXAMPLE :

SETTER METHOD FOR MANUFACTURER IS VOID SETMANUFACTURER

(STRING MANUFACTURER){

THIS.MANUFACTURER= MANUFACTURER;

}

STRING GETMANUFACTURER()

{

RETURN MANUFACTURER;

}

DISPLAY THE OBJECT DETAILS BY OVERRIDING THE TOSTRING() METHOD.

FOR EXAMPLE:

Input	Result
4 1 5 6 9	-72 -36 -27 0
5 10 87 63 42 2	-6699 0 -2088 -3915 -7395
2 -9 9	-162 0

PROGRAM:

```
class Mobile {  
    private String manufacturer;  
    private String operating_system;  
    public String color;  
    private int cost;  
  
    // Parameterized constructor to initialize the attributes  
    public Mobile(String manufacturer, String operating_system, String color, int cost)  
    {  
        this.manufacturer = manufacturer;  
        this.operating_system = operating_system;  
        this.color = color;  
        this.cost = cost;  
    }  
  
    // Getter and Setter methods for manufacturer  
    public void setManufacturer(String manufacturer) {  
        this.manufacturer = manufacturer;  
    }  
}
```



```
public String getManufacturer()
    {return manufacturer;

}

// Getter and Setter methods for operating_system
public void setOperatingSystem(String operating_system) {
    this.operating_system = operating_system;
}

public String getOperatingSystem()
    {
return operating_system;
}

// Getter and Setter methods for color
public void setColor(String color) {
    this.color = color;
}

public String getColor()
    {return color;
}

// Getter and Setter methods for cost
public void setCost(int cost) {
    this.cost = cost;
}

public int getCost()
    {return cost;
}

// Overriding the toString() method to display object details
```

```

@Override
public String toString() {

    return "manufacturer = " + manufacturer + "\n" +
           "operating_system = " + operating_system + "\n" +
           "color = " + color + "\n" +
           "cost = " + cost;
}

}

public class prog{
    public static void main(String[] args) {
        // Creating a Mobile object with the given attributes
        Mobile mobile = new Mobile("Redmi", "Andriod", "Blue", 34000);

        // Display the object details
        System.out.println(mobile);
    }
}

```

OUTPUT:

	Test	Expected	Got	
✓	1	manufacturer = Redmi operating_system = Andriod color = Blue cost = 34000	manufacturer = Redmi operating_system = Andriod color = Blue cost = 34000	✓
Passed all tests! ✓				

EXPERIMENT NO : 4.3

DATE : 06/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 3

CREATE A CLASS STUDENT WITH TWO PRIVATE ATTRIBUTES, NAME AND ROLL NUMBER.

CREATETHREE OBJECTS BY INVOKING DIFFERENT CONSTRUCTORS AVAILABLE IN THE CLASS STUDENT.

STUDENT()

STUDENT(String NAME)

STUDENT(String NAME, int ROLLNO)

INPUT:

NO INPUT

OUTPUT:

No-arg constructor is

invoked1 arg constructor is

invoked

2 arg constructor is

invokedName =null , Roll

no = 0

Name =Rajalakshmi , Roll no = 0

Name =Lakshmi , Roll no = 101

For example:

Test	Result

1	No-arg constructor is invoked 1 arg constructor is invoked 2 arg constructor is invoked Name =null , Roll no = 0 Name =Rajalakshmi , Roll no = 0 Name =Lakshmi , Roll no = 101
---	---

PROGRAM:

```

class Student {
    private String name;
    private int rollno;

    public Student() {
        System.out.println("No-arg constructor is invoked");
        this.name = "null";
        this.rollno = 0;
    }

    public Student(String name) {
        System.out.println("1 arg constructor is invoked");
        this.name = name;
        this.rollno = 0;
    }

    public Student(String name, int rollno) {
        System.out.println("2 arg constructor is invoked");
        this.name = name;
        this.rollno = rollno;
    }
}

```

```

public void display() {

    System.out.println("Name =" + name + " , Roll no =" + rollno);
}
}

class prog{
    public static void main(String[] args) {

        Student s1 = new Student();

        //s1.display();

        Student s2 = new Student("Rajalakshmi");
        //s2.display();

        Student s3 = new Student("Lakshmi", 101);
        //s3.display();

        s1.display();
        s2.display();
        s3.display();

    }
}

```

OUTPUT:

	Test	Expected	Got	
✓	1	No-arg constructor is invoked 1 arg constructor is invoked 2 arg constructor is invoked Name =null , Roll no = 0 Name =Rajalakshmi , Roll no = 0 Name =Lakshmi , Roll no = 101	No-arg constructor is invoked 1 arg constructor is invoked 2 arg constructor is invoked Name =null , Roll no = 0 Name =Rajalakshmi , Roll no = 0 Name =Lakshmi , Roll no = 101	✓
Passed all tests! ✓				

**05 – CLASSES
&
INHERITANCE**

EXPERIMENT NO : 5.1

DATE : 13/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 1

CREATE A CLASS KNOWN AS "BANKACCOUNT" WITH METHODS CALLED DEPOSIT() AND WITHDRAW().

CREATE A SUBCLASS CALLED SAVINGSACCOUNT THAT OVERRIDES THE WITHDRAW() METHOD TO PREVENT WITHDRAWALS IF THE ACCOUNT BALANCE FALLS BELOW ONE HUNDRED.

FOR EXAMPLE:

Result

Create a Bank Account object (A/c No. BA1234) with initial balance of \$500:

Deposit \$1000 into account BA1234:

New balance after depositing \$1000: \$1500.0

Withdraw \$600 from account BA1234:

New balance after withdrawing \$600: \$900.0

Create a SavingsAccount object (A/c No. SA1000) with initial balance of \$300:

Try to withdraw \$250 from SA1000!

Minimum balance of \$100 required!

Balance after trying to withdraw \$250: \$300.0

PROGRAM:

```
class BankAccount {  
    // Private field to store the account number  
    private String accountNumber;  
    // Private field to store the balance  
    private double balance;  
    // Constructor to initialize account number and balance  
    public BankAccount(String acc,double bal){  
        this.accountNumber=acc;
```

```
        this.balance=bal;
    }
    // Method to deposit an amount into the account
    public void deposit(double amount) {
        // Increase the balance by the deposit amount
        balance+=amount;
    }
    // Method to withdraw an amount from the account
    public void withdraw(double amount) {
        // Check if the balance is sufficient for the withdrawal
        if (balance >= amount) {
            // Decrease the balance by the withdrawal amount
            balance -= amount;
        } else {
            // Print a message if the balance is insufficient
            System.out.println("Insufficient balance");
        }
    }
    // Method to get the current balance
    public double getBalance() {
        // Return the current balance
        return balance;
    }
}

class SavingsAccount extends BankAccount {
    // Constructor to initialize account number and balance
    public SavingsAccount(String accountNumber, double balance) {
        // Call the parent class constructor
        super(accountNumber,balance);
    }
    // Override the withdraw method from the parent class
```



```

@Override
public void withdraw(double amount) {
    // Check if the withdrawal would cause the balance to drop below $100if
    (getBalance() - amount < 100) {
        // Print a message if the minimum balance requirement is not met
        System.out.println("Minimum balance of $100 required!");
    } else {
        // Call the parent class withdraw method
        super.withdraw(amount);
    }
}
}

public class Main {
    public static void main(String[] args) {
        // Print message to indicate creation of a BankAccount object
        System.out.println("Create a Bank Account object (A/c No. BA1234) with initial
        balance
of $500:");
        // Create a BankAccount object (A/c No. "BA1234") with initial balance of
        $500BankAccount BA1234 = new BankAccount("BA1234", 500);
        // Print message to indicate deposit action
        System.out.println("Deposit $1000 into account BA1234:");
        // Deposit $1000 into account BA1234
        BA1234.deposit(1000);
        // Print the new balance after deposit
        System.out.println("New balance after depositing $1000: $" + BA1234.getBalance());
        // Print message to indicate withdrawal action
        System.out.println("Withdraw $600 from account BA1234:");
        // Withdraw $600 from account BA1234
        BA1234.withdraw(600);
        // Print the new balance after withdrawal
        System.out.println("New balance after withdrawing $600: $" + BA1234.getBalance());
    }
}

```

```

        // Print message to indicate creation of another SavingsAccount object
        System.out.println("Create a SavingsAccount object (A/c No. SA1000) with
initialbalance of $300:");

        // Create a SavingsAccount object (A/c No. "SA1000") with initial balance of
$300SavingsAccount SA1000 = new SavingsAccount("SA1000", 300);

        // Print message to indicate withdrawal action
        System.out.println("Try to withdraw $250 from SA1000!");

        // Withdraw $250 from SA1000 (balance falls below $100)
        SA1000.withdraw(250);

        // Print the balance after attempting to withdraw $250
        System.out.println("Balance after trying to withdraw $250: $" + SA1000.getBalance());
    }
}

```

OUTPUT:

Expected	Got	
✓ Create a Bank Account object (A/c No. BA1234) with initial balance of \$500: Deposit \$1000 into account BA1234: New balance after depositing \$1000: \$1500.0 Withdraw \$600 from account BA1234: New balance after withdrawing \$600: \$900.0 Create a SavingsAccount object (A/c No. SA1000) with initial balance of \$300: Try to withdraw \$250 from SA1000! Minimum balance of \$100 required! Balance after trying to withdraw \$250: \$300.0	Create a Bank Account object (A/c No. BA1234) with initial balance of \$500: Deposit \$1000 into account BA1234: New balance after depositing \$1000: \$1500.0 Withdraw \$600 from account BA1234: New balance after withdrawing \$600: \$900.0 Create a SavingsAccount object (A/c No. SA1000) with initial balance of \$300: Try to withdraw \$250 from SA1000! Minimum balance of \$100 required! Balance after trying to withdraw \$250: \$300.0	✓
Passed all tests! ✓		

EXPERIMENT NO : 5.2

DATE : 13/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 2

CREATE A CLASS MOBILE WITH CONSTRUCTOR AND A METHOD BASICMOBILE().

CREATE A SUBCLASS CAMERAMOBILE WHICH EXTENDS MOBILE CLASS , WITH CONSTRUCTOR AND A METHOD NEWFEATURE().

CREATE A SUBCLASS ANDROIDMOBILE WHICH EXTENDS CAMERAMOBILE, WITH CONSTRUCTOR AND A METHOD ANDROIDMOBILE().

DISPLAY THE DETAILS OF THE ANDROID MOBILE CLASS BY CREATING THE INSTANCE. .CLASS MOBILE{

```
}  
CLASS CAMERAMOBILE EXTENDS MOBILE {  
}  
CLASS ANDROIDMOBILE EXTENDS CAMERAMOBILE {  
}
```

EXPECTED OUTPUT:

BASIC MOBILE IS
MANUFACTURED CAMERA
MOBILE IS
MANUFACTURED ANDROID
MOBILE IS
MANUFACTURED CAMERA
MOBILE WITH 5MG PX
TOUCH SCREEN MOBILE IS MANUFACTURED

FOR EXAMPLE:

Result
Basic Mobile is Manufactured Camera Mobile is Manufactured Android Mobile is Manufactured Camera Mobile with 5MG px Touch Screen Mobile is Manufactured

PROGRAM:

```
class Mobile{
    void
    Mobile(){
        System.out.println("Basic Mobile is Manufactured");
    }
}

class CameraMobile extends
    Mobile{ void Cam(){
        System.out.println("Camera Mobile is Manufactured");
    }
    void CamQual(){
        System.out.println("Camera Mobile with 5MG px");
    }
}

class AndroidMobile extends
    CameraMobile{ void Andro(){
        System.out.println("Android Mobile is Manufactured");
    }
    void Touch(){
        System.out.println("Touch Screen Mobile is Manufactured");
    }
}

public class Main{
    public static void main(String[] args){
        AndroidMobile obj= new
        AndroidMobile();obj.Mobile();
        obj.Cam();
        obj.Andro();
        obj.CamQual()
        ;obj.Touch();
    }}
}
```

OUTPUT:

	Expected	Got	
✓	Basic Mobile is Manufactured Camera Mobile is Manufactured Android Mobile is Manufactured Camera Mobile with 5MG px Touch Screen Mobile is Manufactured	Basic Mobile is Manufactured Camera Mobile is Manufactured Android Mobile is Manufactured Camera Mobile with 5MG px Touch Screen Mobile is Manufactured	✓
Passed all tests! ✓			

EXPERIMENT NO : 5.3

DATE : 13/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 3

CREATE A CLASS CALLED COLLEGE WITH ATTRIBUTE STRING NAME, CONSTRUCTOR TO INITIALIZE THE NAME ATTRIBUTE , A METHOD CALLED ADMITTED(). CREATE A SUBCLASS CALLED CSE THAT EXTENDS STUDENT CLASS, WITH DEPARTMENT ATTRIBUTE , COURSE() METHOD TO SUBCLASS. PRINT THE DETAILS OF THE STUDENT.

COLLEGE:

STRING COLLEGENAME;

PUBLIC COLLEGE() { }

PUBLIC ADMITTED() { }

STUDENT:

STRING STUDENTNAME;

STRING DEPARTMENT;

PUBLIC STUDENT(STRING COLLEGENAME, STRING STUDENTNAME, STRING DEPART)
{ }PUBLIC TOSTRING()

EXPECTED OUTPUT:

A STUDENT
ADMITTED IN REC
COLLEGENAME : REC

STUDENTNAME :
VENKATESH

DEPARTMENT : CSE

FOR EXAMPLE:

Result
A student admitted in RECCollegeName : REC StudentName : VenkateshDepartment : CSE

PROGRAM

```
class College
```

```
{
```

```
    protected String collegeName;
```

```
    public College(String collegeName) {
```

```
        // initialize the instance variables
```

```
        this.collegeName=collegeName;
```

```
    }
```

```
    public void admitted() {
```

```
        System.out.println("A student admitted in "+collegeName);
```

```
    }
```

```
}
```

```
class Student extends
```

```
    College{ String
```

```
    studentName;
```

```
    String department;
```

```
    public Student(String collegeName, String studentName,String depart) {
```

```
        // initialize the instance variables
```

```
        super(collegeName);
```

```
        this.studentName=studentName;
```

```
        this.department=depart;
```

```
    }
```

```
    public String toString(){
```

```
        // return the details of the student
```

```

        return "CollegeName : "+collegeName+"\nStudentName : 
        "+studentName+"\nDepartment : "+department;
    }
}

public class Main {
    public static void main (String[] args) {
        Student s1 = new Student("REC","Venkatesh","CSE");

        // invoke the admitted() method
        s1.admitted();
        System.out.println(s1.toString());
    }
}

```

OUTPUT

	Expected	Got	
✓	A student admitted in REC CollegeName : REC StudentName : Venkatesh Department : CSE	A student admitted in REC CollegeName : REC StudentName : Venkatesh Department : CSE	✓
Passed all tests! ✓			

06 – STRING , STRING BUFFER

EXPERIMENT NO : 6.1

DATE : 20/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 1

GIVEN A STRING INPUT1, WHICH CONTAINS MANY NUMBER OF WORDS SEPARATED BY : AND EACH WORD CONTAINS EXACTLY TWO LOWER CASE ALPHABETS, GENERATE AN OUTPUT BASED UPON THE BELOW 2 CASES.

NOTE:

1. ALL THE CHARACTERS IN INPUT 1 ARE LOWERCASE ALPHABETS.
2. INPUT 1 WILL ALWAYS CONTAIN MORE THAN ONE WORD SEPARATED BY :
3. OUTPUT SHOULD BE RETURNED

IN UPPERCASE.CASE 1:

CHECK WHETHER THE TWO ALPHABETS ARE SAME.

IF YES, THEN TAKE ONE ALPHABET FROM IT AND
ADD IT TO THE OUTPUT.

EXAMPLE 1:

INPUT1

WW:II:PP:RR:OO

OUTPUT

WIPRO

EXPLANATION:

WORD1 IS WW, BOTH ARE SAME HENCE TAKE W
WORD2 IS II, BOTH ARE SAME HENCE TAKE I
WORD3 IS PP, BOTH ARE SAME HENCE TAKE P
WORD4 IS RR, BOTH ARE SAME HENCE TAKE R
WORD5 IS OO, BOTH ARE SAME HENCE TAKE O
HENCE THE OUTPUT IS WIPRO

CASE 2:

IF THE TWO ALPHABETS ARE NOT SAME, THEN FIND THE POSITION
VALUE OF THEM AND FIND MAXIMUM VALUE – MINIMUM VALUE.

TAKE THE ALPHABET WHICH COMES AT THIS (MAXIMUM VALUE -
MINIMUM VALUE) POSITION IN THE ALPHABET SERIES.

EXAMPLE 2:

INPUT1

=ZX:ZA:EE

OUTPUT

BYE

EXPLANATION

WORD1 IS ZX, BOTH ARE NOT SAME ALPHABETS POSITION VALUE OF Z IS 26

POSITION VALUE OF X IS 24

MAX – MIN WILL BE $26 - 24 = 2$

ALPHABET WHICH COMES IN 2ND POSITION IS B WORD2 IS ZA, BOTH ARE NOT SAME ALPHABETS POSITION VALUE OF Z IS 26

POSITION VALUE OF A IS 1

MAX – MIN WILL BE $26 - 1 = 25$

ALPHABET WHICH COMES IN 25TH POSITION IS Y WORD3 IS EE, BOTH ARE SAME HENCE TAKE E HENCE THE OUTPUT IS BYE

FOR EXAMPLE:

Input	Result
ww:ii:pp:rr:oo	WIPR O
zx:za:ee	BYE

PROGRAM:

```
import java.util.*;

class diff{
    char different(char x, char
        y){ if ((int)x != (int)y)
            return (char)((int)'a' + ((int)x-(int)y) -
                1);return x;
        }
}

public class Main{
    public static void main(String[] args){
```

```

Scanner scan = new Scanner(System.in);
diff a = new diff();
String b = scan.nextLine();
StringBuffer ans = new
StringBuffer();
StringBuffer temp = new
StringBuffer();for(int i = 0;i <
b.length();i++){
    if(b.charAt(i) == ':'){
        temp.append(" ");
    }
    else{
        temp.append(Character.toString(b.charAt(i)));
    }
}
String c = temp.toString();
for(int i = 0;i <
temp.length();i++){ if(i%3 ==
0){
    ans.append(Character.toString(a.different(c.charAt(i),c.charAt(i+1))));
}
}
System.out.print(ans.toString().toUpperCase());
}
}

```

OUTPUT:

	Input	Expected	Got	
✓	ww:ii:pp:rr:oo	WIPRO	WIPRO	✓
✓	zx:za:ee	BYE	BYE	✓
Passed all tests! ✓				

EXPERIMENT NO : 6.2

DATE : 20/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 2

YOU ARE PROVIDED A STRING OF WORDS AND A 2-DIGIT NUMBER. THE TWO DIGITS OF THE NUMBER REPRESENT THE TWO WORDS THAT ARE TO BE PROCESSED.

FOR EXAMPLE:

IF THE STRING IS "TODAY IS A NICE DAY" AND THE 2-DIGIT NUMBER IS 41, THEN YOU ARE EXPECTED TO PROCESS THE 4TH WORD ("NICE") AND THE 1ST WORD ("TODAY").

THE PROCESSING OF EACH WORD IS TO BE DONE AS FOLLOWS:

EXTRACT THE MIDDLE-TO-BEGIN PART: STARTING FROM THE MIDDLE OF THE WORD, EXTRACT THE CHARACTERS TILL THE BEGINNING OF THE WORD.

EXTRACT THE MIDDLE-TO-END PART:

STARTING FROM THE MIDDLE OF THE WORD, EXTRACT THE CHARACTERS TILL THE END OF THE WORD.

IF THE WORD TO BE PROCESSED IS "NICE":

ITS MIDDLE-TO-BEGIN PART WILL BE "IN".

ITS MIDDLE-TO-END PART WILL BE "CE".

SO, MERGED TOGETHER THESE TWO PARTS WOULD FORM "INCE".

SIMILARLY, IF THE WORD TO BE PROCESSED IS "TODAY":

ITS MIDDLE-TO-BEGIN PART WILL BE "DOT".

ITS MIDDLE-TO-END PART WILL BE "DAY".

SO, MERGED TOGETHER THESE TWO PARTS WOULD FORM "DOTDAY".

NOTE:

NOTE THAT THE MIDDLE LETTER 'D' IS PART OF BOTH THE EXTRACTED PARTS. SO, FOR WORDS WHOSE LENGTH IS ODD, THE MIDDLE LETTER SHOULD BE INCLUDED IN BOTH THE EXTRACTED PARTS.

EXPECTED OUTPUT:

THE EXPECTED OUTPUT IS A STRING CONTAINING BOTH THE PROCESSED WORDS SEPARATED BY A SPACE "INCE DOTDAY"

EXAMPLE 1:

INPUT1 = "TODAY IS A

NICE DAY"INPUT2 = 41

OUTPUT = "INCE DOTDAY"

EXAMPLE 2:

INPUT1 = "FRUITS LIKE MANGO AND APPLE ARE COMMON

BUT GRAPES ARE RARE"INPUT2 = 39

OUTPUT = "NAMNGO ARGPEs"

NOTE:

THE INPUT STRING INPUT1 WILL CONTAIN ONLY ALPHABETS AND A SINGLE SPACE CHARACTER SEPARATING EACH WORD IN THE STRING.

NOTE:

THE INPUT STRING INPUT1 WILL NOT CONTAIN ANY OTHER SPECIAL CHARACTERS. NOTE: THE INPUT NUMBER INPUT2 WILL ALWAYS BE A 2-DIGIT NUMBER (≥ 11 AND ≤ 99). ONE OF ITS DIGITS WILL NEVER BE 0. BOTH THE DIGITS OF THE NUMBER WILL ALWAYS POINT TO A VALID WORD IN THE INPUT1 STRING.

FOR EXAMPLE :

Input	Result
Today is a Nice Day41	iNce doTday
Fruits like Mango and Apple are common but Grapes are rare 39	naMngo arGpes

PROGRAM:

```
import java.util.*;

public class mix{

    public static void main(String[] args){

        Scanner in = new
        Scanner(System.in);String s1 =
        in.nextLine();
        int x = in.nextInt(),ones,flag = 0;
        StringBuffer t1 = new
        StringBuffer();StringBuffer t2 =
        new StringBuffer();int space = 0;
        while (x > 0){
            ones = (x % 10) - 1;
            for(int i = 0; i < s1.length();i++){
                if (s1.charAt(i) == '
                '){space = space +
                1;
                }
                else if(space == ones && flag == 0){
                    t1.append(Character.toString(s1.charAt(i)));
                }
                else if(space == ones && flag == 1){
                    t2.append(Character.toString(s1.charAt(i)));
                }
            }
            space = 0 ;
            flag = 1;
            x = x /10;
        }
        rew m = new rew();
        System.out.println(m.r(t2.toString()) + " " + m.r(t1.toString()));
    }
}
```

```

class rew{
    String r(String a){
        int l = a.length(),x,y;
        StringBuffer t3 = new
        StringBuffer();if(l % 2 == 1){
            x = ((int)(l/2));
            y = ((int)(l/2));
        }
        else{
            x = ((int)(l/2)) - 1;
            y = ((int)(l/2));
        }
        for(int i = x;i >= 0;i--){
            t3.append(Character.toString(a.charAt(i)));
        }
        for(int i = y;i < l;i++){
            t3.append(Character.toString(a.charAt(i)));
        }
        return t3.toString();
    }
}

```

OUTPUT:

	Input	Expected	Got	
✓	Today is a Nice Day 41	iNce doTday	iNce doTday	✓
✓	Fruits like Mango and Apple are common but Grapes are rare 39	naMngo arGpes	naMngo arGpes	✓

Passed all tests! ✓

EXPERIMENT NO : 4.3

DATE : 20/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 3

GIVEN 2 STRINGS INPUT1 & INPUT2.

- CONCATENATE BOTH THE STRINGS.
- REMOVE DUPLICATE ALPHABETS & WHITE SPACES.
- ARRANGE THE ALPHABETS IN
DESCENDING ORDER.

ASSUMPTION 1:

THERE WILL EITHER BE ALPHABETS, WHITE SPACES OR
NULL IN BOTH THE INPUTS.

ASSUMPTION 2:

BOTH INPUTS WILL BE IN
LOWER CASE.

EXAMPLE 1:

INPUT 1: APPLE

INPUT 2: ORANGE

OUTPUT:

RPONLGEA

EXAMPLE 2:

INPUT 1:

FRUITS

INPUT 2:

ARE GOOD

OUTPUT:

UTSROIGFEDA

EXAMPLE 3:

INPUT 1: ""

INPUT 2: ""

OUTPUT:

NULL

FOR EXAMPLE

Test	Input	Result
1	apple orange	rponlgea
2	fruits are good	utsroigfeda

PROGRAM:

```
import java.util.*;

public class HelloWorld {

    public static void main(String[] args) {

        Scanner in = new
        Scanner(System.in);String s1 =
        in.nextLine();
        String s2 = in.nextLine();
        StringBuffer s3 = new
        StringBuffer();
        if(s1.trim().isEmpty() &&
        s2.trim().isEmpty()){
            System.out.print("null");
        }
        else{
```

```

for(int i = 0;i <
    s1.length();i++){

    if (s1.charAt(i) != ' ') {
        s3.append(Character.toString(s1.charAt(i)));
    }
}

for(int i = 0;i <
    s2.length();i++){ if
    (s2.charAt(i) != ' '){
        s3.append(Character.toString(s2.charAt(i)));
    }
}

char[] d = s3.toString().toCharArray();
Arrays.sort(d);
for(int i = d.length - 1;i >= 1;i--
    ){if(d[i] != d[i-1])
        System.out.print(d[i]);
    }
System.out.print(d[0]);
}
}

```

OUTPUT:

	Test	Input	Expected	Got	
✓	1	apple orange	rponlgea	rponlgea	✓
✓	2	fruits are good	utsroigfeda	utsroigfeda	✓
✓	3		null	null	✓

Passed all tests! ✓

07 - INTERFACES

EXPERIMENT NO : 7.1

DATE : 27/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 1

RBI ISSUES ALL NATIONAL BANKS TO COLLECT INTEREST ON ALL CUSTOMER LOANS.

CREATE AN RBI INTERFACE WITH A VARIABLE STRING PARENTBANK="RBI" AND ABSTRACTMETHOD RATEOFINTEREST().

RBI INTERFACE HAS TWO MORE METHODS DEFAULT AND STATIC METHOD.DEFAULT VOID POLICYNOTE()

```
{  
SYSTEM.OUT.PRINTLN("RBI HAS A NEW POLICY ISSUED IN 2023.");  
}  
STATIC VOID REGULATIONS()  
{  
SYSTEM.OUT.PRINTLN("RBI HAS UPDATED NEW REGULATIONS ON 2024.");  
}
```

CREATE TWO SUBCLASSES SBI AND KARUR WHICH IMPLEMENTS THE RBI INTERFACE.PROVIDE THE NECESSARY CODE FOR THE ABSTRACT METHOD IN TWO SUB-CLASSES.

SAMPLE INPUT/OUTPUT:

RBI HAS A NEW POLICY ISSUED IN 2023
RBI HAS UPDATED NEW
REGULATIONS IN 2024.SBI RATE OF
INTEREST: 7.6 PER ANNUM.
KARUR RATE OF INTEREST: 7.4
PER ANNUM.

FOR EXAMPLE:

Test	Result
1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.

PROGRAM:

```
interface RBI {  
    // Variable declaration  
    String parentBank =  
        "RBI";  
  
    // Abstract method  
    double rateOfInterest();  
  
    // Default method  
    default void policyNote() {  
        System.out.println("RBI has a new Policy issued in 2023");  
    }  
  
    // Static method  
    static void regulations() {  
        System.out.println("RBI has updated new regulations in 2024.");  
    }  
}  
  
// SBI class implementing RBI  
interfaceclass SBI implements RBI {  
    // Implementing the abstract method  
    public double rateOfInterest() {
```

```

        return 7.6;
    }

}

// Karur class implementing RBI
interfaceclass Karur implements RBI {
    // Implementing the abstract method
    public double rateOfInterest() {
        return 7.4;
    }
}

// Main class to test the functionality
public class Main {
    public static void main(String[] args) {
        // RBI policies and regulations
        RBI rbi = new SBI(); // Can be any class implementing
        RBIrbi.policyNote();    // Default method
        RBI.regulations(); // Static method

        // SBI bank details
        SBI sbi = new
        SBI();
        System.out.println("SBI rate of interest: " + sbi.rateOfInterest() + " per annum.");

        // Karur bank details
        Karur karur = new
        Karur();
        System.out.println("Karur rate of interest: " + karur.rateOfInterest() + " per annum.");
    }
}

```


OUTPUT:

	Test	Expected	Got	
✓	1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	✓
Passed all tests! ✓				

EXPERIMENT NO : 7.2

DATE : 27/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 2

CREATE INTERFACES SHOWN BELOW.

```
interface Sports {  
    public void setHomeTeam(String name);  
    public void setVisitingTeam(String name);  
}  
interface Football extends Sports {  
    public void homeTeamScored(int points);  
    public void visitingTeamScored(int points);}  
create a class College that implements the Football interface and provides the  
necessary functionality to the abstract methods.
```

SAMPLE INPUT:

Rajalakshmi
Saveetha
22
21

OUTPUT:

Rajalakshmi 22 scored
Saveetha 21 scored
Rajalakshmi is the Winner!

FOR EXAMPLE:

Test	Input	Result
1	Rajalakshmi Saveetha 22 21	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!

PROGRAM:

```
import java.util.Scanner;

interface Sports {
    void setHomeTeam(String name);
    void setVisitingTeam(String name);
}

interface Football extends Sports {
    void homeTeamScored(int points);
    void visitingTeamScored(int points);
}

class College implements Football
{
    private String homeTeam;
    private String visitingTeam;
    private int homeTeamPoints = 0;
    private int visitingTeamPoints = 0;

    public void setHomeTeam(String name)
    {
        this.homeTeam = name;
    }

    public void setVisitingTeam(String name)
    {
        this.visitingTeam = name;
    }

    public void homeTeamScored(int points) {
        homeTeamPoints += points;
        System.out.println(homeTeam + " " + points + " scored");
    }
}
```

```
public void visitingTeamScored(int points) {  
    visitingTeamPoints += points;  
    System.out.println(visitingTeam + " " + points + "  
    scored");  
}
```

```
public void winningTeam() {  
    if (homeTeamPoints > visitingTeamPoints) {  
        System.out.println(homeTeam + " is the winner!");  
    } else if (homeTeamPoints < visitingTeamPoints) {  
        System.out.println(visitingTeam + " is the winner!");  
    } else {  
        System.out.println("It's a tie match.");  
    }  
}  
}
```

```
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
  
        // Get home team name  
        String hname = sc.nextLine();  
  
        // Get visiting team name  
        String vteam = sc.nextLine();  
  
        // Create College object  
        College match = new  
        College();  
        match.setHomeTeam(hname);  
        match.setVisitingTeam(vteam);
```

```

// Get points scored by home team
int htpoints = sc.nextInt();
match.homeTeamScored(htpoints);

// Get points scored by visiting team
int vtpoints = sc.nextInt();
match.visitingTeamScored(vtpoints);

// Determine and print the winning team
match.winningTeam();

sc.close();
}
}

```

OUTPUT:

	Test	Input	Expected	Got	
✓	1	Rajalakshmi Saveetha 22 21	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!	✓
✓	2	Anna Balaji 21 21	Anna 21 scored Balaji 21 scored It's a tie match.	Anna 21 scored Balaji 21 scored It's a tie match.	✓
✓	3	SRM VIT 20 21	SRM 20 scored VIT 21 scored VIT is the winner!	SRM 20 scored VIT 21 scored VIT is the winner!	✓

Passed all tests! ✓

EXPERIMENT NO : 7.3

DATE : 27/09/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 3

CREATE AN INTERFACE PLAYABLE WITH A METHOD PLAY() THAT TAKES NO ARGUMENTS AND RETURNS VOID. CREATE THREE CLASSES FOOTBALL, VOLLEYBALL, AND BASKETBALL THAT IMPLEMENT THE PLAYABLE INTERFACE AND OVERRIDE THE PLAY() METHOD TO PLAY THE RESPECTIVE SPORTS.

INTERFACE

```
PLAYABLE {  
    VOID PLAY();  
}
```

CLASS FOOTBALL

```
    IMPLEMENTS PLAYABLE {  
        STRING NAME;  
        PUBLIC FOOTBALL(STRING  
            NAME){  
            THIS.NAME=NAME;  
        }  
        PUBLIC VOID PLAY() {  
            SYSTEM.OUT.PRINTLN(NAME+" IS PLAYING FOOTBALL");  
        }  
    }
```

SIMILARLY, CREATE VOLLEYBALL AND BASKETBALL CLASSES.

SAMPLE OUTPUT:

```
SADHVIN IS PLAYING  
FOOTBALL SANJAY IS  
PLAYING  
VOLLEYBALL SRUTHI  
IS          PLAYING  
BASKETBALL
```

FOR EXAMPLE:

Test	Input	Result
1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyballSruthi is Playing basketball
2	VijayArun	Vijay is Playing football Arun is Playing volleyball

TEST CASES

Test	Input	Result
	Balaji	Balaji is Playing basketball

PROGRAM:

```
import java.util.Scanner;

// Define the Playable interface
interface Playable {
    // Abstract method to play the respective sport
    void play();
}

// Football class implementing Playable interface
class Football implements Playable {
    String name;

    // Constructor
    public Football(String name)
    { this.name = name;
```

```
}

// Override the play method
public void play() {
    System.out.println(name + " is Playing football");
}
}

// Volleyball class implementing Playable interface
class Volleyball implements Playable {
    String name;

    // Constructor
    public Volleyball(String name)
    { this.name = name;
    }

    // Override the play method
    public void play() {
        System.out.println(name + " is Playing volleyball");
    }
}

// Basketball class implementing Playable interface
class Basketball implements Playable {
    String name;

    // Constructor
    public Basketball(String name)
    { this.name = name;
    }

    // Override the play method
```



```
public void play() {

    System.out.println(name + " is Playing basketball");
}
}

// Main class to test the functionality
public class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        // Input for Football player

        String footballPlayerName = scanner.nextLine();
        Football footballPlayer = new Football(footballPlayerName);

        // Input for Volleyball player

        String volleyballPlayerName = scanner.nextLine();
        Volleyball volleyballPlayer = new Volleyball(volleyballPlayerName);

        // Input for Basketball player

        String basketballPlayerName = scanner.nextLine();
        Basketball basketballPlayer = new Basketball(basketballPlayerName);

        // Call the play method for each player
        footballPlayer.play();
        volleyballPlayer.play();
        basketballPlayer.play();
    }
}
```

```

        scanner.close();
    }
}

```

OUTPUT:

	Test	Input	Expected	Got	
✓	1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball	✓
✓	2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	✓

Passed all tests! ✓

**08 – POLYMORPHISM, ABSTRACT CLASSES,
FINAL KEYWORD**

EXPERIMENT NO : 8.1

DATE : 04/10/24


REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 1

CREATE A BASE CLASS SHAPE WITH A METHOD CALLED CALCULATEAREA(). CREATE THREE SUBCLASSES: CIRCLE, RECTANGLE, AND TRIANGLE. OVERRIDE THE CALCULATEAREA() METHOD IN EACH SUBCLASS TO CALCULATE AND RETURN THE SHAPE'S AREA.

IN THE GIVEN EXERCISE, HERE IS A SIMPLE DIAGRAM ILLUSTRATING POLYMORPHISM IMPLEMENTATION:



```
abstract class Shape {  
    public abstract double calculateArea() ;  
}
```

```
System.out.printf("Area of a Triangle :%.2f%n",((0.5)*base*height)); // use this statement
```

SAMPLE INPUT :

```
4 // RADIUS OF THE CIRCLE TO CALCULATE AREA PI*R*R  
5 // LENGTH OF THE RECTANGLE  
6 // BREADTH OF THE RECTANGLE TO CALCULATE THE AREA OF A  
  RECTANGLE  
4 // BASE OF THE TRIANGLE  
3 // HEIGHT OF THE TRIANGLE
```

OUTPUT:

Area of a circle :50.27

Area of a Rectangle

:30.00Area of a Triangle

:6.00

For example:

Test	Input	Result
1	4	Area of a circle: 50.27
	5	Area of a Rectangle: 30.00
	6	Area of a Triangle: 6.00
	4	
	3	
2	7	Area of a circle: 153.94
	4.5	Area of a Rectangle: 29.25
	6.5	Area of a Triangle: 4.32
	2.4	
	3.6	

PROGRAM:

```
import java.util.*;

class Shape
{
    public double calculateArea(double i, double
        j){return i*j;
    }
}

class Circle extends Shape
{
    public double calculateArea(double radius)
    {
        return Math.PI * radius * radius; // Area of circle:  $\pi r^2$ 
    }
}

class Rectangle extends Shape
{
    public double calculateArea(double length, double breadth)
    {
        return length * breadth; // Area of rectangle: length * breadth
    }
}

class Triangle extends Shape
{
    public double calculateArea(double base, double height)
    {
        return 0.5 * base * height; // Area of triangle: 0.5 * base * height
    }
}

public class ShapeTest
{
    public static void main(String[] args)
    {

```

```
Scanner in = new
```

```
Scanner(System.in);double radius =
```

```
in.nextDouble(); Circle c = new
```

```
Circle();
```

```
System.out.printf("Area of a circle: %.2f%n",
```

```
c.calculateArea(radius));double length = in.nextDouble();
```

```
double breadth = in.nextDouble();
```

```
Rectangle r = new Rectangle();
```

```
System.out.printf("Area of a Rectangle: %.2f%n", r.calculateArea(length,breadth));
```

```
double base = in.nextDouble();
```

```
double height = in.nextDouble();
```

```
Triangle t = new Triangle();
```

```
System.out.printf("Area of a Triangle: %.2f%n", t.calculateArea(base,height));
```

```
}
```

```
}
```

OUTPUT:

	Test	Input	Expected	Got	
✓	1	4 5 6 4 3	Area of a circle: 50.27 Area of a Rectangle: 30.00 Area of a Triangle: 6.00	Area of a circle: 50.27 Area of a Rectangle: 30.00 Area of a Triangle: 6.00	✓
✓	2	7 4.5 6.5 2.4 3.6	Area of a circle: 153.94 Area of a Rectangle: 29.25 Area of a Triangle: 4.32	Area of a circle: 153.94 Area of a Rectangle: 29.25 Area of a Triangle: 4.32	✓
Passed all tests! ✓					

EXPERIMENT NO : 8.2

DATE : 04/10/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem – 2

AS A LOGIC BUILDING LEARNER YOU ARE GIVEN THE TASK TO EXTRACT THE STRING WHICH HAS VOWEL AS THE FIRST AND LAST CHARACTERS FROM THE GIVEN ARRAY OF STRINGS.

STEP1:

SCAN THROUGH THE ARRAY OF STRINGS, EXTRACT THE STRINGS WITH FIRST AND LAST CHARACTERS AS VOWELS; THESE STRINGS SHOULD BE CONCATENATED.

STEP2:

CONVERT THE CONCATENATED STRING TO LOWERCASE AND RETURN IT.

IF NONE OF THE STRINGS IN THE ARRAY HAS FIRST AND LAST CHARACTER AS VOWEL, THEN RETURN NO MATCHES FOUND

INPUT1:

AN INTEGER REPRESENTING THE NUMBER OF ELEMENTS IN THE ARRAY. INPUT2: STRING ARRAY.

EXAMPLE 1:

INPUT1: 3

INPUT2: {"oreo", "sirish",
"apple"} output: oreoapple

EXAMPLE 2:

input1: 2

input2: {"Mango", "banana"}

output: no matches found

EXPLANATION:

NONE OF THE STRINGS HAS FIRST AND LAST CHARACTER AS VOWEL.

HENCE THE OUTPUT IS NO
MATCHES FOUND.

EXAMPLE 3:

INPUT1: 3

INPUT2:

{“Ate”, “Ace”, “Girl”}

OUTPUT:

ATEACE.

Input	Result
3 oreo sirish apple	oreoapple
2 Mango banana	no matches found
3 Ate Ace Girl	ateace

PROGRAM:

```
import java.util.*;

public class VowelStringExtractor
{
    public static String extractVowelStrings(String[] string)
    {
        StringBuilder result = new
        StringBuilder();String vowels =
        "aeiouAEIOU";
        for (String s : string)
        {
            if ((s.length() > 0) && (vowels.indexOf(s.charAt(0)) != -1)
&&(vowels.indexOf(s.charAt(s.length() - 1)) != -1))
            {
                result.append(s);
            }
        }
        if(result.length()>0)
            return result.toString().toLowerCase();
        else
            return "no matches found";
    }

    public static void main(String[] args) {
        Scanner in = new
        Scanner(System.in);int n =
        in.nextInt();
        in.nextLine();
        String input = in.nextLine();
        String[] strings = input.split(" "); // Split input into an array
        String result = extractVowelStrings(strings);
        System.out.println(result);
    }
}
```

}

OUTPUT:

	Input	Expected	Got	
✓	3 oreo sirish apple	oreoapple	oreoapple	✓
✓	2 Mango banana	no matches found	no matches found	✓
✓	3 Ate Ace Girl	ateace	ateace	✓
Passed all tests! ✓				

EXPERIMENT NO : 8.3

DATE : 04/10/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

Problem - 3

1. FINAL VARIABLE:

- Once a variable is declared final, its value cannot be changed after it is initialized.
- It must be initialized when it is declared or in the constructor if it's not initialized at declaration.
- It can be used to define constants

```
final int MAX_SPEED = 120; // Constant value, cannot be changed
```

2. FINAL METHOD:

- A method declared final cannot be overridden by subclasses.
- It is used to prevent modification of the method's behavior in derived classes.

```
public final void display() {  
    System.out.println("This is a final method.");  
}
```

3. FINAL CLASS:

- A class declared as final cannot be subclassed (i.e., no other class can inherit from it).
- It is used to prevent a class from being extended and modified.
- ```
public final class Vehicle {
 // class code
}
```

**GIVEN A JAVA PROGRAM THAT CONTAINS THE BUG IN IT, YOUR TASK IS TO CLEAR THE BUG TO THE OUTPUT.**

**YOU SHOULD DELETE ANY PIECE OF CODE.**

**FOR EXAMPLE:**

| Test | Result                                                                              |
|------|-------------------------------------------------------------------------------------|
| 1    | <b>The maximum speed is: 120 km/h</b><br><b>This is a subclass of FinalExample.</b> |

### PROGRAM:

```

class FinalExample {
 // Final variable
 final int maxSpeed = 120;
 // Final method
 public void displayMaxSpeed(){
 System.out.println("The maximum speed is: " + maxSpeed + " km/h");
 }
}

class SubClass extends FinalExample
{ public void displayMaxSpeed() {
 System.out.println("Cannot override a final method");
}
// You can create new methods here
public void showDetails() {
 System.out.println("This is a subclass of FinalExample.");
}
}

class prog {
 public static void main(String[] args) {
 FinalExample obj = new
 FinalExample();
 obj.displayMaxSpeed();
 SubClass subObj = new
 SubClass();subObj.showDetails();
 }
}

```

**OUTPUT:**

|   | Test | Expected                                                              | Got                                                                   |   |
|---|------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|---|
| ✓ | 1    | The maximum speed is: 120 km/h<br>This is a subclass of FinalExample. | The maximum speed is: 120 km/h<br>This is a subclass of FinalExample. | ✓ |

Passed all tests! ✓

## **09 – EXCEPTION HANDLING**

**EXPERIMENT NO : 9.1**

**DATE : 11/10/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

### **Problem – 1**

IN THE FOLLOWING PROGRAM, AN ARRAY OF INTEGER DATA IS TO BE INITIALIZED.

DURING THE INITIALIZATION, IF A USER ENTERS A VALUE OTHER THAN AN INTEGER, IT WILL THROW AN INPUT MISMATCH EXCEPTION.

ON THE OCCURRENCE OF SUCH AN EXCEPTION, YOUR PROGRAM SHOULD PRINT “YOU ENTERED BAD DATA.”

IF THERE IS NO SUCH EXCEPTION IT WILL PRINT THE TOTAL SUM OF THE ARRAY.

```
/* DEFINE TRY-CATCH BLOCK TO SAVE USER INPUT IN THE ARRAY "NAME"
 IF THERE IS AN EXCEPTION THEN CATCH THE EXCEPTION
 OTHERWISE PRINT THE TOTAL SUM OF THE ARRAY. */
```

**SAMPLE INPUT:**

3  
5 2 1

**SAMPLE OUTPUT:**

8

**SAMPLE INPUT:**

2  
1 g

**SAMPLE OUTPUT:**

You entered bad data.

**FOR EXAMPLE:**

| Input          | Result |
|----------------|--------|
| ww:ii:pp:rr:oo | WIPRO  |
| zx:za:ee       | BYE    |



### PROGRAM:

```
import java.util.Scanner;
import java.util.InputMismatchException;
class prog {
 public static void main(String[] args) {
 Scanner sc = new
 Scanner(System.in);int length =
 sc.nextInt();
 // create an array to save user input
 int[] name = new int[length];
 int sum=0;//save the total sum of the array.
 int x=0;
 /* Define try-catch block to save user input in the array "name"
 If there is an exception then catch the exception otherwise print
 the total sum of the array. */
 try
 {
 for(int i=0;i<length;i++)
 {
 x=sc.nextInt()
 ;sum+=x;
 }
 System.out.println(sum);
 }
 catch(InputMismatchException e)
 {
 System.out.println("You entered bad data.");
 }
 }
}
```

**OUTPUT:**

|                     | Input      | Expected              | Got                   |   |
|---------------------|------------|-----------------------|-----------------------|---|
| ✓                   | 3<br>5 2 1 | 8                     | 8                     | ✓ |
| ✓                   | 2<br>1 g   | You entered bad data. | You entered bad data. | ✓ |
| Passed all tests! ✓ |            |                       |                       |   |

**EXPERIMENT NO : 9.2**

**DATE : 11/10/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

## **Problem – 2**

WRITE A JAVA PROGRAM TO CREATE A METHOD THAT TAKES AN INTEGER AS A PARAMETER AND THROWS AN EXCEPTION IF THE NUMBER IS ODD.

### **SAMPLE INPUT AND OUTPUT:**

82 IS EVEN.

ERROR: 37 IS

ODD.

FILL THE PRELOADED ANSWER TO GET THE EXPECTED OUTPUT.

### **FOR EXAMPLE:**

| Result            |
|-------------------|
| 82 is even.       |
| Error: 37 is odd. |

### **PROGRAM:**

```
class prog {
 public static void main(String[] args)
 {
 int n = 82;
 trynumber(n);
 n = 37;
 // call the trynumber(n);
 trynumber(n);
 }
 public static void trynumber(int n)
 {
 try
 {
 //call the checkEvenNumber()
 }
 }
}
```

```

 checkEvenNumber(n);

 System.out.println(n + " is even.");
 }
 catch(Exception e)
 {
 System.out.println("Error: " + e.getMessage());
 }
}

public static void checkEvenNumber(int number) throws Exception
{
 if (number % 2 != 0) {
 throw new Exception(number + " is odd.");
 }
}
}

```

## OUTPUT:

|                     | Expected                         | Got                              |   |
|---------------------|----------------------------------|----------------------------------|---|
| ✓                   | 82 is even.<br>Error: 37 is odd. | 82 is even.<br>Error: 37 is odd. | ✓ |
| Passed all tests! ✓ |                                  |                                  |   |

EXPERIMENT NO : 9.3

DATE : 11/10/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

---

### **Problem - 3**

WRITE A JAVA PROGRAM TO HANDLE ARITHMETICEXCEPTION AND ARRAYINDEXOUTOFBOUNDSEXCEPTION.

CREATE AN ARRAY, READ THE INPUT FROM THE USER, AND STORE IT IN THE ARRAY.DIVIDE THE 0TH INDEX ELEMENT BY THE 1ST INDEX ELEMENT AND STORE IT.

IF THE 1ST ELEMENT IS ZERO, IT WILL THROW AN EXCEPTION.

IF YOU TRY TO ACCESS AN ELEMENT BEYOND THE ARRAY LIMIT THROWS AN EXCEPTION.

**INPUT:**

5  
10 0 20 30 40

**OUTPUT:**

**JAVA.LANG.ARITHMETICEXCEPTION:  
/ BY ZERO I AM ALWAYS EXECUTED**

**INPUT:**

3  
10 20 30

**OUTPUT**

**JAVA.LANG.ARRAYINDEXOUTOFBOUNDSEXCEPTION: INDEX 3 OUT OF BOUNDS  
FOR LENGTH 3 I AM ALWAYS EXECUTED**

**FOR EXAMPLE:**

| Test | Input            | Result                                                           |
|------|------------------|------------------------------------------------------------------|
| 1    | 6<br>1 0 4 1 2 8 | java.lang.ArithmeticException: / by zero<br>I am always executed |

### PROGRAM:

```
import java.util.*;

public class
main{
 public static void main(String[] args)
 {
 Scanner in = new
 Scanner(System.in);int
 n=in.nextInt();
 int[] name = new int[n];
 try{
 for(int i=0;i<n;i++){
 name[i]=in.nextInt();
 }

 if(name[1]==0){
 throw new ArithmeticException("/ by zero");

 }
 else{
 throw new ArrayIndexOutOfBoundsException("Index "+n+" out of bounds
forlength "+n);
 }
 }
 catch(ArithmeticException e){
 System.out.println("java.lang.ArithmeticException: "+e.getMessage());
 }
 catch(ArrayIndexOutOfBoundsException g){
 System.out.println("java.lang.ArrayIndexOutOfBoundsException:
"+g.getMessage());
 }
 finally{
 System.out.println("I am always executed");
 }
 }
}
```

```
}
}
```

### OUTPUT:

|   | Test | Input            | Expected                                                                                             | Got                                                                                                  |   |
|---|------|------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---|
| ✓ | 1    | 6<br>1 0 4 1 2 8 | java.lang.ArithmeticException: / by zero<br>I am always executed                                     | java.lang.ArithmeticException: / by zero<br>I am always executed                                     | ✓ |
| ✓ | 2    | 3<br>10 20 30    | java.lang.ArrayIndexOutOfBoundsException: Index 3 out of bounds for length 3<br>I am always executed | java.lang.ArrayIndexOutOfBoundsException: Index 3 out of bounds for length 3<br>I am always executed | ✓ |

Passed all tests! ✓

## **10 – COLLECTION - LISTS**



**EXPERIMENT NO : 10.1**

**DATE :**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

### **Problem – 1**

GIVEN AN ARRAYLIST, THE TASK IS TO GET THE FIRST AND LAST ELEMENT OF THE ARRAYLIST IN JAVA.

**INPUT:**

ARRAYLIST =[1, 2, 3, 4]

**OUTPUT:**

FIRST = 1, LAST = 4

**INPUT:**

ARRAYLIST = [12, 23, 34, 45, 57, 67, 89]

**OUTPUT:**

FIRST = 12, LAST = 89

**APPROACH:**

1. GET THE ARRAYLIST WITH ELEMENTS.
2. GET THE FIRST ELEMENT OF ARRAYLIST USING THE GET(INDEX) METHOD BY PASSING INDEX = 0.
3. GET THE LAST ELEMENT OF ARRAYLIST USING THE GET(INDEX) METHOD BY PASSING INDEX = SIZE – 1.

**PROGRAM:**

```
import java.util.*;

public class Prog
{
 public static void main(String[] args)
 {
 Scanner in = new Scanner(System.in);
 ArrayList<Integer> numbers = new ArrayList<>();
 int n = in.nextInt();
```

```

for (int i = 0; i < n; i++) {
 numbers.add(in.nextInt());
}

System.out.println("ArrayList: " + numbers);

if (numbers.size() > 0) {
 int first = numbers.get(0);
 int last = numbers.get(numbers.size() - 1);
 System.out.println("First : " + first + ", Last : " + last);
}
}
}

```

### Output:

|   | Test | Input                                 | Expected                                                     | Got                                                          |   |
|---|------|---------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|---|
| ✓ | 1    | 6<br>30<br>20<br>40<br>50<br>10<br>80 | ArrayList: [30, 20, 40, 50, 10, 80]<br>First : 30, Last : 80 | ArrayList: [30, 20, 40, 50, 10, 80]<br>First : 30, Last : 80 | ✓ |
| ✓ | 2    | 4<br>5<br>15<br>25<br>35              | ArrayList: [5, 15, 25, 35]<br>First : 5, Last : 35           | ArrayList: [5, 15, 25, 35]<br>First : 5, Last : 35           | ✓ |

Passed all tests! ✓

**EXPERIMENT NO : 10.2**

**DATE : 18/10/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

## **Problem – 2**

THE GIVEN JAVA PROGRAM IS BASED ON THE ARRAYLIST METHODS AND ITS USAGE. THE JAVA PROGRAM IS PARTIALLY FILLED. YOUR TASK IS TO FILL IN THE INCOMPLETE STATEMENTS TO GET THE DESIRED OUTPUT.

list.set();

list.indexOf();

list.lastIndexOf()

list.contains()

list.size());

list.add();

list.remove();

THE ABOVE METHODS ARE USED FOR THE BELOW JAVA PROGRAM.

### **PROGRAM:**

```
import
java.util.ArrayList;import
java.util.Scanner;

public class Prog {
 public static void main(String[] args)
 {
 Scanner sc= new
 Scanner(System.in);int n =
 sc.nextInt();
 ArrayList<Integer> list = new
 ArrayList<Integer>();for(int i = 0; i<n;i++)
 {
 list.add(sc.nextInt());
 }
 }
}
```

```

// printing initial value ArrayList

System.out.println("ArrayList: " + list);

//Replacing the element at index 1 with 100
list.set(1,100);
list.set(2,100);
list.set(3,100);

//Getting the index of first occurrence of 100
System.out.println("Index of 100 = "+
list.indexOf(100));

//Getting the index of last occurrence of 100
System.out.println("LastIndex of 100 = "+ list.lastIndexOf(100));

// Check whether 200 is in the list or not
System.out.println(list.contains(200)); //Output : false

// Print ArrayList size
System.out.println("Size Of ArrayList = "+ list.size());

//Inserting 500 at index 1
list.set(1,500);// code here

//Removing an element from position 3
//list.remove(3);// code here

System.out.print("ArrayList: " + list);
}
}

```

## OUTPUT:

|                     | Test | Input | Expected                         | Got                              |   |
|---------------------|------|-------|----------------------------------|----------------------------------|---|
| ✓                   | 1    | 5     | ArrayList: [1, 2, 3, 100, 5]     | ArrayList: [1, 2, 3, 100, 5]     | ✓ |
|                     |      | 1     | Index of 100 = 1                 | Index of 100 = 1                 |   |
|                     |      | 2     | LastIndex of 100 = 3             | LastIndex of 100 = 3             |   |
|                     |      | 3     | false                            | false                            |   |
|                     |      | 100   | Size Of ArrayList = 5            | Size Of ArrayList = 5            |   |
|                     |      | 5     | ArrayList: [1, 500, 100, 100, 5] | ArrayList: [1, 500, 100, 100, 5] |   |
| Passed all tests! ✓ |      |       |                                  |                                  |   |

EXPERIMENT NO : 10.2


DATE : 18/10/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

### Problem - 3

WRITE A JAVA PROGRAM TO REVERSE ELEMENTS IN AN ARRAY LIST.



#### SAMPLE INPUT AND OUTPUT:

Red  
Green  
Orange  
White  
Black

#### SAMPLE OUTPUT

List before reversing :

[Red, Green, Orange, White,

Black]

List after reversing :  
[Black, White, Orange, Green, Red]

#### PROGRAM:

```
import java.util.*;

public class Prog
```

```

{
 public static void main(String[] args) {
 ArrayList<String> colours = new
 ArrayList<>();Scanner in = new
 Scanner(System.in);
 int n =
 in.nextInt();
 in.nextLine();
 for(int
 i=0;i<n;i++)
 {
 String
 colour=in.nextLine();
 colours.add(colour);
 }
 System.out.println("List before reversing :");
 System.out.println(colours);
 Collections.reverse(colours);
 System.out.println("List after reversing :");
 System.out.println(colours);
 }
}

```

## OUTPUT:

|   | Test | Input                                         | Expected                                                                                                                      | Got                                                                                                                           |   |
|---|------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---|
| ✓ | 1    | 5<br>Red<br>Green<br>Orange<br>White<br>Black | List before reversing :<br>[Red, Green, Orange, White, Black]<br>List after reversing :<br>[Black, White, Orange, Green, Red] | List before reversing :<br>[Red, Green, Orange, White, Black]<br>List after reversing :<br>[Black, White, Orange, Green, Red] | ✓ |
| ✓ | 2    | 4<br>CSE<br>AIML<br>AIDS<br>CYBER             | List before reversing :<br>[CSE, AIML, AIDS, CYBER]<br>List after reversing :<br>[CYBER, AIDS, AIML, CSE]                     | List before reversing :<br>[CSE, AIML, AIDS, CYBER]<br>List after reversing :<br>[CYBER, AIDS, AIML, CSE]                     | ✓ |

Passed all tests! ✓

## **11 – SET,MAP**

EXPERIMENT NO : 11.1

DATE : 25/10/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

---

## **Problem - 1**

**JAVA HASHSET** CLASS IMPLEMENTS THE SET INTERFACE, BACKED BY A HASH TABLE WHICH IS ACTUALLY A [HASHMAP](#) INSTANCE.

NO GUARANTEE IS MADE AS TO THE ITERATION ORDER OF THE HASH SETS WHICH MEANS THAT THE CLASS DOES NOT GUARANTEE THE CONSTANT ORDER OF ELEMENTS OVER TIME.

THIS CLASS PERMITS THE NULL ELEMENT.

THE CLASS ALSO OFFERS CONSTANT TIME PERFORMANCE FOR THE BASIC OPERATIONS LIKE ADD, REMOVE, CONTAINS, AND SIZE ASSUMING THE HASH FUNCTION DISPERSES THE ELEMENTS PROPERLY AMONG THE BUCKETS.

**JAVA HASHSET FEATURES**

A FEW IMPORTANT FEATURES OF HASHSET ARE MENTIONED BELOW:

- IMPLEMENTS [SET INTERFACE](#).
- THE UNDERLYING DATA STRUCTURE FOR HASHSET IS [HASHTABLE](#).
- AS IT IMPLEMENTS THE SET INTERFACE, DUPLICATE VALUES ARE NOT ALLOWED.
- OBJECTS THAT YOU INSERT IN HASHSET ARE NOT GUARANTEED TO BE INSERTED IN THE SAME ORDER. OBJECTS ARE INSERTED BASED ON THEIR HASH CODE.
- NULL ELEMENTS ARE ALLOWED IN HASHSET.
- HASHSET ALSO IMPLEMENTS **SERIALIZABLE** AND **CLONEABLE** INTERFACES.
- **PUBLIC CLASS HASHSET<E> EXTENDS ABSTRACTSET<E> IMPLEMENTS SET<E>, CLONEABLE, SERIALIZABLE**

**SAMPLE INPUT AND  
OUTPUT:**

5  
90  
56  
45  
78  
25  
78



**SAMPLE OUTPUT:**

78 WAS FOUND IN  
THE SET.

**SAMPLE INPUT AND  
OUTPUT:**

3  
2  
7  
9  
5

**SAMPLE INPUT AND OUTPUT:**

5 was not found in the set.

**PROGRAM:**

```
import
java.util.HashSet;
import
java.util.Scanner;
public class prog {
 public static void main(String[]
 args) { Scanner sc= new
 Scanner(System.in); int n =
 sc.nextInt();
 // Create a HashSet object called
 numbers HashSet<Integer> set = new
 HashSet<>();

 // Add values to the
 setfor(int i=0;i<n;i++)
```

```

 set.add(sc.nextInt());

int skey=sc.nextInt();

// Show which numbers between 1 and 10 are in
the setif (set.contains(skey))

{
 System.out.println(skey +" was found in the set.");
} else
{
 System.out.println(skey + " was not found in the set.");
}
}
}

```

### OUTPUT:

|   | Test | Input                                 | Expected                    | Got                         |   |
|---|------|---------------------------------------|-----------------------------|-----------------------------|---|
| ✓ | 1    | 5<br>90<br>56<br>45<br>78<br>25<br>78 | 78 was found in the set.    | 78 was found in the set.    | ✓ |
| ✓ | 2    | 3<br>-1<br>2<br>4<br>5                | 5 was not found in the set. | 5 was not found in the set. | ✓ |

Passed all tests! ✓

**EXPERIMENT NO : 11.2**

**DATE : 25/10/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

## **Problem – 2**

**1**

WRITE A JAVA PROGRAM TO COMPARE TWO SETS AND RETAIN ELEMENTS THAT ARE THE SAME.

**SAMPLE INPUT AND OUTPUT:**

5

Football

Hockey

Cricket

Volleyball

Basketball

**// HashSet 2:**

**7**

Golf

Cricket

Badminton

Football

Hockey

Volleyball

Handball

**SAMPLE OUTPUT:**

Football

Hockey

Cricket

Volleyball

Basketball

## PROGRAM

```
import java.util.HashSet;
import java.util.Scanner;
public class
CompareSets {
 public static void main(String[] args) {
 Scanner scanner = new
 Scanner(System.in);int n1 =
 scanner.nextInt(); scanner.nextLine();
 HashSet<String> set1 = new
 HashSet<>();for (int i = 0; i < n1;
 i++) {
 set1.add(scanner.nextLine());
 }
 int n2 =
 scanner.nextInt();
 scanner.nextLine();
 HashSet<String> set2 = new HashSet<>();

 for (int i = 0; i < n2; i++) {
 set2.add(scanner.nextLin
 e());
 }
 set1.retainAll(set2);
 for (String element : set1)
 {
 System.out.println(eleme
 nt);
```

```
}
```

```
scanner.close();
```

```
}
```

```
}
```

## OUTPUT:

|                     | Test | Input                                                                                                                                                | Expected                                    | Got                                         |   |
|---------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|---|
| ✓                   | 1    | 5<br>Football<br>Hockey<br>Cricket<br>Volleyball<br>Basketball<br>7<br>Golf<br>Cricket<br>Badminton<br>Football<br>Hockey<br>Volleyball<br>Throwball | Cricket<br>Hockey<br>Volleyball<br>Football | Cricket<br>Hockey<br>Volleyball<br>Football | ✓ |
| ✓                   | 2    | 4<br>Toy<br>Bus<br>Car<br>Auto<br>3<br>Car<br>Bus<br>Lorry                                                                                           | Bus<br>Car                                  | Bus<br>Car                                  | ✓ |
| Passed all tests! ✓ |      |                                                                                                                                                      |                                             |                                             |   |

EXPERIMENT NO : 11.3

DATE : 25/10/24

REGISTER NO : 231501057

NAME : HARISH KUMAR V

---

### **Problem - 3**

#### **Java HashMap Methods**

**containsKey()** Indicate if an entry with the specified key exists in the map

**containsValue()** Indicate if an entry with the specified value exists in the map

**putIfAbsent()** Write an entry into the map but only if an entry with the same key does not already exist

**remove()** Remove an entry from the map

**replace()** Write to an entry in the map only if it exists

**size()** Return the number of entries in the map

**Your task is to fill the incomplete code to get desired output**

]

#### **Program:**

```
import java.util.HashMap;
import java.util.Map.Entry;
import java.util.Set;
import java.util.Scanner;

public class prog
{
 public static void main(String[] args)
 {
 //Creating HashMap with default initial capacity and load factor
 HashMap<String, Integer> map = new HashMap<String, Integer>();

 String name;
 int num;

 Scanner sc= new
 Scanner(System.in);int
 n=sc.nextInt();
```

```
for(int i =0;i<n;i++)

{
 name=sc.next();
 num= sc.nextInt();
 map.put(name,num);
}
```

//Printing key-value pairs

```
Set<Entry<String, Integer>> entrySet = map.entrySet();
```

```
for (Entry<String, Integer> entry : entrySet)
{
 System.out.println(entry.getKey()+" : "+entry.getValue());
}
System.out.println("-----");
```

//Creating another HashMap

```
HashMap<String, Integer> anotherMap = new HashMap<String, Integer>();
```

//Inserting key-value pairs to anotherMap using put() method

```
anotherMap.put("SIX", 6);
```

```
anotherMap.put("SEVEN", 7);
```

//Inserting key-value pairs of map to anotherMap using putAll() method

```
anotherMap.putAll(map); // code here
```

//Printing key-value pairs of anotherMap

```
entrySet = anotherMap.entrySet();

for (Entry<String, Integer> entry : entrySet)
{
 System.out.println(entry.getKey()+" : "+entry.getValue());
}

//Adds key-value pair 'FIVE-5' only if it is not present in map

map.putIfAbsent("FIVE", 5);

//Retrieving a value associated with key 'TWO'

int value =
map.get("TWO");
System.out.println(value);

//Checking whether key 'ONE' exist in map

System.out.println(map.containsKey("ONE"));

//Checking whether value '3' exist in map

System.out.println(map.containsValue(3));

//Retrieving the number of key-value pairs present in map

System.out.println(map.size());
}
}
```



OUTPUT:

|   | Test | Input                                   | Expected                                                                                                                      | Got                                                                                                                           |   |
|---|------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---|
| ✓ | 1    | 3<br>ONE<br>1<br>TWO<br>2<br>THREE<br>3 | ONE : 1<br>TWO : 2<br>THREE : 3<br>-----<br>SIX : 6<br>ONE : 1<br>TWO : 2<br>SEVEN : 7<br>THREE : 3<br>2<br>true<br>true<br>4 | ONE : 1<br>TWO : 2<br>THREE : 3<br>-----<br>SIX : 6<br>ONE : 1<br>TWO : 2<br>SEVEN : 7<br>THREE : 3<br>2<br>true<br>true<br>4 | ✓ |

Passed all tests! ✓

## **12 – COLLECTION - LISTS**

**EXPERIMENT NO : 12.1**

**DATE : 08/11/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

### **Problem - 1**

YOU ARE PROVIDED WITH A STRING WHICH HAS A SEQUENCE OF 1'S AND 0'S.

THIS SEQUENCE IS THE ENCODED VERSION OF A ENGLISH WORD.  
YOU ARE SUPPOSED WRITE A PROGRAM TO DECODE THE PROVIDED  
STRING AND FIND THE ORIGINAL WORD.

EACH ALPHABET IS REPRESENTED BY A  
SEQUENCE OF 0S. THIS IS AS MENTIONED  
BELOW:

Z : 0

Y : 00

X : 000

W : 0000

V : 00000

U : 000000

T : 0000000

AND SO ON UPTO A HAVING 26 0'S (000000000000000000000000000000).

THE SEQUENCE OF 0'S IN THE ENCODED FORM ARE SEPARATED BY A  
SINGLE 1 WHICH HELPS TO DISTINGUISH BETWEEN 2 LETTERS.

#### **EXAMPLE 1:**

##### **INPUT1:**

010010001

The decoded string (original word) will be:

ZYX

#### **EXAMPLE 2:**

**INPUT1:** 0000100000000000000000001000000000001000000000010000000000001

The decoded string (original word) will be: WIPRO

#### **NOTE:**

The decoded string must always be in UPPER case.

## FOR EXAMPLE:

| Input                                                             | Result    |
|-------------------------------------------------------------------|-----------|
| 010010001                                                         | ZYX       |
| 000010000000000000000000100000000000100000000001000000000000<br>1 | WIPR<br>O |
|                                                                   |           |

## PROGRAM

```
import java.util.Scanner;

public class DecodeString {

 public static void main(String[] args) {

 Scanner scanner = new Scanner(System.in);
 String encodedString = scanner.nextLine();

 StringBuilder decodedString = new StringBuilder();
 int count = 0;

 for (int i = 0; i < encodedString.length(); i++)
 if (encodedString.charAt(i) == '0') {
 count++;
 } else {
 char decodedChar = (char) ('Z' - count +
 1); decodedString.append(decodedChar);
 count = 0;
 }
 }

 System.out.println(decodedString.toString());
}
```

$$\}$$

**OUTPUT:**

[illegible]

Passed all tests! ✓

**EXPERIMENT NO : 12.2**

**DATE : 08/11/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

## **Problem – 2**

GIVEN TWO CHAR ARRAYS INPUT1[] AND INPUT2[] CONTAINING ONLY LOWER CASE ALPHABETS,EXTRACTS THE ALPHABETS WHICH ARE PRESENT IN BOTH ARRAYS (COMMON ALPHABETS).

GET THE ASCII VALUES OF ALL THE EXTRACTED ALPHABETS.

CALCULATE SUM OF THOSE ASCII VALUES. LETS CALL IT SUM1 AND CALCULATE SINGLE DIGIT SUM OF SUM1, I.E., KEEP ADDING THE DIGITS OF SUM1 UNTIL YOU ARRIVE AT A SINGLE DIGIT.

RETURN THAT SINGLE  
DIGIT AS OUTPUT.

### **NOTE:**

1. Array size ranges from 1 to 10.
2. All the array elements are lower case alphabets.
3. Atleast one common alphabet will be found in the arrays.

### **EXAMPLE 1:**

**INPUT1:** {'a', 'b', 'c'}

**INPUT2:** {'b',  
'c'}

**OUTPUT:** 8

**EXPLANATI  
ON:**

'b' and 'c' are present in both the arrays.

ASCII value of 'b' is 98 and 'c' is 99.

$$98 + 99 = 197$$

$$1 + 9 + 7 = 17$$

$$1 + 7 = 8$$

**FOR EXAMPLE:**

| Input | Result |
|-------|--------|
| a b c | 8      |
| b c   |        |

**PROGRAM**

```
import
java.util.ArrayList;
import java.util.HashSet;
import java.util.Set;
public class CommonAlphabetSum {
 public static int singleDigitSum(int num)
 { int sum = 0;
 while (num > 0) {
 sum += num %
 10; num /= 10;
 }
 if (sum > 9) {
 return singleDigitSum(sum);
 }
 return sum;
 }
 public static int calculateCommonAlphabetSum(char[] input1, char[] input2)
 { Set<Character> set1 = new HashSet<>();
 for (char c : input1)
 { set1.add(c);
 }
 int sum = 0;
 for (char c : input2) {
 if (set1.contains(c))
```

```

 {sum += c;
 }

}

return singleDigitSum(sum);
}

public static void main(String[] args)
{
 char[] input1 = {'a', 'b', 'c'};
 char[] input2 = {'b', 'c', 'd'};

 int result = calculateCommonAlphabetSum(input1, input2);
 System.out.println(result);
}
}

```

### OUTPUT:

|   | Input        | Expected | Got |   |
|---|--------------|----------|-----|---|
| ✓ | a b c<br>b c | 8        | 8   | ✓ |

Passed all tests! ✓



**EXPERIMENT NO : 12.3**

**DATE : 08/11/24**

**REGISTER NO : 231501057**

**NAME : HARISH KUMAR V**

---

### **Problem - 3**

WRITE A FUNCTION THAT TAKES AN INPUT STRING (SENTENCE) AND GENERATES A NEW STRING (MODIFIED SENTENCE) BY REVERSING THE WORDS IN THE ORIGINAL STRING, MAINTAINING THE WORDS POSITION.

IN ADDITION, THE FUNCTION SHOULD BE ABLE TO CONTROL THE REVERSING OF THE CASE (UPPER OR LOWERCASE) BASED ON A CASE\_OPTION PARAMETER, AS FOLLOWS:

IF CASE\_OPTION = 0, NORMAL REVERSAL OF WORDS I.E., IF THE ORIGINAL SENTENCE IS "WIPROTECHNOLOGIES BANGALORE", THE NEW REVERSED SENTENCE SHOULD BE "EROLAGNAB SEIGOLONHCET ORPIW".

IF CASE\_OPTION = 1, REVERSAL OF WORDS WITH RETAINING POSITION'S CASE I.E., IF THE ORIGINAL SENTENCE IS "WIPRO TECHNOLOGIES BANGALORE", THE NEW REVERSED SENTENCE SHOULD BE "EROLAGNAB SEIGOLONHCET ORPIW".

NOTE THAT POSITIONS 1, 7, 11, 20 AND 25 IN THE ORIGINAL STRING ARE UPPERCASE W, T, N, B AND L.

SIMILARLY, POSITIONS 1, 7, 11, 20 AND 25 IN THE NEW STRING ARE UPPERCASE O, S, O, E AND G.

#### **NOTE:**

1. ONLY SPACE CHARACTER SHOULD BE TREATED AS THE WORD SEPARATOR I.E., "HELLO WORLD" SHOULD BE TREATED AS TWO SEPARATE WORDS, "HELLO" AND "WORLD". HOWEVER, "HELLO,WORLD", "HELLO;WORLD", "HELLO-WORLD" OR "HELLO/WORLD" SHOULD BE CONSIDERED AS A SINGLE WORD.
2. NON-ALPHABETIC CHARACTERS IN THE STRING SHOULD NOT BE SUBJECTED TO CASE CHANGES. FOR EXAMPLE, IF CASE\_OPTION = 1 AND THE ORIGINAL SENTENCE IS "WIPRO TECHNOLOGIES, BANGALORE" THE NEW REVERSED SENTENCE SHOULD BE "EROLAGNAB SEIGOLONHCET, ORPIW". NOTE THAT COMMA HAS BEEN TREATED AS PART OF THE WORD "TECHNOLOGIES," AND WHEN

COMMA HAD TO TAKE THE POSITION OF UPPERCASE T IT REMAINED

AS A COMMA AND UPPERCASE T TOOK THE POSITION OF COMMA.  
HOWEVER, THE WORDS “WIPRO AND BANGALORE” HAVE CHANGED  
TO “ORPIW” AND “EROLAGNAB”.

3. KINDLY ENSURE THAT NO EXTRA (ADDITIONAL) SPACE  
CHARACTERS ARE EMBEDDED WITHIN THE RESULTANT  
REVERSED STRING.

---

**EXAMPLES:**

| S. No. | input1                        | input2 | output                        |
|--------|-------------------------------|--------|-------------------------------|
| 1      | Wipro Technologies Bangalore  | 0      | orpiW seigolonhceT erolagnaB  |
| 2      | Wipro Technologies, Bangalore | 0      | orpiW ,seigolonhceT erolagnaB |
| 3      | Wipro Technologies Bangalore  | 1      | Orpiw Seigolonhcet Erolagnab  |
| 4      | Wipro Technologies, Bangalore | 1      | Orpiw ,seigolonhceT Erolagnab |

**FOR EXAMPLE:**

| Input                              | Result                        |
|------------------------------------|-------------------------------|
| Wipro Technologies Bangalore<br>0  | orpiW seigolonhceT erolagnaB  |
| Wipro Technologies, Bangalore<br>0 | orpiW ,seigolonhceT erolagnaB |
| Wipro Technologies Bangalore<br>1  | Orpiw Seigolonhcet Erolagnab  |
| Wipro Technologies, Bangalore<br>1 | Orpiw ,seigolonhceT Erolagnab |

### PROGRAM:

```
import java.util.Scanner;

public class WordReverser {

 public static String reverseWordsWithCase(String sentence, int caseOption) {

 String[] words = sentence.split(" ");

 StringBuilder result = new
 StringBuilder();for (String word : words)
 {
 String reversedWord = new
 StringBuilder(word).reverse().toString();if (caseOption == 0) {

 result.append(reversedWord).append(" ");

 } else if (caseOption == 1) {

 result.append(applyCaseConversion(reversedWord, word)).append(" ");

 }

 }

 return result.toString().trim();

 }

 private static String applyCaseConversion(String reversedWord, String originalWord)

 {
 StringBuilder adjustedWord = new StringBuilder();

 for (int i = 0; i < reversedWord.length(); i++) {

 char reversedChar = reversedWord.charAt(i);

 char originalChar = originalWord.charAt(i);

 if (Character.isLowerCase(originalChar)) {

 adjustedWord.append(Character.toLowerCase(reversedChar));

 } else if (Character.isUpperCase(originalChar)) {

 adjustedWord.append(Character.toUpperCase(reversedChar));

 } else {

 adjustedWord.append(reversedChar);

 }

 }

 return adjustedWord.toString();

 }

 public static void main(String[] args) {
```

```
Scanner scanner = new Scanner(System.in);
```

```
String sentence = scanner.nextLine();
```

```
int caseOption = scanner.nextInt();
```

```
if (caseOption != 0 && caseOption != 1) {
```

```
 System.out.println("Invalid case option. Please enter 0 or 1.");
```

```
} else {
```

```
 String result = reverseWordsWithCase(sentence, caseOption);
```

```
 System.out.println(result);
```

```
}
```

```
scanner.close();
```

```
}
```

## OUTPUT:

|   | Input                              | Expected                      | Got                           |   |
|---|------------------------------------|-------------------------------|-------------------------------|---|
| ✓ | Wipro Technologies Bangalore<br>0  | orpiW seigolonhceT erolagnaB  | orpiW seigolonhceT erolagnaB  | ✓ |
| ✓ | Wipro Technologies, Bangalore<br>0 | orpiW ,seigolonhceT erolagnaB | orpiW ,seigolonhceT erolagnaB | ✓ |
| ✓ | Wipro Technologies Bangalore<br>1  | Orpiw Seigolonhcet Erolagnab  | Orpiw Seigolonhcet Erolagnab  | ✓ |
| ✓ | Wipro Technologies, Bangalore<br>1 | Orpiw ,seigolonhceT Erolagnab | Orpiw ,seigolonhceT Erolagnab | ✓ |

Passed all tests! ✓