DEVELOP A PROGRAM TO CREATE REVERSE SHELL USING TCP SOCKETS.

Aim:

The aim of this exercise is to understand and implemented a reverse shell using TCP sockets.

Procedure

* Create a new python script on the attacker machine.
* Copy the server-side code.

code: client.py

```
import socket
Client_Socket = socket.socket(socket.
    AF_INET/SOCKET.SOCK
    -STREAM().

Server_ip = "127.0.0.1".
Server_port = 9999
Client_socket.connect((server_ip/
    server_port))

while True:
    message = input("Client:")
    (client-socket.send(message.
    encode())
```

```
if message.lower() == 'bye':
    Print("chat ended")
    break
reply = Client_socket.recv(1024)
if reply.lower() == "bye":
    Print("Server ended the chat")
    break
Client_Socket.close()
```

code: server.py (on the attacker machine)

```
import Socket.
    Server_Socket = Socket.socket(
                    Socket:AF_INET,
                    Socket.Sock_STREAM
host = "127.0.0.1"
Port = 9999.
server_socket.bind((host, Port))
server_socket.listen(5)
print("waiting for a client to
                    connect...").
Print("client connected", client_
                    address).
```

```
while True:
    message = client_socket.recv(1024).decode()
    if not message.lower() == 'bye':
        print("Client ended the chat").
        break
client_socket.close()
server_socket.close()
print("Server stopped").
```

Result:

A TCP Client-Server Program was successfully created using Python's Socket module to establish a two way connection & exchang[illegible] local [illegible]