

Brand Guidelines

2026





01 Logo

Primary Lookup



Primary lockup — use whenever possible.

Clear Space



Minimum clear space on all sides = X (cap-height of the "A" in the wordmark).

Minimum clear space on all sides = X (the width of the ribbon stroke)

No text, imagery, or other graphic elements may enter this zone. When in doubt, use more space, not less

Minimum Size

Full Lookup (icon + wordmark)



Icon



Below these sizes, the ribbon gradient loses definition and the wordmark becomes illegible. If you need something smaller, use the icon-only mark, not a shrunk lockup.

Color Variations

Full Colour



Full Colour - Inverted



Monochrome Black



Monochrome White



Icon


Full Colour



Monochrome Black



Monochrome White



Common Misuse



Don't recolor the icon outside the approved variants (no brand-blue-on-brand-green swaps, no arbitrary colors)



Don't stretch, squash, or distort the proportions



Don't rotate the mark



Don't add drop shadows, bevels, glows, or outlines



Don't rearrange the icon and wordmark, or change the spacing between them



Don't place the full-color version on a low-contrast or busy background

Stacked Version



02 Colour

Primary Palette

Ascendus Green Light

HEX #7FBE3F
RGB 127 / 190 / 63
CMYK 33 / 0 / 67 / 25

HEX #98CB65

HEX #B2D88B

HEX #CBE5B2

HEX #E5F2D8

Ascendus Green Dark

HEX #008E59
RGB 0 / 142 / 89
CMYK 100 / 0 / 37 / 44

HEX #33A47A

HEX #66BB9B

HEX #99D1BC

HEX #CCE8DD

Ascendus Blue Dark

HEX #0061AF
RGB 0 / 97 / 175
CMYK 100 / 45 / 0 / 31

HEX #3380BF

HEX #66A0CF

HEX #99BFDF

HEX #CCDFEF

Ascendus Blue Light

HEX #00ACEC
RGB 0 / 172 / 236
CMYK 100 / 27 / 0 / 7

HEX #33BCEF

HEX #66CDF3


HEX #99DDF7

HEX #CCEEFB


Neutral Ramp



White	#FFFFFF	Base background
--------------	---------	-----------------



Gray 100	#F5F6F6	Panel/section backgrounds
-----------------	---------	---------------------------




Gray 300	#D4D6D8	Borders, dividers, disabled states
-----------------	---------	------------------------------------



Gray 500	#A1A5AA	Secondary text, icons
-----------------	---------	-----------------------



Gray 700	#55595E	Body text alt, dark UI
-----------------	---------	------------------------




Gray 900	#2E3033	Primary body text
-----------------	---------	-------------------




Black	#16171A	Dark-mode surfaces only
--------------	---------	-------------------------

Signature Gradient Specimen



Application & Proportion

A balanced palette keeps the brand premium rather than loud. Dark gray and white carry most surfaces; blue signals trust and structure; The green-to-blue gradient is reserved for signature, high-impact moments only.



Approved Text / Background Combinations

Approved for body text:


Gray 900	Gray 700	Blue Dark
White	White	

Decorative/large-display only

White	White	White
-------	-------	-------

Blue Light, Green Light, Gray 500
(as text color, any background)

Data Visualization Accent Colors



Data Amber

#F2A93C

0 / 34 / 85 / 2

For contrast/attention values in charts



Data Violet

#7C5FB0

47 / 58 / 0 / 0

For a 5th / 6th data series only

03 Typography

Family Specimen

Primary Font

Houschka Pro

Bold Demibold Medium Light

Aa **Aa** Aa Aa

Display and headlines only. Not for body copy at any weight.

Secondary Font

General Sans

Semibold Medium Regular Light

Aa **Aa** Aa Aa

Body copy, UI, captions, and data labels. Regular is the default reading weight.

Type Scale Percentage System

BASE UNIT = $x/45$

x = Shorter Side of Canvas

Style	Font	Weight	Size	Line Height	Tracking
Display / Hero	Houschka Pro	Bold	$3.16 * \text{Base}$	$0.95 - 1.05x$	-2% to -3%
H1	Houschka Pro	Demibold	$2.37 * \text{Base}$	$1.00 - 1.10x$	-1.5% to -2%
H2	Houschka Pro	Demibold	$1.78 * \text{Base}$	$1.05 - 1.15x$	-1% to -1.5%
H3	Houschka Pro	Demibold	$1.33 * \text{Base}$	$1.10 - 1.20x$	-0.5% to -1%
Body / Caption / Eyebrow / Data-label	General Sans	Regular	$1 * \text{Base}$	$1.45 - 1.55x$	0%

Print floor caveat: the percentage formula assumes screen-viewing context. For small physical print formats viewed up close (business cards, badges), the computed size can drop below comfortable reading size even though the math is "correct"

Absolute floor: Never below 7pt (~9px equivalent) for print body text, regardless of formula output.

Usage Rules

- Houschka Pro never carries body copy, at any weight or size
- Never set Houschka Pro Thin or Light below the base scale unit — the family's lightest weights are delicate at small sizes
- General Sans is the body default; Medium is for in-paragraph emphasis
- Italics: pull-quotes and citations only, in either font
- Never mix fonts within one hierarchy level
- The logo wordmark is fixed artwork, never retype "Ascendus" in Houschka Pro to imitate it

04 Grid & Scaling

Core Principle


All primary layout dimensions are derived from the shorter side of the canvas.

S = shorter side of canvas


The proportional system establishes the visual rhythm; calculated values are then rounded to the nearest practical 8-unit increment for production.

Primary Layout Tokens

Token	Responsive Rule
Margin	6% of S
Gutter	1.5% of S
Logo	2.5 x Gutter




Margin




The margin is created using the shortest side of the format. For example, if you are using A4 (220 mm X 297 mm) use 220 mm to create the margin

Gutter



The numbers of columns are flexible, the gutter size is created using the margin

Logo



The size of the logo is created using the Gutter