TC

Line 17 Col 1 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
switch(a=1)
{
a=2;
case  0: puts("Zero");break;
case  1: puts("One");break;
case  2: puts("Two");break;
}
printf("a=%d",a);
getch();
}
/* One  a=1 */
```

Activate Windows
Go to PC settings to activate Windows.

Calculator

11:19 AM
16-Aug-23

TC

File Edit Run Compile Project Options Debug Break/watch

Line 16 Col 12 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
switch(a++,a++)
{
case  0: puts("Zero");break;
case  1: puts("One");break;
case  2: puts("Two");break;
}
printf("a=%d",a);
getch();
}
/* One  a=2 */
```

Activate Windows
Go to PC settings to activate Windows.

Paint

11:20 AM
16-Aug-23

TC

File Edit Run Compile Project Options Debug Break/watch

Line 16 Col 12 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
switch(a++||a++||a++)
{
case  0: puts("Zero");break;
case  1: puts("One");break;
default: puts("Two");break;
}
printf("a=%d",a);
getch();
}
/* One  a=2 */
```

Activate Windows
Go to PC settings to activate Windows.

11:25 AM
16-Aug-23

TC

Line 18 Col 21 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
start:
switch(a++)
{
case  1: puts("Zero");break;
case  2: puts("One");break;
default: puts("Two");break;
}
if(a<=2) goto start;
printf("a=%d",a);
getch();
}
/* Two Zero One  a=3 */
```

Activate Windows
Go to PC settings to activate Windows.

11:24 AM
16-Aug-23

TC

File Edit Run Compile Project Options Debug Break/watch

Line 16 Col 12 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
switch(a++||a++||a++)
{
case  0: puts("Zero");break;
case  1: puts("One");break;
default: puts("Two");break;
}
printf("a=%d",a);
getch();
}
/* One  a=2_*/
```

Activate Windows
Go to PC settings to activate Windows.

11:27 AM
16-Aug-23

a = 0

switch (a++ || a++ || a++)

0 || 1

1

TC

File Edit Run Compile Project Options Debug Break/watch

Line 17 Col 23 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
switch(a=printf("I\t"), printf("Am\t"))
{
case  1: puts("Indian");break;
case  2: puts("Bharathiyudu");break;
case  3: puts("Hindustani");break;
default: puts("Human");break;
}
printf("a=%d",a);
getch();
}
/* I am Hindustani a=2 */
```

Activate Windows
Go to PC settings to activate Windows.

11:29 AM
16-Aug-23



TC

Line 17 Col 22 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0;
clrscr();
switch(a=*(3+"I Like""ABCD"+4))
{
case  65: puts("Pooja Hegde");break;
case  66: puts("Jhanvi Kapoor");break;
case  67: puts("Rashmika");break;
default: puts("All");break;
}
printf("a=%d",a);
getch();
}
/* Jhanvi Kapoor a=66*/
```

Activate Windows
Go to PC settings to activate Windows.

11:38 AM
16-Aug-23

TC

```
Jhanvi Kapoor
a=66
```

Activate Windows
Go to PC settings to activate Windows.

11:39 AM
16-Aug-23

switch(a = *(3+"~~I Like""~~ABCD"+4))

value of B ==> 66

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0; clrscr();
switch(a++)
{
case  0: puts("Pooja Hegde");
switch(a++)
{
case  1:  puts("Jhanvi Kapoor");break;
default: puts("Rashmika");break;
}
default: puts("Sri Leela");
}
printf("a=%d",a); getch();
}
```


TC
Pooja Hegde
Jhanvi Kapoor
Sri Leela
a=2
Activate Windows
Go to PC settings to activate Windows.
11:44 AM
16-Aug-23

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a=0; clrscr();
switch(a++)
{
case  0: puts("Pooja Hegde");break;
switch(a++)
{
case  1:  puts("Jhanvi Kapoor");break;
default: puts("Rashmika");break;
}
default: puts("Sri Leela");
}
printf("a=%d",a); getch();
}
/* Pooja Hegde a=1*/
```

```
File   Edit   Run   Compile   Project   Options   Debug   Break/watch
     Line 10    Col 9   Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
clrscr();
switch(1)
{
puts("Pooja Hegde");
}
getch();
}
/* blank screen*/
```

```
File   Edit   Run   Compile   Project   Options   Debug   Break/watch
     Line 13    Col 16  Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a=1.1;
clrscr();
switch(a)
{
case 1: puts("Pooja Hegde");
}
getch();
}
/* Pooja hegde */
```

```
File   Edit   Run   Compile   Project   Options   Debug   Break/watch
Error: Constant expression required in function main
#include<stdio.h>
#include<conio.h>
void main()
{
int a=1.1;
clrscr();
switch(a)
{
case 1.1: puts("Pooja Hegde");
}
getch();
}
/* Error */
```

Finding even/odd using switch:

TC

File Edit Run Compile Project Options Debug Break/watch

Line 15 Col 1 Insert Indent Tab Fill Unindent * E:11AM.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n;
clrscr();
printf("Enter a no "); scanf("%d",&n);
switch(n%2)
{
case 0: puts("Even");break;
default: puts("Odd");
}
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

TC

```
Enter a no 3
Odd
```

Activate Windows
Go to PC settings to activate Windows.



Eg. Finding weekday name using switch:

```c
#include<stdio.h>
#include<conio.h>
void main()
{
int n; clrscr();
printf("Enter week day no  1-7 "); scanf("%d",&n);
switch(n)
{
case 1: puts("Sunday");break;
case 2: puts("Monday");break;
case 3: puts("Tuesday");break;
case 4: puts("Wednesday");break;
case 5: puts("Thursday");break;
case 6: puts("Friday");break;
case 7: puts("Saturday");break;
default: puts("Invalid day ");
}
getch();
}
```

```
Enter week day no  1-7 1
Sunday
```

```
Enter week day no  1-7 7
Saturday
```

```
Enter week day no  1-7 8
Invalid day
```

Finding vowel / consonant using switch:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter a character "); scanf("%c",&ch);
if(ch>='A' && ch<='Z') ch+=32; /* upper to lower */
if(ch>='a'&&ch<='z')
{
switch( ch )
{
case  'a':case 'e': case 'i': case 'o': case 'u': printf("vowel");break;
default: puts("Consonant");
}
}
else puts("Not an Alphabet");
getch();
}
```

```
Enter a character *
Not an Alphabet
```

TC

```
Enter a character G
Consonant
```

Activate Windows
Go to PC settings to activate Windows.

12:02 PM
16-Aug-23

TC

```
Enter a character U
vowel_
```

Activate Windows
Go to PC settings to activate Windows.

12:03 PM
16-Aug-23

```c
#include<stdio.h>
#include<conio.h>
void main()
{
char ch; clrscr();
printf("Enter a character "); scanf("%c",&ch);
if(ch>='A' && ch<='Z') ch+=32; /* upper to lower */
if(ch>='a'&&ch<='z')
{
switch( ch )
{
case  'a':case 'e': case 'i': case 'o': case 'u': printf("vowel");break;
default: puts("Consonant");
}
}
else if(ch>='0'&& ch<='9')puts("Digit");
else puts("Special char");
getch();
}
```

```
Enter a character &
Special char
```

```
Enter a character 5
Digit
```

Activate Windows
Go to PC settings to activate Windows.

```
Enter a character G
Consonant
```

Activate Windows
Go to PC settings to activate Windows.



Using predefined functions:

```c
#include<stdio.h>
#include<conio.h>
#include<ctype.h>
void main()
{
char ch; clrscr();
printf("Enter a character "); scanf("%c",&ch);
ch=tolower(ch); /* upper to lower */
if(isalpha(ch))
{
switch( ch )
{
case  'a':case 'e': case 'i': case 'o': case 'u': printf("vowel");break;
default: puts("Consonant");
}
}
else if(isdigit(ch))puts("Digit");
else puts("Special char");
getch(); }
```

```
Enter a character r
Consonant
```

```
Enter a character i
vowel
```

Activate Windows
Go to PC settings to activate Windows.

```
Enter a character 1
Digit
```

Activate Windows
Go to PC settings to activate Windows.


TC
Enter a character $
Special char
Activate Windows
Go to PC settings to activate Windows.
12:07 PM
16-Aug-23

```c
#include<stdio.h>
#include<conio.h>
#include<ctype.h>
void main()
{
char ch; clrscr();
printf("Enter a character "); scanf("%c",&ch);
ch=tolower(ch); /* upper to lower */
if(isalpha(ch))
{
switch(ch=='a'||ch=='e'||ch=='i'||ch=='o'||ch=='u' )
{
case 1: printf("vowel");break;
default: puts("Consonant");
}
}
else if(isdigit(ch))puts("Digit");
else puts("Special char");
getch(); }
```

```
Enter a character H
Consonant
```



Hotel Bill preparation using menu:

```
#include<stdio.h>

#include<conio.h>

void main()

{

int op;

float qty, price, amt=0;

start:

clrscr();

puts("-----------------------------------------------------------------------
");

puts("\t\t\t HOTEL SAI BALAJI");

puts("\t\t\t   AMEERPET");

puts("-----------------------------------------------------------------------
");

puts("\t\t\t   M  E  N  U");

puts("-----------------------------------------------------------------------
");

puts("\t\t 1. Tea - 10/-");

puts("\t\t 2. Coffee / Boost / Horlicks / Water bottle - 20/- ");
```

```
puts("\t\t 3. Idly / Bonda/ Plain Dosa- 30/-");
puts("\t\t 4. Karam / Masala / Onion / Ghee dosa / Wada -
40/-");
puts("\t\t 5. Poori / Chapathi / parota - 50/- ");
puts("\t\t 6. Veg Biryani - 60/-");
puts("\t\t 7. Bill");
puts("\t\t 8. Cancel");
puts("\t\t 9. Exit");
puts("-----------------------------------------------------------------------
");
printf("\t\tEnter ur option[ ]\b\b");
scanf("%d",&op);
if(op==8)amt=0;
else if(op==9)return;
else if(op==7){printf("Ur bill = %.2f",amt);amt=0;}
else
{
printf("Enter Quantity "); scanf("%f",&qty);
switch(op)
```

```
{
case 1: amt+=qty*10;break;
case 2: amt+=qty*20;break;
case 3: amt+=qty*30;break;
case 4: amt+=qty*40;break;
case 5: amt+=qty*50;break;
case 6: amt+=qty*60;break;
default: puts("Item not available");
}
}
getch();
goto start;
}
```

```
TC
--------------------------------------------------------------------------------
                        HOTEL SAI BALAJI
                          AMEERPET
--------------------------------------------------------------------------------
                          M  E  N  U
--------------------------------------------------------------------------------
                1. Tea - 10/-
                2. Coffee / Boost / Horlicks / Water bottle - 20/-
                3. Idly / Bonda/ Plain Dosa- 30/-
                4. Karam / Masala / Onion / Ghee dosa / Wada - 40/-
                5. Poori / Chapathi / parota - 50/-
                6. Veg Biryani - 60/-
                7. Bill
                8. Cancel
                9. Exit
--------------------------------------------------------------------------------
               Enter ur option[3]
Enter Quantity 1.5
```

```
TC
--------------------------------------------------------------------------------
                        HOTEL SAI BALAJI
                          AMEERPET
--------------------------------------------------------------------------------
                          M  E  N  U
--------------------------------------------------------------------------------
                1. Tea - 10/-
                2. Coffee / Boost / Horlicks / Water bottle - 20/-
                3. Idly / Bonda/ Plain Dosa- 30/-
                4. Karam / Masala / Onion / Ghee dosa / Wada - 40/-
                5. Poori / Chapathi / parota - 50/-
                6. Veg Biryani - 60/-
                7. Bill
                8. Cancel
                9. Exit
--------------------------------------------------------------------------------
               Enter ur option[4]
Enter Quantity 1
```

```
TC
--------------------------------------------------------------------------
                        HOTEL SAI BALAJI
                          AMEERPET
--------------------------------------------------------------------------
                          M  E  N  U
--------------------------------------------------------------------------
                1. Tea - 10/-
                2. Coffee / Boost / Horlicks / Water bottle - 20/-
                3. Idly / Bonda/ Plain Dosa- 30/-
                4. Karam / Masala / Onion / Ghee dosa / Wada - 40/-
                5. Poori / Chapathi / parota - 50/-
                6. Veg Biryani - 60/-
                7. Bill
                8. Cancel
                9. Exit
--------------------------------------------------------------------------
               Enter ur option[7]
Ur bill = 85.00_
```

Activate Windows
Go to PC settings to activate Windows.

12:52 PM
16-Aug-23