Experiment 3

Student Name: Harish Kumar **UID: 23BCS10168**
Branch: BE-CSE **Section/Group: KRG 2-A**
Semester: 6th **Date of Performance:28/01/2026**
Subject Name: System Design **Subject Code: 23CSH-314**

1. **Aim**: To design a social media platform similar to Facebook or Instagram

2. **Objective**:

- To understand social media application workflow.
- To design functional and non-functional requirements.
- To create system architecture (HLD).
- To design modules/classes (LLD).
- To implement core APIs for user authentication, posts, feed, likes, and comments.

3. **Tools Used:**

- **Python** – Backend logic implementation and URL generation algorithms.
- **Flask** – Lightweight web framework for developing RESTful APIs.
- **Draw.io** – Designing system architecture diagrams (HLD & LLD).

4. **System Requirements:**

A. Functional Requirements

- Client should be able to **register and login** to the application.
- Client should be able to **create posts** (text / image / videos).
- Client should be able to **follow each other** (or send friend requests).
- Client should be able to **like or comment** on posts.
- Client should be able to **view feed** of posts from users they follow.

B. Non-Functional Requirements

- **Scalability**
  The system should support up to 500 Million Daily Active Users (500M DAU).
- **Availability and Consistency**
  Since this is a social media application, Availability is prioritized over Consistency.
  Reason:

If the application is not operational when required, there is no purpose in developing it. Minor delays in content propagation are acceptable compared to complete downtime.

Example: If Instagram is down for 1 hour, it is a major issue.
However, if a post takes 500 ms to reach followers while the system remains available, it is acceptable Hence:
Availability >>> Consistency

- **Latency**
  Uploading or publishing a post should take approximately 500 milliseconds to ensure a smooth user experience.

5. High Level Design (HLD):

The system follows a MICRO-SERVICE ARCHITECTURE / DISTRIBUTED:



6. Low Level Design (LLD):


8. Low Level Design
Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
Registration: Data Saving in DB
User DB
Check user's credentials
HTTP Response: User Verified
PostgreSQL
Let's say we don't know which kind of data is going to be uploaded??
MALICIOUS or Non-Policy Agreement Data
1. User Registration
2. Logging
User Service
JWT for session management
Text Data Storage for POST
POST DB
Post Publishing: Text / Video / Image
Content Service
Images
Videos
Amazon S3
Returning a list of POSTS to Feed Service
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
Generation of Feed based on friends / followers
3. Feed Service will return the response to the user
2. Feed service will check all the POSTS of other users from POST DB
Feed Service
1. Retraving Followers
Follower Service
Follower DB
User Engagment Service
Comment DB
Like DB


Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
User DB
PostgreSQL
Registration: Data Saving in DB
Check user's credentials
HTTP Response: User Verified
Post (Document DB)
- post_id
- user_id
- post_type
- media_url
- thumbnail_url
- like_count
-share_count
- comment_count
- other meta data
1. User Registration
2. Logging
User Service
JWT for session management
Cassandra DB
Text Data Storage for POST
Write Ops Fast
- blocked_post
-filtered_post
Post against policy
Content Service
- raw_post
-filtered_post
- blocked_post
TEMPORARY BUFFER
Images
Videos
Amazon S3
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
Returning a list of POSTS to Feed Service
2. Feed service will check all the POSTS of other users from POST DB
Generation of Feed
based on friends / followers
3. Feed Service will return the response to the user
Feed Service
1. Retreving
Followers
Follower Service
Follower DB
User Engagment Service
Comment DB
Like DB


Follower Service
Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
Registration: Data Saving in DB
User DB
Check user's credentials
PostgreSQL
HTTP Response: User Verified
Post (Document DB)
- post_id
- user_id
- post_type
- content_text
- media_url
- thumbnail_url
- like_count
-share_count
- comment_count
- other meta data
1. User Registration
2. Logging
User Service
JWT for session management
Text Data Storage for POST
Write Ops Feed
- blocked_post
-filtered_post
Post against policy
Cassandra DB
Content Service
- new_post
-filtered_post
- blocked_post
Images
Videos
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
Returning a list of POSTS to Feed Service
2. Feed service will check all the POSTS of other users from POST DB
Generation of Feed based on friends /followers
3. Feed Service will return the response to the user
Feed Service
1. Retrieving Followers
Follower
- Follower_id (PK)
- Following_id
- Status_of_req
- Timestamp
For now We only use Postgres
But if, the requirement is find FOF -> use Graph DB
Follower Service
Comment DB
User Engagement Service
Like DB


Engagement Service
Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
Registration: Data Saving in DB
User DB
Check user's credentials
HTTP Response: User Verified
PostgreSQL
Post (Document DB)
- post_id
- user_id
- post_type
- content_text
- media_url
- thumbnail_url
- like_count
-share_count
- comment_count
- other meta data
1. User Registration
2. Logging
User Service
JWT for session management
Test Data Storage for POST
Write Ops Fast
- blocked_post
-filtered_post
Post against policy
Cassandra DB
Content Service
- new_post
-filtered_post
- blocked_post
Images
Videos
Amazon s3
Returning a list of POSTS to Feed Service
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
2. Feed service will check all the POSTS of other users from POST DB
Generation of Feed
based on friends / followers
3. Feed Service will return the response to the user
Feed Service
1. Retrieving
Followers
Follower
- Follow_id (PK)
- Follower_id
- Following_id
- Status_of_req
- Timestamp
Follower Service
KAFKA PRODUCER
We will not directly inject the like and comments as it becomes a heavy operation considering 500M users
Pub-Sub Model
User Engagment Service
Consumer
Comment
- comment_id
- post_id
- user_id
- like_count
- other data
Like
- like_id
post_id / comment_id
- user_id
- reaction_type
- other data


Feed Service
Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
Registration: Data Saving in DB
User DB
Check user's credentials
HTTP Response: User Verified
PostgreSQL
Post (Document DB)
- post_id
- user_id
- post_type
- content_text
- media_url
- thumbnail_url
- like_count
-share_count
- comment_count
- other meta data
1. User Registration
2. Logging
User Service
JWT for session management
Text Data Storage for POST
Write Ops Fast
- blocked_post
-filtered_post
Post against policy
Cassandra DB
Check the post's from POST DB in prior & pass them to KAFKA queue.
Content Service
- raw_post
-filtered_post
- blocked_post
Images
Videos
-filtered_post
For normal person
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
For a particular post which I am posting will be PUSHED to my FriendsList with their ID's
< post, List<FriendsUserId> >
1.
Will Check for the followers from follower DB
3 - write
3.
- write
LIMITED DATA IT CAN STORE: 50 POST FEED SHOW
50 POST
BACKFILL PROCESS
- Read
CACHE
- Read
Feed Service
Feed Cache
Feed preparation in cache
Feed DB
Follower
- Follow_id (PK)
- Follower_id
- Following_id
- Status_of_req
- Timestamp
Follower Service
Write heavy operations
Comment
- comment_id
- post_id
- user_id
- like_count
- other data
We will not directly inject the like and comments as it becomes a heavy operation considering 500M users
Pub-Sub Model
User Engagment Service
Consumer
Like
- like_id
post_id / comment_id
- user_id
- reaction_type
- other data


Problem: Whenever a new feed is generated after 50 I have to follow the same process.
So when a user is about to finish seeing all the posts
We will use a concept called as : BACKFILL using a MATERIALIZE
Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
User DB
PostgreSQL
Registration: Data Saving in DB
Check user's credentials
HTTP Response: User Verified
Post (Document DB)
- post_id
- user_id
- post_type
- content_text
- media_url
- thumbnail_url
- like_count
- share_count
- comment_count
- other meta data
1. User Registration
2. Logging
User Service
JWT for session management
Text Data Storage for POST
Write Ops Feed
- blocked_post
-filtered_post
Post against policy
Content Service
Cassandra DB
Check the post's from POST DB in prior & pass them to KAFKA queue.
Images
Videos
MinioS3
- new_post
-filtered_post
- blocked_post
LARGE REDIS CACHE
For normal person
Users_Latest_post
< recent 100 posts pre-computed >
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
3. Get me all recent post based on my followers
For a specific user storing all post's to show on feed.
< user0, List <postID>>
< post, List<FriendsUserId> >
3 - write
3. - write
Post Materializer:
1. It will save the recent scrolled post's of a user in the redis cache
2. BackFill SVC will get all the followers from follower DB
3. Based upon these followers -> it will get the recent post's of users from redis
By this i dont have to go to the Post DB to fetch all the users post to show on feed in real-time
Backfill:
When a user is about to checkout all the feed of 50 posts, we will again fire one more api call to re-fill the feed with the help of the Post Materializer and redis cache
1.
Will Check for the followers from follower DB
- Read
Feed Service
CACHE
Feed Cache
Feed preparation in cache
- Read
Feed DB
USER 01: [1,2,4,6,7,8,9,...,100]
2. Get the list of all followers to backfill
Follower
- Follower_id (PK)
- Follower_id
- Following_id
- Status_of_req
- Timestamp
Follower Service
Write heavy operations
Comment
- comment_id
- post_id
- user_id
- like_count
- other data
We will not directly inject the like and comments as it becomes a heavy operation considering 500M users
Pub-Sub Model
User Engagment Service
Consumer
Like
- like_id
post_id / comment_id
- user_id
- reaction_type
- other data


Feed Service : further optimization
In an app like social-media, we don't need data for everyone, we need data or post of the-one's we follow the most
Instead, of referring to the FOLLOWER DB again & again, we can maintain a cache of top followers we follow.
Users
- userID
- Username
- Email
- Password
- Phonenumber
- Followers_count
- friends_count
- profile_url
- other meta data of user
User DB
PostgreSQL
Registration Data Saving in DB
Check user's credentials
HTTP Response: User Verified
Post (Document DB)
- post_id
- user_id
- post_type
- content_text
- media_url
- thumbnail_url
- like_count
-share_count
- comment_count
- other meta data
POST DB
Text Data Storage for POST
Write Ops Feed
1. User Registration
2. Logging
User Service
JWT for session management
Post against policy
- blocked_post
-filered_post
Content Service
- new_post
-filered_post
- blocked_post
Images
Videos
Check the post's from POST DB in polor & pass them to KAFKA queue.
For normal person
Users_Latest_post
< recent 100 posts pre-computed >
Clients
API Gateway & Load Balancers
- Authentication
- Authorization
- Routing
- Rate Limiting
3
Get me all recent post based on my followers
For a specific user storing all post's to show on feed.
< userID, List <postID>>
< post, List<FriendsUserID> >
3 - write
3.
- write
1.
Will Check for the followers from follower DB
- Read
Feed Service
CACHE
Feed Cache
Feed preparation in cache
- Read
Feed DB
Follower Cache
(Top Followers)
2. Get the list of all followers to backfill
- Read
We can use AI-ML module to see the best recommendation for top models
Follower
- Follow_id (PK)
- Following_id
- Status_of_req
- Timestamp
Follower Service
Write heavy operations
Comment
- comment_id
- post_id
- user_id
- like_count
- other data
We will not directly inject the like and comments as it becomes a heavy operation considering 500M users
Pub-Sub Model
User Engagement Service
Consumer
Like
- like_id
post_id / comment_id
- user_id
- reaction_type
- other data

6. Scalability Solution

- Use horizontal scaling by adding multiple application servers behind a load balancer.
- Implement database sharding to distribute user and post data across multiple databases.
- Use caching (Redis/Memcached) to reduce database load for frequently accessed data like feeds and profiles.
- Store media files (images/videos) using CDN and cloud storage to improve performance and reduce server load.
- Apply asynchronous processing and message queues (Kafka/RabbitMQ) for tasks like notifications and feed updates.

7. Learning Outcomes (What I Have Learnt)

- Understood the workflow of a social media application system.
- Learned to design functional and non-functional requirements.
- Gained knowledge of high-level and low-level system architecture.
- Learned how scalability and availability are achieved in large-scale systems.
- Developed understanding of core APIs for user management, posts, and feed handling.