

MODULE 3 — PRODUCTS HIERARCHY MANAGEMENT

BUSINESS SPECIFICATION

The **M3 – Products module** provides a governed, enterprise-wide Product Master capability that enables standardized creation, management, versioning, and hierarchical structuring of products across global, regional, and local markets. It serves as the authoritative **single source of truth** for all product definitions, ensuring consistent linkage with Claims, Projects, Assets, and external systems such as PLM. The module enforces strict lifecycle control, hierarchy integrity, compliance readiness, and auditability, enabling organizations to scale product complexity across markets while maintaining regulatory, legal, and operational control.

DETAILED END-TO-END BUSINESS PROCESS

STEP 1: Access Products Workspace

Purpose

Provide a centralized entry point for all product-related activities.

Primary Actors

All Users

Inputs

- User authentication
- User role & access scope

Processing / Business Logic

- User selects Products from global navigation
- Products module is highlighted as active
- Last-used or default product view loads
- Left navigation displays:
 - Recent Products
 - My Products
 - Favorite Products
 - Saved Views
 - Product Hierarchy

Outputs / Decisions

- Products landing page displayed
- Active context retained until module change

STEP 2: Review and Configure Product Workspace Views

Purpose

Allow users to personalize how products are viewed and accessed.

Actors

All Users

Inputs

- Product dataset
- User preferences

Processing

- Configure columns (add/remove/reorder)
- Apply sorting and filters
- Save, rename, share, or set default views
- Favorite marking applied per product

Outputs

- Personalized workspace view
 - Persisted per user
-

STEP 3: Initiate Product Creation**Purpose**

Create products at any level of the product hierarchy.

Actors

- Marketing Users
- R&D Users
- Super Users (for BG, Category, Brand)

Entry Points

- Global Create button
- Project context
- Parent product
- Claim creation flow
- Hierarchy tree

Inputs

- Product Type
- Parent/Product context (if any)

Business Logic

- Product types supported:
 - Technology
 - Format
 - Subrange
 - Variant
 - Local Variant (CUC)
 - CU (SKU)
- Mandatory fields enforced per type
- Project association optional (context-driven)

Outputs

- Product created in Created lifecycle state
-

STEP 4: Apply Hierarchy & Attribute Inheritance**Purpose**

Ensure hierarchy consistency and eliminate redundant data entry.

Actors System**Inputs**

- Parent product selection

Processing

- Parent attributes auto-populated
- Inherited fields locked (read-only)
- Non-hierarchical fields remain editable

Outputs

- Hierarchy integrity enforced
 - Reduced manual errors
-

STEP 5: Enforce Hierarchical Product Nomenclature**Purpose**

Standardize enterprise product naming.

Actors System**Processing**

- Final Product Name generated at save
- Concatenation based on hierarchy:
 - Brand → Format → Subrange → Variant → CUC → CU

Rules

- Users cannot edit final Product Name
- Duplicate names at same level blocked

Outputs

- Unique, standardized Product Names
-

STEP 6: Manage Localization (CUC & CU Creation)**Purpose**

Enable efficient product localization.

Actors Marketing, R&D**Processing**

- Bulk creation of Local Variants per geography
- Automatic Local Variant creation when Variant added to project
- CU creation linked to PLM CUC specifications
- SKU lists fetched from PLM

Outputs

- Local Variants and CUs created
 - Linked correctly by geography
-

STEP 7: Integrate with PLM & Validate Identifiers**Purpose**

Maintain synchronization and data integrity.

Actors System**Processing**

- Validate CUC and CU numbers against PLM
- Visual validation feedback (Valid / Invalid)
- Save blocked on invalid identifiers

Outputs

- PLM-aligned Product records
-

STEP 8: Manage Claims within Product Context**Purpose**

Support structured claim reuse and governance.

Actors Marketing, R&D, System**Processing**

- View related claims (current, parent, child)
- Add claims from hierarchy
- Control inheritance of substantiation & support strategy
- Lifecycle:
 - Inherited claims → Assessed through inheritance
 - Others → Proposed

Outputs

- Claims associated appropriately
 - Lifecycle controlled by system rules
-

STEP 9: Product Lifecycle Governance**Purpose**

Protect active products and ensure proper usage.

Actors System**Lifecycle States**

- Created
- In-use
- Obsolete
- Cancelled

Rules

- Transition to In-use when linked claim reaches Assessed
- In-use products are non-editable
- Obsolete versions retained for reference

Outputs

- Governance-compliant product usage
-

STEP 10: Navigate Product Details & Hierarchy**Purpose**

Provide contextual understanding and efficient navigation.

Actors All Users**Processing**

- Product Details page shows:
 - Summary badges
 - Left navigation sections
 - Tabular related data
- Product hierarchy:
 - Tree representation
 - Expand/collapse
 - Contextual actions

Outputs

- Full product context without navigation disruption

STEP 11: Execute Product Actions

Purpose

Enable controlled product management.

Actors Marketing, R&D

Actions

- Edit (lifecycle permitted only)
- Copy Product
- Copy / Import Claims
- Create Child Product
- Cancel Product
- Audit Log

Outputs

- Updated product hierarchy
 - Audit entries recorded
-

BUSINESS RULES CATALOG

A. Product Creation & Hierarchy Governance

- Product can only be created by users with appropriate Product Creation rights (Marketing, R&D, Super User)
 - Product can only be created within the **Business Group(s)** assigned to the user
 - No product can be created outside the user's BG scope
 - Product Type must be selected at creation and cannot be changed later
 - Parent Product selection is mandatory for all hierarchy levels except Technology and top-level Format (as applicable)
 - Product hierarchy must follow the predefined structure:
 - Brand → Format → Subrange → Variant → Local Variant (CUC) → CU
 - Technology is not considered part of the hierarchy but is linked contextually
 - Mandatory fields vary by Product Type and must be completed before save
-

B. Attribute Inheritance Rules

- Child products automatically inherit hierarchy attributes from the parent product
 - Inherited fields are system-controlled and non-editable
 - Non-hierarchical fields remain editable where permitted
 - Technology attributes do **not** auto-inherit and must be explicitly selected where required
 - Inheritance rules are enforced consistently across all creation entry points (Global Create, Project, Claim, Hierarchy)
-

C. Product Naming & Uniqueness

- Final Product Name is system-generated at the time of save
- Users provide only the level-specific name (e.g., Variant name)

- Product Name is generated by concatenating parent product names in hierarchy order
 - System-generated Product Name:
 - Is the official Product Name
 - Cannot be manually edited
 - Duplicate Product Names at the same hierarchy level are not allowed
-

D. Product Lifecycle Management

- All newly created products are assigned the **Created** lifecycle state
 - When any linked claim reaches **Assessed** state, the product automatically transitions to **In-use**
 - Lifecycle state is system-controlled and cannot be manually edited
 - Products in **In-use** state:
 - Cannot be edited
 - Cannot be modified through unsafe actions
 - New product versions can be created when changes are required
 - Previous product versions can be marked **Obsolete** during version creation
 - Obsolete products remain visible but are read-only
 - Cancelled products are moved to archive and become non-usable
-

E. Localization (Local Variant & CU) Rules

- Local Variants (CUCs) can be created manually or in bulk
 - When a Variant is added to a project with multiple geographies:
 - Existing Local Variants for those geographies are auto-linked
 - Missing Local Variants are auto-created
 - Geography selection is mandatory for Local Variant creation
 - CU (SKU) creation requires a valid parent Local Variant (CUC)
 - SKU options are derived from PLM based on the parent CUC specification
-

F. PLM Integration & Validation Rules

- CUC Specification Numbers and CU Numbers are validated against PLM
 - Validation outcomes:
 - Valid → product can be saved
 - Invalid → product cannot be saved
 - Validation status updates automatically when values change
 - Validation checks correctness only and do not overwrite user input
 - SKU lists are fetched dynamically from PLM upon valid CUC selection
-

G. Claim Association & Inheritance Rules

- Claims can be associated with products only through governed mechanisms
- Claims can be added from parent or child products only
- Same claim cannot be associated multiple times to the same product
- Claim behavior depends on Product Type:
 - Variant → Global Claims
 - Local Variant → Local Adaptations
 - CU → LA-CU Claims
 - When copying/importing claims, users can choose to inherit:

- Substantiation
- Support Strategy
 - If inheritance is enabled and source claim is **Assessed**, new claim lifecycle is **Assessed through inheritance**
 - Otherwise, new claims are created in **Proposed** state

H. Views, Favorites & Personalization

- Product list views are private by default
- Shared views are read-only for recipients
- Only the view owner can rename or delete a saved view
- Favorite Products are user-specific and do not affect other users
- Recent Products are system-tracked based on user activity
- User customizations (filters, columns) are retained per user

I. Product Actions & Security

- Product actions available depend on:
 - User role
 - Product type
 - Product lifecycle state
 - Users without create/edit permissions do not see restricted actions
 - All product changes are captured in the Audit Log
 - Audit Log entries are read-only and system-controlled
 - Audit visibility respects user access permissions

DATA MODEL & FIELD SPECIFICATIONS

ROLE ACCESS MATRIX (EDIT vs VIEW)

ROLES

- **All Users (AU)** → Any logged-in user with access
- **Project Lead (PL)** - Marketing
- **Claims Lead (CL)** – R&D
- **R&D – TPL**
- **R&D – Nutritionist**
- **R&D – Substantiator**
- **Regulatory Affairs (RA)**
- **Legal**
- **System (SYS)**

Action	View	Edit
View Products	All Users	—

Create Product	AU	Marketing, R&D
Edit Product	AU	Marketing, R&D (non In-use only)
Create Child Product	AU	Marketing, R&D
Create Local Variant	AU	Marketing, R&D
Create CU	AU	Marketing, R&D
Copy Product	AU	Marketing, R&D
Manage Claims	AU	Marketing, R&D
Control Lifecycle	AU	System
View Audit Log	AU	—
Configure Views	AU	AU
Create BG / Category / Brand	AU	Super User
Cancel Product	AU	Marketing, R&D

3. PRODUCT DETAILS

Action	View	Edit
View Details	AU	—
Edit Fields	AU	Marketing, R&D
Inline Edit	AU	Marketing, R&D

6. PRODUCTS

Action	View	Edit
View Products	AU	—
View Attributes	AU	—
View Hierarchy	AU	—
Open Product	AU	—
Add Product	AU	Marketing, R&D
Create Product	AU	Marketing, R&D
Configure Columns	AU	AU

7. CLAIMS

7.1 Viewing

Action	View	Edit
View Claims	AU	—
Expand Claim Row	AU	—
View Versions	AU	—
View Inheritance	AU	—
Open Claim Page	AU	—

7.2 Claim Actions

Action	View	Edit
Add Claim	AU	PL, CL

Action	View	Edit
Copy Claim	AU	PL, CL
Create Claim	AU	PL, CL
Reorder Claims	AU	PL, CL
Configure Columns	AU	AU

7.3 Claim Details Editing

Action	View	Edit
Edit Support Strategy	AU	TPM, Nutritionist, Substantiator
Edit Risk Inputs	AU	RA
Edit Legal Inputs	AU	Legal
Edit Claim Metadata	AU	PL, CL

7.4 Claim Inheritance

Action	View	Edit
View Inheritance Flag	AU	—
Accept Inheritance	AU	PL, CL
Override to Proposed	AU	PL, CL
Resolve Conflicts	AU	PL, CL

Action	View	Edit
View Assets	AU	—
View Metadata	AU	—
Add Asset	AU	TPM, Substantiator
Remove Asset	AU	PL, CL
Configure Columns	AU	AU

Configuration

Action	View	Edit
Reorder Columns	AU	AU
Add/Remove Columns	AU	AU
Freeze Columns	AU	AU
Keyboard Navigation	AU	AU

Search & Filters

Action	View	Edit
Global Search	AU	AU
Search with Modifiers	AU	AU
Column Filters	AU	AU
Quick Filters	AU	AU
Clear Filters	AU	AU
Sort Columns	AU	AU

13. SAVED & SHARED VIEWS

Action	View	Edit
View Views	AU	—
Apply View	AU	—
Create View	AU	AU
Rename View	AU	Owner
Delete View	AU	Owner
Share View	AU	Owner
Remove Shared View	AU	Recipient
Copy View	AU	AU
Set Default	AU	AU

14. SYSTEM ACTIONS

Action	View	Edit
Generate Product Name	AU	SYS
Send Notifications	AU	SYS
Audit Logging	AU	SYS
Apply Permissions	AU	SYS

M3 User Stories

US-M3-001

Create product from global create button

Story

As a Marketing user or R&D user,

I want to create a product from the create button in main menu

So that I can create products independently of any project.

Acceptance Criteria

Product creation option is available in the global menu bar through the dropdown in Create button.

Authorised user can select product type from the supported list (given below) and proceed to respective product type's creation screen.

Product Type options:

- Technology
- Format

- Subrange
- Variant
- Local Variant (CUC)
- CU

Product Creation from global menu does not require a project association.

Fields

Product Type (Dropdown)

Buttons

Create (dropdown has Product option)

US-M3-002**Create Product from Project****Story**

As a Marketing user or R&D user,

I want to create a product from within a project

So that the product can be directly associated with my project.

Acceptance Criteria

Product can be created via Add → Create under Selected Products tab in a project.

Product type options same as US-M3-001.

Product created through this function auto adds the product to the list of associated products of the project.

Fields

Product Type (Dropdown)

Buttons

Add Product

US-M3-003**Create child product from parent product****Story**

As a Marketing user or R&D user,

I want to create a child product from a parent product details page

So that the product can be directly associated with my parent product and child product can inherit relevant information.

Acceptance Criteria

Eg. From a selected subrange product's details page I should be able to create a variant product.

Following Hierarchy:

- Brand
- Format
- Subrange
- Variant
- Local Variant (CUC)
- CU (SKU)

In case user is on format product details page and tries to create a child product.

User should get option whether they want a subrange or not.

Fields

None

Buttons

Create child Product

US-M3-004**Create product from claim****Story**

As a Marketing user or R&D user,
I want to create a product from claim creation page
So that the product can be directly associated with my claim.

Acceptance Criteria

Users when searching for the relevant product to tag a claim to that product on claims creation page,
They can search for the product through Advanced search (binoculars) but incase they don't find the right product and want to create one, They have the create button there itself.
Product can be created via this Create button in the search dialog box.
Product type options same as US-M3-001.
Product created through this function auto adds the corresponding claim to the list of related claims of the product being created. (unless its a Regional/local adaptation which is being tagged, in that case it will be variant/local variant pre-selected)
Also when the product gets created, this claim gets linked to the product automatically.

Fields

Product Type (Dropdown)

Buttons

Add Product

US-M3-005**Save, Create, Cancel – Common Product Creation Actions****Story**

As a Marketing user or R&D user,
I want Save, Save & Create, and Cancel actions
So that I can control how I complete product creation.

Acceptance Criteria

Save, Save & Create, and Cancel buttons are available on all product creation screens.
Save button completes the product creation process and system auto-generates a Product ID for the product in format **PROD-{N}**.
Upon clicking this button user is taken to the product details page of the newly created product.
On save, the product is persisted and becomes available system wide.
Save & Create button has same function as save button but instead of taking the user to Product details page of the created product, this button opens a new product creation page enabling user to create more products of the same type at the same hierarchy level.
Cancel Button allows the user to cancel the product creation process and move back to the previous screen.

Fields

None

Buttons

- Save

- Save & Create
 - Cancel
-

US-M3-006**Save, Create, Cancel – Confirmation Prompts****Story**

As a Marketing user or R&D user,
I want confirmation prompts for Save, Save & Create, and Cancel
So that I do not accidentally lose or submit data.

Acceptance Criteria

Confirmation modal is shown before completing any of these actions.

Fields

None

Buttons

- Confirm
 - Cancel
-

US-M3-007**Basic Product Search****Story**

As a Marketing user or R&D user,
I want to search for products using a basic search
So that I can quickly find and select an existing product while working in a form or list.

Acceptance Criteria

Basic product search supports searching by Product Name.
As the user types, search results appear as a dropdown list showing matching Product Names.

Basic search is available across:

- Product creation forms (all mandatory fields where a product must be selected)
- Product selection dropdowns
- Products list page

Search executes inline, without navigating to a different page.

Selecting a product from the dropdown populates the field immediately.

Fields

Search input field (type-ahead)

Buttons

- Search input (text entry)
 - Dropdown result list (click selection)
-

US-M3-008**Advanced Product Search, Selection & Creation****Story**

As a Marketing user or R&D user,
I want to use advanced product search
So that I can locate, filter, and select the correct product using structured criteria, or create a new product if one does not exist.

Acceptance Criteria

An Advanced Search option is available via a binoculars icon on product selection fields. Advanced Search opens a dedicated search interface showing contextual search results relevant to the field from which it was launched.

Users can refine results using:

- Filters (select column/attribute)
- Conditions (equals, not equals, includes, is blank, is not blank)
- Filter values (based on selected column)

Search results are displayed in a tabular view that supports:

- Sorting
- Filtering

Selection behavior:

- Radio buttons are shown for single-select fields
- Checkboxes are shown for multi-select fields

Users can select a result and apply it to the field.

Clicking Apply Filters refreshes results without navigating away.

An optional Create button is available:

- Opens the relevant product creation page contextually
- Allows the user to create a new product if no suitable result is found

Clicking Close:

- Closes the Advanced Search
- Populates the selected value(s) into the originating field

Fields

- Filter column selector (dropdown)
- Condition selector (dropdown)
- Filter value selector/input
- Search results table
- Radio button / checkbox (per result row)

Buttons

- Advanced Search (binoculars icon)
- Apply Filters
- Create
- Close

US-M3-009**Parent Info Inheritance****Story**

As a Marketing user or R&D user,

I want child products to inherit parent product information

So that I do not have to re-enter duplicate data.

Acceptance Criteria

Hierarchy data is auto-populated for lower-level products based on parent selection.

Inherited fields should be non-editable so that hierarchy is maintained.

System should take care of this rule.

Fields

All fields, data of which is available from parent

Buttons

None

US-M3-010**Create Technology product****Story**

As a Marketing user or R&D user,

I want to create a Technology product and optionally attach formulation documentation

So that the Technology can be reused across Formats, Subranges, and Variants.

Acceptance Criteria

Technology Name is mandatory.

Business Group field supports multi-select.

Category field (Also supports Multi-select):

- Is enabled only after Business Group selection.
- Displays categories relevant to the selected Business Groups.

Formulation document attachment is optional.

Formulation documents can be searched by Document name or Document content from the Document Library.

Technology cannot be saved unless mandatory hierarchy fields are completed.

Fields

- Technology name (text, mandatory)
- Business Group (multi-select picklist, mandatory)
- Category (Multi-select picklist, mandatory)
- Formulation document (upload a file / select a file from documents library, optional)

Buttons

- Upload formulation document
- Save
- Save & Create
- Cancel

US-M3-011**Create Format product****Story**

As a Marketing user or R&D user,

I want to create a Format product by providing mandatory attributes

So that it can act as a parent for Subranges within the product hierarchy.

Acceptance Criteria

Format Name is mandatory and must be provided before save.

Business Group field supports multi-select.

Category field (supports multi-select):

- Remains disabled until at least one Business Group is selected.
- Displays only categories associated with the selected Business Groups.

Brand can be selected using search (basic or advanced search) by Product Name.

Format cannot be saved unless all mandatory fields are completed successfully.

Fields

- Brand (mandatory)
- Business Group (multi-select picklist, mandatory)

- Category (Multi-select picklist, mandatory)

Buttons

- Save
- Save & Create
- Cancel

US-M3-012**Create Subrange Product****Story**

As a Marketing user or R&D user,

I want to create a Subrange under a Format

So that Variants can be grouped logically within the hierarchy.

Acceptance Criteria

Parent Format selection is mandatory and searchable by Product Name or ID.

Subrange Name is mandatory.

Subrange Description:

- Is optional
- Supports up to 32,000 characters

Technology 1 and Technology 2 fields are optional and searchable.

Consumer Benefit Platform, Tier, and Target Audience:

- Are optional
- Display only values relevant to the selected Format

Subrange cannot be saved without mandatory fields.

Other details are inherited from Format selected in the Format ID.

Note:

Having a subrange product in the hierarchy is not mandatory, users can have variants having Format product type as its parent directly.

All other hierarchy levels are mandatory (Technology not being considered as part of the hierarchy).

Fields

- Technology 1 name (text with search feature, optional)
- Technology 2 name (text with search feature, optional)
- Business Group (multi-select picklist, mandatory)
- Category (Multi-select picklist, mandatory)

Buttons

- Save
- Save & Create
- Cancel

US-M3-013**Create Variant product****Story**

As a Marketing user or R&D user,

I want to create a Variant under a Subrange or Format

So that a global product definition can be established before localisation.

Acceptance Criteria

System prompts whether a Subrange exists (default value: No).

If Subrange exists = Yes:

- Parent Subrange selection is mandatory and searchable.

If Subrange exists = No:

- Parent Format selection is mandatory and searchable.

Variant Name is mandatory.

Variant Description:

- Is optional
- Supports up to 32,000 characters.

Technology 1 and Technology 2:

- Are optional
- Are searchable
- Do not inherit from Subrange or Format.

Consumer Benefit Platform, Tier, and Target Audience:

- Are optional
- Are filtered based on the selected Format.

Variant cannot be saved unless all mandatory fields are completed.

Fields

- Parent Subrange (searchable, conditional mandatory)
- Parent Format (searchable, conditional mandatory)
- Variant Name (text)
- Variant Description (text)
- Technology 1 (searchable)
- Technology 2 (searchable)
- Consumer Benefit Platform
- Tier
- Target Audience

Buttons

- Save
- Save & Create
- Cancel

US-M3-014

Enable Claims & Adaptations at Variant Level

Story

As a Marketing user or R&D user,

I want to create and manage global claims, regional adaptations, and local adaptations at the Variant level

So that claims can be structured correctly across markets.

Acceptance Criteria

At Variant level, users can create:

- Global claims
- Regional adaptations (by selecting regions or artwork clusters)

Regional adaptations allow selection of relevant regions or artwork clusters.

Claims and adaptations created at this level follow standard claim lifecycle rules.

Fields

Select Geography (picklist of regions)

Buttons

Add Regional Adaptations

US-M3-015

Bulk Create Variants from variant creation screen

Story

As a Marketing user or R&D user,

I want to create multiple Variants in bulk

So that I do not have to manually create each Variant individually.

Acceptance Criteria

Variant creation screen includes a **Create Variants in Bulk** option.

When enabled:

- An Add Variant button appears next to the Variant Name field.
- Each click of Add Variant adds a new Variant Name field horizontally.

A remove (“–”) icon is available next to each Variant Name field.

On Save:

All entered Variants are created in a single operation.

Fields

Additional Variant Names

Buttons

- Create Variants in Bulk (Checkbox, default value false)
 - Add Variant
 - (–) remove variant
-

US-M3-016

Bulk Create Local Variants (CUCs) from variant creation screen

Story

As a Marketing user or R&D user,

I want to create Local Variants for multiple Variants in bulk

So that localisation can be done efficiently.

Acceptance Criteria

Variant creation screen includes a **Create Local Variants in Bulk** option.

When Create Local Variants in Bulk is enabled:

- An Add Local Variant button appears under each Variant.

Clicking Add Local Variant adds fields vertically:

- Geography (mandatory, picklist)
- CUC Code (optional text field)

Each Local Variant entry includes a remove (“–”) option.

On Save:

Each Variant and its associated Local Variants are created together.

This can be done when for single variant creation or variant creation in bulk.

Fields

- Geographies under variant(s)
- CUC Specification Number (optional)

Buttons

- Create Local Variants in Bulk (Checkbox, default value false)
- Add Local Variant

- (-) to remove local variant

US-M3-017**Create CUC (Local Variant) for a Variant added to a project****Story**

As a Marketing user or R&D user,

I want system to create Local Variants (CUC) automatically from a Variant when Local Adaptations are created in a project with multiple geographies

So that I do not have to create each local variant (CUC) manually.

Acceptance Criteria

When user creates bulk local adaptations (LAs) for multiple geographies (not regions), if the local variants for those geographies doesn't exist system should auto create respective local variants and link with the LAs.

Here the user is creating claims for a Variant with one or more geographies:

- Existing Local Variants for those geographies are automatically linked to the claims.
- Missing Local Variants are automatically created and added to the claims.

Users are not required to manually create or link Local Variants (CUC) in this scenario.

Fields

- None

Buttons

- None

US-M3-018**Create Local Variant (CUC)****Story**

As a Marketing user or R&D user,

I want to create a Local Variant for one or more geographies

So that a global Variant can be localised.

Acceptance Criteria

Parent Variant selection is mandatory and searchable.

Geography selection:

- Is mandatory
- Supports multi-select
- Allows creation of multiple Local Variants in one action

Auto-populated, read-only fields:

- Business Group
- Category
- Brand
- Format

Technology 1 and Technology 2:

- Are optional
- Are searchable
- Are not inherited

Formulation document attachment is optional.

Local Variant cannot be saved without mandatory fields.

Fields

- Variant name (text with search feature)

- Geography (multi-select dropdown)
- Formulation Document (upload document)
- CUC Specification Number (text)
- SKU list from PLM (multi-select dropdown)

Buttons

- Save
- Save & Create
- Cancel

US-M3-019**Link Local Variant to PLM and Enforce Claim Readiness****Story**

As a Marketing user or R&D user,

I want a Local Variant to be linked to PLM data

So that downstream claim assessment and SKU creation rules are enforced.

Acceptance Criteria

CUC Specification Number:

- Is optional at creation
- Can be selected from PLM data

When a claim linked to the Local Variant moves to Assessed state:

- CUC Specification Number becomes mandatory

When CUC Specification Number is provided:

- Available SKUs (CUs) are fetched from PLM
- SKUs are shown as a multi-select list
- Selecting SKUs triggers automatic CU creation

Fields

- CUC Specification Number

Buttons

- None

US-M3-020**Validate CUC and CU Specification Numbers Against PLM****Story**

As the system,

I want to validate CUC Specification Numbers and CU Numbers against PLM data

So that only valid identifiers are accepted and downstream product integrity is maintained.

Acceptance Criteria

When a CUC Specification Number or CU Number is entered or updated, the system validates the value against PLM.

Validation feedback is displayed next to the field:

- Green tick + "Valid" → value exists in PLM
- Red cross + "Invalid, please check" → value not found in PLM

Save behavior:

- Product can be saved when the field is blank or marked Valid
- Product cannot be saved when the field is marked Invalid

When a value changes, the validation status is re-evaluated automatically.

Validation confirms correctness only and does not alter the entered value.

Fields

- CUC Specification Number
- CU Specification Number

Buttons

- Green tick icon with “Valid” label
- Red cross icon with “Invalid, please check” label
- Save / Save & Create buttons (enabled or disabled based on validation state)

US-M3-021**Create CU Product (SKU)****Story**

As a Marketing user or R&D user,

I want to create CU products under a Local Variant

So that SKU-level product definitions are available for downstream usage.

Acceptance Criteria

Parent Local Variant (CUC) selection is mandatory.

Geography selection is mandatory.

The following hierarchy fields auto-populate and are read-only:

- Business Group
- Category
- Brand
- Format
- Subrange (if exists)
- Variant
- Technology 1 and Technology 2

SKU is a drop-down list where possible CU code options are fetched from PLM based on the CUC specification code of the parent Local Variant (CUC).

If it does not exist in PLM then user can mark the question of “**CU created in PLM?**” as No.

Recipe fields:

- Are editable
- Are saved as part of the CU definition

CU cannot be saved without mandatory hierarchy selections.

Fields

- Local Variant (CUC) (text searchable)
- Geography (dropdown)
- SKUs (dropdown list as fetched from selected Local Variant)
- Recipes (text, optional)

Buttons

- SKU vs Geography grid (where by default everything is pre-selected)
- Save
- Save & Create
- Cancel

US-M3-022**Super User – BG Product Creation****Story**

As a Super User,

I want to create Business Groups
So that top-level hierarchy is managed centrally.

Acceptance Criteria

BG Name is mandatory.

Fields

BG (Text, mandatory)

Buttons

- Save
- Save & Create
- Cancel

US-M3-023**Super User – Categories Product Creation****Story**

As a Super User,
I want to create Categories
So that products are classified correctly.

Acceptance Criteria

Category Name is mandatory.

BG selection from dropdown.

Fields

- Category (Text, mandatory)
- BG (dropdown, mandatory)

Buttons

- Save
- Save & Create
- Cancel

US-M3-024**Super User – Brands Product Creation****Story**

As a Super User,
I want to create Brands mapped to BG and Category
So that branding hierarchy is maintained.

Acceptance Criteria

BG multi-select.

Category enabled after BG selection.

Fields

- Category (Dropdown dependent on BG selected, mandatory)
- BG (dropdown, mandatory)

Buttons

- Save
- Save & Create
- Cancel

US-M3-025**Hierarchical product nomenclature**

Story

As the system,

I want product names to be automatically generated using parent product names

So that product nomenclature is consistent, standardised, and unambiguous across the product hierarchy.

Acceptance Criteria

The system automatically generates the final Product Name at the time of save.

Users enter only the level-specific name (e.g., Format name, Subrange name).

The final Product Name is created by concatenating parent hierarchy names using a space () in hierarchy order.

Naming rules follow these patterns:

- Format: Brand Format
- Subrange: Brand Format Subrange (included only if Subrange exists in the hierarchy)
- Variant: Brand Format Subrange Variant
- Local Variant (CUC): Brand Format Subrange Variant CUC
- CU: Brand Format Subrange Variant CUC CU

The system-generated Product Name:

- Is stored as the official Product Name
- Is displayed consistently across product list, search results, hierarchy view, and product details
- Cannot be manually edited by users

The system prevents creation of duplicate Product Names at the same hierarchy level.

Fields

None

Buttons

None

US-M3-026**Products home from global menu****Story**

As any user,

I want to access the Products home page from anywhere in the system

So that I can quickly navigate to product information.

Acceptance Criteria

Clicking on the Products tab in the global menu bar from any screen redirects the user to the Products home page.

Fields

None

Buttons

Products (Global menu bar)

US-M3-027**Products Home – Recent Products****Story**

As any user,

I want to see products I recently viewed or used

So that I can quickly resume my work.

Acceptance Criteria

Products home page shows a default list of:

- Recently viewed products, and
- Products used in recently engaged projects

Products are ordered by most recently accessed.

The system automatically tracks product access.

Fields

None

Buttons

Recent Products

US-M3-028**Products Home – Type of List views****Story**

As any user,

I want to expand the Products module and access predefined product views

So that I can quickly switch between commonly used product lists.

Acceptance Criteria

Clicking Products in the navigation panel expands a dropdown.

Dropdown displays:

- Recent Products
- My Products
- Favorite Products
- Saved Views

Expanded or collapsed state persists during the user session.

Selecting any view refreshes the Products table on the same screen.

No page navigation or reload occurs.

View behaviors:**Recent Products**

- Displays products sorted by most recently accessed.

My Products

- Displays products created by the user, or
- Products associated with projects where the user is a project team member.

Favorite Products

- Displays products starred by the user.

User can configure which view opens by default when clicking Products from the global menu.

Fields

None

Buttons

- Recent Products
- My Products
- Favorite Products
- Saved Views (List)

US-M3-029**Save Custom Product View**

Story

As any user,

I want to save a customized Product table view

So that I can quickly reuse my preferred column layout and filters.

Acceptance Criteria

When a user:

- Rearranges product table columns, and/or
- Applies column-level filters

the Save View As button becomes enabled.

Clicking Save View As prompts the user to provide a view name.

The saved view stores:

- Column order
- Visible and hidden columns
- Applied column filters

The saved view appears under Saved Views for the user.

Fields

View Name (Text)

Buttons

Save View As

US-M3-030**Share Saved Product View****Story**

As any user,

I want the option to share a saved Product view

So that other users can reuse the same configuration if required.

Acceptance Criteria

When saving a Product view, the user is prompted with an option to share the view.

The user can choose to share the view with:

- All users, or
- Selected users

By default, saved views are private unless explicitly shared.

Shared views appear in Saved Views for the intended recipients.

Fields

Share with (All / Selected users)

Buttons

- Share
- Save

US-M3-031**Manage Favorite Products****Story**

As any user,

I want to mark or unmark products as Favorites

So that I can quickly access important products later.

Acceptance Criteria

A star icon appears next to each product name in the Products table, on the Product Details

page besides the Product name in title, as well as alongside each product when being hovered over in the product hierarchy tree.

Clicking an empty star:

- Marks the product as a Favorite
- Changes the star to a filled state
- Adds the product to the Favorite Products view immediately

Clicking a filled star:

- Removes the product from Favorites
- Returns the star to an empty state
- Removes the product from the Favorite Products view immediately

Favorite status is saved per user and does not affect other users.

Fields

None

Buttons

Mark as Favorite (Star icon that becomes highlighted if clicked upon)

US-M3-032

Products Home – Filtering in any view

Story

As any user,

I want to be able to apply filter/s or clear any applied filter/s in any view

So that I can narrow down the number of results easing my workability.

Acceptance Criteria

Applied filters are visible at the top of the tabular view and user can click the (X) icon besides any filter to clear that, or click on Clear All button to remove all the applied filters.

To apply filters users can select from dropdown the column on which they want to apply filter to, select the type of condition, and content of the filter.

Fields

- Filter column
- Condition type
- Content of filter

Buttons

- Clear all filters
 - Filter column
 - Select condition
 - Apply filter
 - (X) icon besides each applied filter to clear that filter
-

US-M3-033

Collapse Products menu in navigation panel

Story

As any user,

I want to collapse the Products menu in the left navigation panel

So that I can reduce visual clutter and focus on other navigation options.

Acceptance Criteria

Clicking the collapse control hides all Product sub-options in the left panel.

Collapsing the menu does not affect the current Products table view.
The menu remains collapsed until the user expands it again during the session.

Fields

None

Buttons

Collapse menu twisty arrow

US-M3-034**Details available in any View on Products Landing page****Story**

As any user,
I want to view key product attributes in the list
So that I can understand product context at a glance.

Acceptance Criteria

Tabular List displays (filterable and rearrangeable through drag & drop, sortable, select other attribute columns to display):

- Product Name
- Product ID
- Product Type
- Lifecycle State
- No. of Claims
- Created By
- Created Date
- Parent Product
- Child Product

Fields

None

Buttons

None

US-M3-035**Control Product Lifecycle States****Story**

As the system,
I want product lifecycle states to be system-controlled
So that product usage is governed correctly and data integrity is maintained.

Acceptance Criteria

All newly created products are automatically assigned the Created lifecycle state.
When any claim linked to the product reaches Assessed state, the product lifecycle state automatically changes to In-use.
Users cannot manually set or modify lifecycle states.
All lifecycle transitions follow predefined system rules only.
Products can also have an Obsolete state when a version becomes obsolete and a new version is created.

Fields

Lifecycle state (system controlled)

Buttons

None

US-M3-036**Restrict Product Actions Based on Lifecycle****Story**

As a system,

I want restrict product actions based on lifecycle state

So that active (In-use) products are protected from unintended changes in its attributes.

Acceptance Criteria

Products in In-use state:

- Cannot be edited
- Cannot be modified through unsafe actions

Allowed actions in In-use state are limited to system-approved operations.

Lifecycle restrictions are enforced consistently across all product views.

Fields

None

Buttons

None

US-M3-037**Mark Previous Product Versions as Obsolete****Story**

As a Marketing user or R&D user,

I want to mark older product versions as Obsolete

So that version history is clearly maintained.

Acceptance Criteria

When creating a new version of a product, the user can mark the previous version's lifecycle state as Obsolete.

Obsolete products remain visible for reference but are not editable.

Only applicable during product version creation.

Fields

Lifecycle State (Obsolete)

Buttons

Mark as Obsolete

US-M3-038**Open Product Details Page****Story**

As any user,

I want to open a product from any Products view

So that I can view full details of that product.

Acceptance Criteria

Clicking a product from:

- Products landing page
- Product hierarchy
- Project's product list

opens the Product Details page.

All product attributes are displayed in read-only mode by default.

Fields

None

Buttons

Product row link (hyperlink interaction)

US-M3-039**Display Product Summary and Navigation Sections****Story**

As any user,

I want to see key product information and related sections on the Product Details page

So that I can easily navigate product context.

Acceptance Criteria

Below the Product Name, the page displays labeled badges for:

- Lifecycle State (green for In-use, light blue for Created)
- Category
- Product Type
- Geographies

The left navigation pane displays the following sections with counts:

- Product Details
- Parent Products
- Available Parent Claims
- Child Products
- Available Child Claims
- Related Claims
- Related Assets
- Related Regional / Local Adaptations
- Related Projects

Selecting any section opens its content in the main area in tabular format.

Fields

None

Buttons

Section navigation items (left panel)

US-M3-040**View Related Data in Tabular Format on Product Details Page****Story**

As any user,

I want related product data to be displayed in tabular views

So that I can search and analyze information efficiently.

Acceptance Criteria

All section lists (claims, projects, assets, etc.) open as tabular views.

Tabular views support:

- Searching
- Filtering
- Sorting

- Column reordering
- Configurable visible columns

Tabular behavior is consistent with other list views in the system.

Fields

None

Buttons

Table controls (search, filter, column chooser)

US-M3-041**View Product Hierarchy on Product Details Page****Story**

As any user,

I want to view the full product hierarchy on the Product Details page

So that I can understand relationships and context.

Acceptance Criteria

By default, the Product Details tab is open on page load.

Below product attributes, the full hierarchy tree is displayed.

The hierarchy:

- Shows the current product's branch highlighted
- Matches hierarchy behavior defined in hierarchy user stories

Fields

None

Buttons

Hierarchy expand / collapse controls

US-M3-042**Access Product Actions and Sequential Navigation****Story**

As any user,

I want to access key product actions and navigate between products

So that I can work efficiently without returning to lists.

Acceptance Criteria

A dropdown beside the Product Name provides:

- Edit Product
- Create Child Product
- Copy Product Claims
- Delete Product
- Audit Log

Arrows (Previous / Next) are available at the top right:

- Navigate within the originating product list
- Respect list order and filters

Fields

None

Buttons

- Edit Product (pencil icon)
- Create Child Product
- Copy Product Claims

- Delete Product
- Audit Log
- Previous / Next arrows

US-M3-043

Product Details Page – Related claims, Parent claims, Child claims

Story

As a Marketing user or R&D user,

I want to view claims associated with the current product, its parent's claims, and its child's claims

So that I can understand claim usage and context across the product hierarchy.

Acceptance Criteria

The Product Details page displays a list of claims directly associated with the current product.

Claims are shown in a tabular view with the following attributes (not limited to):

- Claim statement text
- Claim lifecycle state
- Final risk icon
- Restricted use indicator
- Marketing Channel
- Support Strategy
- Claim ID: CLM-{N}

The above list is the default view, but all tabular view and search functionalities are applicable here with all claim attributes selectable as columns.

This customized view becomes the default view for that user for future visits.

System retains customization memory, user-specific.

Whichever is the 1st column, the line items become hyperlinks to reach the details page of that line item.

In this case, user reaches Claim Details page by clicking on the statement text content.

Claims from parent products are displayed in a clearly identified, separate section (**Available Parent Claims**) with the same attributes as above.

Claims from child products are displayed in a clearly identified, separate section (**Available Child Claims**) with the same attributes as above.

Claims are read-only in view mode and do not require navigation to another page to be reviewed.

Claim visibility respects user permissions and access rights.

Fields

None

Buttons

Add claim to current product

US-M3-044

Product Details Page – Related Projects

Story

As a Marketing user or R&D user,

I want to view projects related to a product and navigate to them

So that I can understand the product's active usage and review project details when needed.

Acceptance Criteria

Product Details page includes a **Related Projects** section.

On clicking on this badge, a tabular view of related projects opens up below.

The Related Projects tab lists all projects associated with the product.

All functionalities of the tabular view are applicable.

Clicking on a project opens the Project Details page in the appropriate context.

Navigation to the project does not break user access or permissions.

Fields

None

Buttons

- Related Projects
- Projects tabular view has 1st column as hyperlinks to the Project Details page of those projects

US-M3-045**Add Claims from Parent or Child Products****Story**

As a Marketing user or R&D user,

I want to add claims from parent or child products to the current product

So that claim reuse across the product hierarchy is simplified and consistent.

Acceptance Criteria

In the Related Claims section, an **Add** action is available to add additional claims.

Selecting Add opens a claim selection screen.

By default, the screen displays claims from parent products.

Users can:

- Select one or more claims from the available parent or child product claims
- Use multi-select selection to choose claims

Selected claims are immediately associated with the current product upon confirmation.

Claim association behavior depends on the current product type:

- For Local Variant, associated claims are created as Local Adaptations
- For CU, associated claims are created as LA SKU Claims

The system prevents duplicate association of the same claim to the same product.

Adding claims does not modify or remove the original claim from the source product.

Fields

Claim selection list (multi-select)

Buttons

- Add
- Multi-select checkboxes

US-M3-046**Control Inheritance and Lifecycle of Reused Claims****Story**

As the system,

I want to determine how reused claims inherit content and lifecycle

So that inherited claims follow consistent governance rules.

Acceptance Criteria

For each claim selected for reuse, the user can choose whether to inherit:

- Support Strategy
- Substantiation

These inheritance options:

- Are displayed as checkboxes within the claim selection list
- Are enabled by default (inheritance ON)

Lifecycle assignment rules:

If the source claim is in Assessed state and inheritance is enabled, the new claim is created in **“Assessed through inheritance”** state.

If the source claim is in any other state, or inheritance is disabled, the new claim is created in **Proposed** state.

Lifecycle state is system-controlled and cannot be manually overridden.

Fields

- Lifecycle State (system-controlled)
- Support Strategy inheritance flag
- Substantiation inheritance flag

Buttons

Copy substantiation & support strategy (checkboxes within claim list)

US-M3-047

Product hierarchy – View and navigate

Story

As any user,

I want to view and navigate the Product hierarchy

So that I can easily understand the product’s position, relationships, and technical context within the overall structure.

Acceptance Criteria

Can be accessed through dropdown in Products tab on the global menu bar (to see all the hierarchies) and on any product’s Product Details Page in **Product Details** section below the attribute details (this will only show that product-specific hierarchy).

Product hierarchy is displayed in a tree structure from the top-most parent to the lowest-level child.

The hierarchy clearly represents parent-child relationships across all product levels.

The hierarchy supports expand and collapse actions at every level.

Users can navigate between products by selecting nodes in the hierarchy tree.

Technology, while not part of the hierarchy structure, is displayed in brackets against the top-most parent product to provide technical context.

Viewing or navigating the hierarchy does not trigger page navigation; updates occur within the same screen.

Fields

None

Buttons

- Products Hierarchy (in Products dropdown of Global menu bar)
- View Product Hierarchy (on all Product Details pages)

US-M3-048

Product hierarchy – Landing Page (Global Menu)

Story

As any user,

I want all the Product hierarchies to be in collapsed state upto Brand level

So that I can easily navigate to the products and their branches relevant to my needs.

Acceptance Criteria

Selecting Product Hierarchy from the Products dropdown opens the Product Hierarchy landing page.

All Brands that the user is authorised to view are displayed.

Each Brand:

- Appears in a collapsed state by default
- Is expandable to display child nodes

Brands are listed in alphabetical order by default.

Recently viewed Brand hierarchies:

- Appear at the top of the list
- Are marked with a **"Recently Viewed"** badge
- Are user-specific

Fields

None

Buttons

None

US-M3-049**Product Hierarchy – View Key Product Details****Story**

As any user,

I want to view key product details directly within the hierarchy

So that I can quickly understand context without opening the full Product Details page.

Acceptance Criteria

Each product branch displays:

- Product Name
- Product Type (badge)
- Lifecycle State (coloured badge)

Below the product name, the following counts are shown:

- Number of related geographies / regions
- Number of related claims
- Number of related projects

Selecting:

- Related Claims opens the claims tabular view on that product's Product Details page
- Related Projects opens the projects tabular view on that product's Product Details page

Fields

None

Buttons

- Number of related geographies
 - Number of related claims
 - Number of related projects
-

US-M3-050**Product Hierarchy – Contextual Product Actions****Story**

As a Marketing user or R&D user,

I want to see context-appropriate product actions in the hierarchy tree

So that I can manage products efficiently based on my permissions.

Acceptance Criteria

Each product node in the hierarchy displays contextual action options.

Available actions depend on:

- User role
- Product type
- Product lifecycle state

Users without product creation or modification rights do not see restricted actions.

Fields

None

Buttons

- Edit Product
 - Add Child Product
 - Copy Product
 - Copy Claims
 - Delete Product
 - Audit Log
-

US-M3-051**Product Hierarchy – Perform Product Actions****Story**

As a Marketing user or R&D user,

I want to perform product management actions directly from the hierarchy tree

So that I can quickly update or extend the product structure.

Acceptance Criteria**Add Child Product**

- Opens the relevant product creation screen
- Applies the selected hierarchy context automatically

Edit Product

- Opens the Product Details page in edit mode

Copy Product

- Opens the product creation screen
- Prefills all fields except Product Name
- Associates related claims from the source product
- Supports versioning workflows (older versions can be marked obsolete)

Cancel Product

- Prompts for confirmation
- Cancels the product only after confirmation and makes it non-usable

Audit Log

- Opens the audit log for the selected product

All hierarchy changes are reflected immediately in the hierarchy tree.

Fields

None

Buttons

- Edit Product
- Add Child Product
- Copy Product
- Copy Claims
- Delete Product
- Audit Log

US-M3-052**Edit Product****Story**

As a Marketing user or R&D user,

I want to edit a product

So that I can update incorrect or missing details.

Acceptance Criteria

Edit mode is accessed via the pencil icon (only visible to R&D and Marketing users).

This Edit button is available on:

- Product Details page
- When hovering over any product in the product hierarchy
- Any product list views

All details apart from Product Name are editable as per the user authorisation.

Fields

- None before clicking
- After clicking, attributes become editable

Buttons

Edit Product (Pencil Icon)

US-M3-053**Copy an existing product****Story**

As a Marketing user or R&D user,

I want to copy a product

So that I can reuse its structure and details without re-entering data.

Acceptance Criteria

Copy Product option is available from:

- Product Details page
- Product hierarchy tree (where applicable)

Selecting Copy Product opens the product creation screen.

All product fields are prefilled and editable, except:

- Product Name, which must be entered by the user

The Copy Product option is visible only to users who have creation rights for that product type.

Copying a product does not modify the original product.

Fields

Product Name

Buttons

Copy product

US-M3-054

Copy claims to another product

Story

As a Marketing user or R&D user,

I want to selectively copy claims from one product to another

So that I can reuse existing claims without manually recreating each claim.

Acceptance Criteria

The Product Details page and Product Hierarchy display (respective product branch) provide a **Copy Claims** action.

Clicking Copy Claims opens a modal or pop-up allowing users to:

- Select target product
- Select list of claims to be copied
- Confirm whether to copy substantiations & support strategy

The source product field at the top left of the pop-up displays the current product name (non-editable).

Users must select the target product (mandatory) on the top right of the pop-up:

- Supports basic search and advanced search
- Only valid products available to the user are selectable

The claims list in the pop-up (below source and target):

- Displays all claims associated with the source product
- Is displayed in a scrollable tabular layout
- Supports search, filtering, and sorting
- Displays each claim with a selectable checkbox

By default:

- All claims are pre-selected
- A Select All and Deselect All option is available

Users can:

- Deselect individual claims
- Refine selection using search, filters, or sorting

After selection, users can choose whether to copy substantiations via checkbox.

Clicking Continue performs the copy operation:

- New claim records are created for the target product
- Copied claims are created in Proposed lifecycle state
- Original claims remain unchanged

Upon success:

- Copied claims appear under the target product
- User receives clear success confirmation

Note:

- Variants should only copy claims
- Local Variants should only copy LAs
- CUs should only copy LA-CUs

Fields

- Source Product (defaults to current product, can be changed)
- Target Product

- Geographies (if applicable)
- Substantiations & support strategy to be copied? (Y/N)

Buttons

- Copy claims to another product
- Multi-select list of claims to confirm which claims to be copied

US-M3-055**Import claims from another product****Story**

As a Marketing user or R&D user,

I want to selectively import claims from another product to my product

So that I can reuse existing claims without manually recreating each claim.

Acceptance Criteria

The Product Details page and Product Hierarchy display (respective product branch) provide an **Import Claims** action.

Clicking Import Claims opens a modal or pop-up allowing users to:

- Select source product
- Select list of claims to be copied
- Confirm whether to copy substantiations & support strategy

The target product field at the top right of the pop-up displays the current product name (non-editable).

Users must select the source product (mandatory) on the top left of the pop-up:

- Supports basic search and advanced search
- Only valid products available to the user are selectable

The claims list in the pop-up (below source and target):

- Displays all claims associated with the source product
- Is displayed in a scrollable tabular layout
- Supports search, filtering, and sorting
- Displays selectable checkboxes per claim

By default:

- All claims are pre-selected
- A Select All and Deselect All option is available

Users can:

- Deselect individual claims
- Refine the selection

After finalizing claim selection, users can choose whether substantiations should be copied.

Clicking Continue performs the copy operation:

- New claim records are created for the target product
- Copied claims are created in Proposed lifecycle state
- Original claims remain unchanged

Upon success:

- Claims appear under the target product
- User receives confirmation

Note:

- Variants should only import claims
- Local Variants should only import LAs
- CUs should only import LA-CUs

Fields

- Source Product (defaults to current product, can be changed)
- Target Product
- Geographies (if applicable)
- Substantiations & support strategy to be copied? (Y/N)

Buttons

- Copy claims to another product
- Multi-select list of claims to confirm which claims to be copied

US-M3-056**Cancel a product with confirmation****Story**

As a Marketing user or R&D user,

I want to cancel a product

So that incorrect or unused products can be safely moved to a cancelled products list.

Acceptance Criteria

Cancel Product option is available on the Product Details page.

Initiating cancellation triggers a confirmation modal.

The product is cancelled only after explicit user confirmation.

If the user cancels the confirmation, no cancellation occurs.

Cancellation actions respect lifecycle and access governance rules.

Cancelling the product moves the product to an archive list and makes it non-usable.

Fields

None

Buttons

Cancel Product (bin icon)

US-M3-057**Audit Log of Product****Story**

As any user,

I want to view the audit log for a product

So that I can understand what changes were made, by whom, and when.

Acceptance Criteria

The Product Details page provides an **Audit Log** option.

The audit log displays a historical record of product changes, including:

- Field name
- Previous value
- New value
- User who made the change
- Date and time of the change

Audit log entries are read-only and cannot be modified by users.

Audit log visibility respects user access permissions.

Fields

(All system-controlled)

- Field name
- Previous value

- New value
- User who made the change
- Date and time of the change

Buttons

Audit Log
