Ex.No.: 9		SUB QUERIES
Date:	10/09/2024	

1) THE HR DEPARTMENT NEEDS A QUERY THAT PROMPTS THE USER FOR AN EMPLOYEE LAST NAME. THE QUERY THEN DISPLAYS THE LAST NAME AND HIRE DATE OF ANY EMPLOYEE IN THE SAME DEPARTMENT AS THE EMPLOYEE WHOSE NAME THEY SUPPLY (EXCLUDING THAT EMPLOYEE). FOR EXAMPLE, IF THE USER ENTERS ZLOTKEY, FIND ALL EMPLOYEES WHO WORK WITH ZLOTKEY (EXCLUDINGZLOTKEY).

```
SELECT LAST_NAME,
HIRE_DATEFROM
EMPLOYEES
WHERE DEPARTMENT_ID =
   ALL(SELECT
   DEPARTMENT_ID FROM
   EMPLOYEES
   WHERE LAST_NAME = 'ZLOTKEY'
)
AND LAST_NAME != 'ZLOTKEY';
```

LAST_NAME	HIRE_DATE
Doe	08/10/1995
Elba	09/06/1972
charles	09/18/1993

3 rows returned in 0.01 seconds Download

2) CREATE A REPORT THAT DISPLAYS THE EMPLOYEE NUMBER, LAST NAME, AND SALARY OF ALLEMPLOYEES WHO EARN MORE THAN THE AVERAGE SALARY. SORT THE RESULTS IN ORDER OF ASCENDING SALARY.

```
SELECT EMPLOYEE_ID, LAST_NAME, SALARY
FROM EMPLOYEES
```

```
WHERE SALARY > (
   SELECT AVG(SALARY)
   FROM EMPLOYEES
)
ORDER BY SALARY ASC;
```

EMPLOYEE_ID	LAST_NAME	SALARY
7	Hemsworth	7800
16	Diesel	8000
12	Boseman	8000
23	Carlos	8200
41	charles	8900
22	Stan	9000
3	Downey	9000
8	Wilson	13500
25	Austin	13500

231501154@rajalakshmi.edu.in shriram154 en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.1.3

3) WRITE A QUERY THAT DISPLAYS THE EMPLOYEE NUMBER AND LAST NAME OF ALL EMPLOYEES WHOWORK IN A DEPARTMENT WITH ANY EMPLOYEE WHOSE LAST NAME CONTAINS A U.

```
SELECT EMPLOYEE_ID, LAST_NAME
FROM EMPLOYEES
WHERE DEPARTMENT_ID IN (
   SELECT DEPARTMENT_ID
   FROM EMPLOYEES
   WHERE LAST_NAME LIKE '%A%' AND LAST_NAME LIKE '%U%');
```

EMPLOYEE_ID	LAST_NAME
3	Downey
6	Ruffalo
30	Waititi
27	Goldblum
22	Stan
17	Bautista
25	Abu
176	Morris
23	andru

9 rows returned in 0.01 seconds Download

231501154@rajalakshmi.edu.in shriram154 en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.1.3

4) THE HR DEPARTMENT NEEDS A REPORT THAT DISPLAYS THE LAST NAME, DEPARTMENT NUMBER, ANDJOB ID OF ALL EMPLOYEES WHOSE DEPARTMENT LOCATION ID IS 1700.

```
SELECT E.LAST_NAME, E.DEPARTMENT_ID, E.JOB_ID
```

```
FROM EMPLOYEES E
INNER JOIN DEPARTMENT D ON E.DEPARTMENT_ID =
D.DEPT_IDWHERE E.DEPARTMENT_ID IN (
   SELECT
   DEPT_ID FROM
   DEPARTMENT
   WHERE LOCATION_ID = 1700);
```

LAST_NAME	DEPARTMENT_ID	JOB_ID
Abu	55	#cb025
Morris	55	#ce005
andru	55	#bc023

3 rows returned in 0.02 seconds Download

5) CREATE A REPORT FOR HR THAT DISPLAYS THE LAST NAME AND SALARY OF EVERY EMPLOYEE WHOREPORTS TO KING.

```
SELECT E.LAST_NAME,
E.SALARYFROM
EMPLOYEES E
WHERE E.MANAGER_ID
   IN (SELECT
   D.MANAGER_ID FROM
   DEPARTMENT D
   WHERE D.MANAGER_NAME = 'KING');
```

LAST_NAME	SALARY
Zlotkey	7200
Hiddleston	6500
Holland	6000
Austin	13500
Austen	5500
Goldblum	3500

6 rows returned in 0.01 seconds Download

6) CREATE A REPORT FOR HR THAT DISPLAYS THE DEPARTMENT NUMBER, LAST NAME, AND JOB ID FOREVERY EMPLOYEE IN THE EXECUTIVE DEPARTMENT.

```
SELECT E.DEPARTMENT_ID, E.LAST_NAME,
E.JOB_IDFROM EMPLOYEES E
JOIN DEPARTMENT D ON E.DEPARTMENT_ID
= D.DEPT_IDWHERE D.DEPT_NAME =
'EXECUTIVE';
```

DEPARTMENT_ID	LAST_NAME	JOB_ID
75	Goldblum	ST_CLERK
75	Stan	#ss022
25	Austin	#ka028
75	Bautista	#db017
25	Diesel	#vd016

5 rows returned in 0.02 seconds Download

7) MODIFY THE QUERY 3 TO DISPLAY THE EMPLOYEE NUMBER, LAST NAME, AND SALARY OF ALL EMPLOYEES WHO EARN MORE THAN THE AVERAGE SALARY AND WHO WORK IN A DEPARTMENT WITHANY EMPLOYEE WHOSE LAST NAME CONTAINS A U.

```
SELECT E.EMPLOYEE_ID, E.LAST_NAME,
E.SALARYFROM EMPLOYEES E
WHERE E.SALARY > (
   SELECT
   AVG(SALARY)FROM
   EMPLOYEES
)
AND E.DEPARTMENT_ID
   IN ( SELECT
   X.DEPARTMENT_ID
   FROM EMPLOYEES X
   WHERE X.LAST_NAME LIKE '%A%' AND X.LAST_NAME LIKE '%U%'
);
```

EMPLOYEE_ID	LAST_NAME	SALARY
3	Downey	9000
22	Stan	9000
25	Abu	13500
23	andru	8200

4 rows returned in 0.01 seconds Download